

## University of Tasmania Open Access Repository

### **Cover sheet**

#### Title

Gene flow between introduced and native Eucalyptus species: crossability of native Tasmanian species with exotic E. nitens

#### Author

Barbour, RC, Bradley Potts, Rene Vaillancourt

#### **Bibliographic citation**

Barbour, RC; Potts, Bradley; Vaillancourt, Rene (2005). Gene flow between introduced and native Eucalyptus species: crossability of native Tasmanian species with exotic E. nitens. University Of Tasmania. Journal contribution.

https://figshare.utas.edu.au/articles/journal\_contribution/Gene\_flow\_between\_introduced\_and\_native\_Eucalyptu

Is published in: 10.1071/BT05021

#### Copyright information

This version of work is made accessible in the repository with the permission of the copyright holder/s under the following,

#### Licence.

If you believe that this work infringes copyright, please email details to: oa.repository@utas.edu.au

#### Downloaded from University of Tasmania Open Access Repository

Please do not remove this coversheet as it contains citation and copyright information.

#### University of Tasmania Open Access Repository

Library and Cultural Collections University of Tasmania Private Bag 3 Hobart, TAS 7005 Australia E oa.repository@utas.edu.au

			Tasmar	vmovhumv	rtus snecie							
Three techniq	ues were used:	controlled sigma p	ollination (SP)	, controlled cut-st	tyle pollina	tion (C	s) and s	upplement	ary pollina	tion (S	UP). In	cluded
-	are the genera	l locations of each	tree and the dat	es when work wa	s commenc	ed and	when se	sed capsule	es were hai	rvested		
Species	Tree number	Location	Date work	Harvest date		No. of	flowers			No. 6	of seeds	
			commenced		SP	$\mathbf{CS}$	SUP	Total	SP	$\mathbf{CS}$	SUP	Total
E. archeri	1224	Projection Bluff	22 Jan. 2001	24 Jan. 2002			75	75			41	41
	1228	Ben Lomond	29 Jan. 2001	7 Apr. 2002		123	111	234		279	51	330
	1229	Ben Lomond	29 Jan. 2001	7 Apr. 2002			73	73			9	9
E. barberi	1985	Lake Leak Hwy	17 May 2002	30 Mar. 2003			74	74			369	369
	1988	Lake Leak Hwy	17 May 2002	30 Mar. 2003		75		75		326		326
	1994	Cherrytree Hill	18 May 2002	30 Mar. 2003			126	126			90	90
E. brookeriana	667	Ornamental	22 Apr. 2002	13 Mar. 2003		164	117	332		0	160	160
	1396	Blessington	29 Dec. 2000	1 Apr. 2002			69	69			129	129
E. cordata	1505	Margate	09 Apr. 2001	30 Jan. 2002			82	82			324	324
	1520	Margate	6 Apr. 2001	24 Apr. 2002		91	63	178		43	147	205
	1996	Snug Plains	21 Dec. 2001	26 Mar. 2003		36	57	129		0	23	70
	2000	Snug Plains	24 Dec. 2001	26 Mar. 2003		32	<i>LL</i>	109		37	419	456
E. dalrympleana	1386	Meander	13 Apr. 2000	10 Oct. 2001	613			613	171			171
	1982	Upper Blessington	15 May 2002	30 Mar. 2003			137	137			174	174
	1995	Lower Blessington	14 May 2002	30 Mar. 2003			135	135			13	13
E. gunnii	1394	Snug Plains	21 Jan. 2001	26 Feb. 2002			84	84			316	316
	1978	Snug Plains	2 May 2002	26 Mar. 2003		103	78	214		391	131	559
	2001	Snug Plains	2 May 2002	26 Mar. 2003			118	118			686	686
	1393	Breona	12 Jan. 2000	5 Jan. 2001			102	102			0	0
E. johnstonii	1397	Snug Tier	16 Feb. 2001	24 Apr. 2002			74	74			105	105
	1504	Mt Wellington	23 Mar. 2001	22 Mar. 2002		82	59	141		0	0	0
	2010	Mt Wellington	11 Mar. 2001	10 May 2002			53	53			51	51
E. morrisbyi	1367	Ornamental	15 Mar. 2000	25 Feb. 2001	271			271	2765			2765
	1380	Ornamental	21 Mar. 2000	25 Feb. 2001	229			229	1142			1142
E. ovata	1225	Nunamara	24 Jan. 2001	5 Jan. 2002			174	174			25	25
	1509	Mt Nelson	5 Sept. 2001	6 Aug. 2002		128		149		7		8
	1986	Sandy Bay	5 May 2001	22 Mar. 2002		191		231		102		114
	2012	Dunalley	23 Apr. 2001	27 Feb. 2002			109	109			79	79
E. perriniana	1981	Strickland	6 Feb. 2002	27 Mar. 2003			64	64			297	297
I	1661	Strickland	6 Feb. 2002	27 Mar. 2003			91	91			121	121
E. rodwayi	1227	Arthurs Lake	2 Mar. 2001	24 Jan. 2002			109	109			0	0
	1501	Mathina Plains	1 Mar. 2001	14 May 2002			154	154			39	39
	1503	Steppes	2 Mar. 2001	24 Jan. 2002			59	59			4	4
E. rubida	1222	Bothwell	30 Dec. 2000	25 Jan. 2002			70	70			31	31
	2002	Pelham	30 Dec. 2000	15 Aug. 2001		81		81		1		1
E. subcrenulata	2004	Hartz Mountains	26 Feb. 2001	22 Apr. 2002			67	67			176	176
E. urnigera	1989	Mt Wellington	6 May 2002	15 Mar. 2003		71		71		72		72
	1997	Mt Wellington	24 May 2002	15 Mar. 2003		71	33	104		78	23	101
E. vernicosa	1399	Hartz Mountains	18 Feb. 2001	23 Mar. 2003			56	56			16	16
	1400	Hartz Mountains	18 Feb. 2001	23 Mar. 2003			45	45			24	24
	I	Ornamental	26 Apr. 2002	13 May 2003		87		87		13		13
E. viminalis	1381	Hollow Tree	7 Apr. 2000	26 May 2001	615			615	151			151
	1385	Mt Nelson	10 Apr. 2000	18 Apr. 2001	621			621	386	0	i	398
-	19/0	South Hobart	2 Apr. 2002	17 Jan. 2005	01.00	140	118	293		0	4	4/
Total					2349	c1715	2913	6977	4627	1461	4144	10232

Australian Journal of Botany

R. C. Barbour et al.

# Appendix 2. Characters used in the morphometric analysis of progeny from controlled, supplementary and open-pollination

Included are the transformations used for the analysis (log, logarithmic; sqrt, square root)

Code	Description	Transformation
Bud characters		
BUDFUS	Type of bud fusing $(0-2)$ ; $0 = no$ fusing, $1 = partial$ fusing,	None
	2 = complete fusing, see <i>E. nitens</i> in Fig. 1 for example of fusing	
LFUS	Length of fusing of the apical bud leaves (mm)	Log
Leaf characters		
CRENM	Crenulate margins $(0-2)$ ; $0 = $ none, $2 = $ max.	None
CORD	Length of extension of the cordate lobes of the lamina, past the base of the petiole/lamina join (mm)	X <sup>0.25</sup>
LAML	Length of lamina (mm)	Log
LAMW	Lamina width at widest point (mm)	Sqrt
LA	Leaf angle (°); the axillary angle made by the mid-rib and the stem	None
LGL	Leaf glaucousness $(0-7)$ ; $0-1 =$ green, $2-4 =$ subglaucous and	None
	5-7 = glaucous, converted from Cauvin <i>et al.</i> (1987)	
LP	Leaf plane (°); cross-sectional angle of the leaf from horizontal	Sqrt
LTA	The acute angle of the leaf tip ( $^{\circ}$ )	$X^2$
LWP	Length along mid-rib to widest point (mm)	Sqrt
MRRED	Mid-rib redness $(0-2)$ ; $0 = $ none, $2 = $ max.	None
PETL	Length of petiole (mm)	None
Plant characters		
HT10	Height to node 10 (mm)	None
LAT05	Number of laterals from Node 0 to 5 $(n)$	None
LAT610	Number of laterals from Node 6 to $10(n)$	None
LLLAT	Length of longest lateral (mm)	None
NLLAT	Node of longest lateral (0–10)	None
Stem characters		
INTER10	Inter-node length between Nodes 9 and 10 (mm)	Sqrt
INTRA10	Intra-node length at Node 10 (mm)	None
SGL	Stem glaucousness $(0-2)$ ; $0 = absent$ , $2 = max$ .	None
SRE	Stem rectangularity (mm); SD1/SD2, see Barbour et al. (2003)	None
STEMRED	Stem redness $(0-2)$ ; $0 = $ none, $2 = $ max.	None
SRO	Stem roundness (mm); SD1/SD3, see Barbour et al. (2003)	None
SV	Stem verrucae $(0-2)$ ; $0 = absent$ , $2 = max$ .	None
WW	<ul> <li>Waviness of stem wings (0–3); 0 = no wings, 1 = non-wavy wings,</li> <li>3 = maximum waviness, see <i>E. nitens</i> Fig. 1 for example of wavy wings</li> </ul>	None

Appendix 3.	F-ratios a	nd P-value:	s of the s	ignificance	test for	the differe	nce betwe	en Eucaly	ptus niten	s and eacl	h native <b>]</b>	asmanian	Symphyon	nyrtus speci	ies for var	iables
		Missin	g values inc	dicate the v	u ariable wa:	s not used in the t	canonical of the analy	<b>discrimina</b> sis due to it	<b>nt analysi</b> lacking va	s rriance in o	ne or both	of the pure	species			
Character	E. a	urcheri D	$E. bar{}_{E. motio}$	urberi D 10100	E. broc	keriana Dl	E. co.	rdata D volue	E. dalry	npleana D 101110	E. gr	unii Dunti	E. mor	risbyi D1	E. john	stonii
	r-ratio	P-value	r -ratio	P-value	r-ratio	P-value	F-rat10	P-value	F-rat10	P-value	r-ratio	<i>P</i> -value	r-ratio	<i>P</i> -value	r-ratio	P-value
Bud character																
BUDFUS	92.3	0.000					2.2	0.141	1.3	0.259						
LFUS	135.5	0.000					442.3	0.000	278.3	0.000						
Leaf character																
CRENM	30.4	0.000	10.6	0.002	54.9	0.000	322.6	0.000	1.3	0.259	128.1	0.000	907.6	0.000	221.0	0.000
CORD	265.8	0.000	1072.2	0.000	1664.4	0.000	96.8	0.000	456.9	0.000	281.1	0.000	87.6	0.000		
LAML	984.7	0.000	167.0	0.000	123.2	0.000	374.4	0.000	107.3	0.000	858.5	0.000	734.2	0.000	190.2	0.000
LAMW	200.7	0.000	266.9	0.000	80.0	0.000	54.0	0.000	86.9	0.000	248.7	0.000	115.3	0.000	64.4	0.000
LA	6.4	0.015	4.8	0.034	0.1	0.762	0.8	0.378	0.2	0.659	0.8	0.388	35.3	0.000	2.0	0.168
TGL	4.4	0.043	194.1	0.000	151.9	0.000	23.7	0.000	20.2	0.000	69.1	0.000	34.5	0.000	75.0	0.000
LP	0.6	0.458	4.8	0.033	2.2	0.146	0.2	0.671	0.0	0.999	3.4	0.069	1.2	0.278	0.6	0.460
LTA	33.4	0.000	1.6	0.207	1.1	0.295	19.9	0.000	28.7	0.000	24.2	0.000	32.7	0.000	5.2	0.029
LWP	187.4	0.000	37.4	0.000	30.9	0.000	201.4	0.000	82.3	0.000	341.9	0.000	205.1	0.000	32.9	0.000
MRRED	17.6	0.000	0.7	0.406	2.3	0.135	33.0	0.000	1.4	0.239	26.6	0.000	17.6	0.000	6.0	0.020
PETL			79.0	0.000	208.9	0.000							2.3	0.137	133.9	0.000
Plant character																
HT10	281.3	0.000	76.2	0.000	1.5	0.224	76.6	0.000	10.9	0.002	101.7	0.000	124.1	0.000	7.6	0.009
LAT05	0.6	0.454	7.2	0.010	5.9	0.019	6.0	0.017	0.1	0.832	3.2	0.078	58.3	0.000	57.6	0.000
LAT610	6.0	0.019	2.4	0.127	54.0	0.000	2.3	0.131	11.0	0.002	18.7	0.000	55.0	0.000	100.1	0.000
LLLAT	1.1	0.295	10.8	0.002	1.0	0.322	3.5	0.067	6.0	0.018	8.4	0.006	8.4	0.006	2.0	0.167
NLLAT	1.7	0.204	0.3	0.573	3.3	0.074	0.0	0.915	3.5	0.068	1.8	0.190	8.2	0.006	0.0	0.934
Stem character																
INTER10	30.2	0.000	14.7	0.000	0.1	0.733	1.7	0.200	1.0	0.323	10.9	0.002	10.9	0.002	16.4	0.000
INTRA10			51.0	0.000	62.9	0.000							2.4	0.126	19.5	0.000
SGL	43.2	0.000	208.9	0.000	124.8	0.000	2.7	0.104	64.6	0.000	2.2	0.146	8.3	0.006	73.2	0.000
SRE	5.4	0.024	4.4	0.042	18.1	0.000	0.0	0.982	6.9	0.012	12.2	0.001	2.7	0.110	0.5	0.486
STEMRED	24.8	0.000	19.4	0.000	1.1	0.298	38.3	0.000	0.2	0.656	27.3	0.000	72.7	0.000	5.0	0.032
SRO	727.6	0.000	928.7	0.000	392.4	0.000	184.9	0.000	548.4	0.000	871.9	0.000	887.6	0.000	221.4	0.000
SV	58.5	0.000	43.6	0.000	73.9	0.000	133.9	0.000	9.6	0.003	126.5	0.000	100.0	0.000	163.8	0.000
WM	257.2	0.000	362.5	0.000	257.2	0.000	231.7	0.000	257.2	0.000	388.9	0.000	257.2	0.000	127.0	0.000
														(Con	tinued nex	tt page)

E F-ratio	<i>ovata</i> <i>P</i> -value	<i>E. per</i> <i>F</i> -ratio	<i>riniana</i> P-value	E. ro F-ratio	<i>dwayi</i> P-value	E. rı F-ratio	<i>ubida</i> <i>P</i> -value	E. subc F-ratio	<i>renulata</i> P-value	E. ur. F-ratio	nigera P-value	E. vern F-ratio	nicosa P-value	E. vim F-ratio	inalis P-value
		1.3	0.259												
		51.5	0.000			496.1	0.000							251.7	0.000
11.3	0.001	1.3	0.259	2.7	0.108	68.6	0.000	61.4	0.000	109.4	0.000	12.2	0.002	3.9	0.055
858.7	0.000	1240.1	0.000	2132.3	0.000	138.1	0.000	239.8	0.000	<i><b>77.9</b></i>	0.000	614.8	0.000	393.4	0.000
66.7	0.000	887.6	0.000	181.0	0.000	374.2	0.000	337.6	0.000	492.9	0.000	330.9	0.000	338.2	0.000
44.9	0.000	0.1	0.783	228.7	0.000	33.2	0.000	58.5	0.000	72.5	0.000	139.7	0.000	235.6	0.000
0.6	0.434	1.4	0.251	1.0	0.333	3.8	0.059	0.8	0.386	1.0	0.333	1.7	0.198	9.7	0.003
88.6	0.000	187.6	0.000	75.0	0.000	108.9	0.000	75.0	0.000	29.6	0.000	44.7	0.000	44.9	0.000
2.9	0.096	0.0	0.962	2.1	0.154	0.0	0.939	4.4	0.043	0.9	0.361	0.1	0.805	0.2	0.659
7.5	0.008	204.4	0.000	10.2	0.003	29.4	0.000	24.3	0.000	18.1	0.000	1.2	0.277	32.6	0.000
4.5	0.039	448.2	0.000	22.1	0.000	91.5	0.000	58.3	0.000	127.1	0.000	70.3	0.000	256.2	0.000
1.8	0.183	17.6	0.000	8.7	0.006	8.7	0.006	8.7	0.006	8.7	0.006	5.2	0.030	4.8	0.033
210.4	0.000			61.7	0.000							95.6	0.000		
1.2	0.287	43.1	0.000	134.9	0.000	78.6	0.000	68.0	0.000	65.1	0.000	272.5	0.000	45.0	0.000
0.2	0.637	3.8	0.059	22.6	0.000	4.2	0.048	37.0	0.000	22.4	0.000	18.7	0.000	1.1	0.307
52.3	0.000	15.4	0.000	43.8	0.000	6.0	0.020	33.3	0.000	90.6	0.000	31.7	0.000	24.7	0.000
2.3	0.139	3.0	0.093	1.3	0.268	2.7	0.107	0.5	0.466	29.2	0.000	0.7	0.419	5.9	0.019
10.9	0.002	3.2	0.079	0.4	0.527	2.2	0.145	1.3	0.258	0.7	0.417	0.0	0.889	4.3	0.042
0.1	0.783	6.2	0.017	40.3	0.000	9.4	0.004	2.2	0.148	0.3	0.603	43.8	0.000	1.5	0.229
220.6	0.000			353.9	0.000			2.7	0.108			4.9	0.035		
224.1	0.000	10.7	0.002	73.2	0.000	0.7	0.404	73.2	0.000	73.2	0.000	43.6	0.000	119.6	0.000
30.9	0.000	1.6	0.212	6.9	0.013	3.1	0.085	9.8	0.004	0.8	0.384	2.0	0.164	2.1	0.149
55.8	0.000	5.2	0.027	20.6	0.000	0.7	0.408	8.5	0.006	2.6	0.118	8.2	0.008	1.7	0.195
513.4	0.000	784.9	0.000	412.4	0.000	506.6	0.000	82.9	0.000	300.8	0.000	89.1	0.000	746.4	0.000
0.7	0.399	0.6	0.440	72.4	0.000	0.0	0.899	42.9	0.000	91.3	0.000	5.2	0.030	47.8	0.000
238.3	0.000	257.2	0.000	127.0	0.000	127.0	0.000	50.1	0.000	68.2	0.000	32.0	0.000	388.9	0.000

	E. archeri	E. archeri F <sub>1</sub>	E. barberi	E. barberi $F_1$	E. brookeriana	$E.~brookeriana~{ m F_1}$	E. cordata	E. dalrympleana	E. dalrympleana F <sub>1</sub>	E. gunnii	E. gunnii F <sub>1</sub>	E. johnstonii	E. morrisbyi	$E. morrisbyi F_1$
Bud character			-											
BUDFUS (0-2)	0.5	2.0	0.0	1.0	0.0	12	19	2.0	2.0	0.0	16	0.1	0.0	14
LEUS (mm)	1.0	8.8	0.0	8.9	0.0	13.7	8.1	9.9	14.8	0.0	7.8	0.1	0.0	6.0
Leaf character	1.0	0.0	0.0	0.9	0.0	15.7	0.1	,,,	11.0	0.0	7.0	0.0	0.0	0.0
CRENM (0–2)	0.6	0.2	0.4	0.4	0.9	0.9	1.7	0.1	0.0	1.4	0.7	1.2	1.9	0.6
CORD (mm)	1.4	5.0	0.0	2.3	0.0	2.9	4.5	1.2	3.2	2.2	6.1	0.0	3.2	4.9
LAML (mm)	20.2	56.5	45.7	71.3	53.0	72.4	39.1	49.1	73.0	18.4	45.2	40.8	23.2	38.1
LAMW (mm)	22.0	41.1	18.6	36.1	27.7	35.6	34.9	27.0	34.4	21.2	35.9	26.9	26.4	34.2
LA (°)	72.8	91.0	106.0	97.3	88.1	85.2	96.8	93.5	100.0	95.8	80.5	77.5	132.8	85.0
LGL (0-2)	2.6	2.2	0.0	0.5	0.0	0.0	2.9	1.3	2.0	4.0	3.0	0.0	3.5	3.4
LP (°)	6.5	5.0	18.9	13.6	16.3	14.3	10.3	8.3	7.5	4.8	7.4	10.0	11.5	16.8
LTA (°)	98.2	95.0	85.6	89.5	86.1	84.7	95.4	76.3	84.6	96.0	97.1	94.1	98.7	99.2
LWP (mm)	8.4	12.0	19.3	24.1	20.5	25.9	11.1	13.6	21.3	6.6	13.5	16.9	7.9	12.2
MRRED (0-2)	0.0	0.0	0.5	0.8	0.4	0.3	0.0	0.5	1.0	0.0	0.1	0.1	0.0	0.3
PETL (mm)	0.0	0.1	1.5	0.0	4.1	0.2	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0
Plant character														
HT10 (mm)	160	254	211	239	332	332	250	286	274	230	277	288	214	268
LAT05	3.6	2.8	5.4	5.3	4.9	1.6	4.8	3.1	1.5	4.2	5.4	9.7	8.5	6.8
LAT610	4.2	4.2	3.8	5.8	7.7	5.2	3.8	4.8	4.5	5.2	4.1	9.2	7.8	4.3
LLLAT (mm)	106	80	158	203	105	88	116	128	145	123	120	116	133	121
NLLAT (node)	5.8	5.2	5.3	6.5	6.8	5.8	4.8	6.4	8.0	5.6	5.7	4.3	7.6	5.8
Stem character														
INTER10 (mm)	20.5	31.4	24.6	35.6	33.9	39.2	30.4	35.7	35.7	26.2	37.0	47.6	25.4	31.9
INTRA10 (mm)	0.3	0.0	5.0	0.2	8.2	0.4	0.0	0.0	0.0	0.0	0.0	2.4	0.3	0.0
SGL (0-2)	0.5	0.8	0.0	0.0	0.1	0.1	1.8	0.3	0.5	1.4	1.3	0.0	1.2	1.8
SRE (mm)	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
STEMRED (0-2)	0.3	0.6	1.4	0.8	0.7	0.4	0.2	0.9	0.0	0.3	0.2	0.5	0.1	0.4
SRO (mm)	0.9	0.8	0.9	0.8	0.9	0.6	0.8	1.0	0.9	0.9	0.8	0.8	1.0	0.8
SV (0–2)	1.0	0.6	1.0	0.5	1.2	0.9	1.4	0.5	0.5	1.0	0.7	1.8	1.2	0.5
WW (0–3)	0.0	0.0	0.0	0.5	0.0	0.7	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.2
												(Cont	inued nex	t page)

#### Appendix 4. Untransformed means for the characters assessed in the morphometric analysis of *Eucalyptus nitens*, native Tasmanian Symphyomyrtus species and their F<sub>1</sub> hybrids with *E. nitens*

				A	ppendix	4. (contin	nued)						
	E. ovata	E. ovata F <sub>1</sub>	E. perriniana	$E. perriniana F_1$	E. rodwayi	E. rubida	E. subcrenulata	E. urnigera	E. vernicosa	E. vernicosa F <sub>1</sub>	E. viminalis	E. viminalis F <sub>1</sub>	E. nitens
Bud character													
BUDFUS (0-2)	0.0	1.3	1.9	2.0	0.0	2.0	0.0	0.0	0.0	2.0	2.0	2.0	2.0
LFUS (mm)	0.0	14.3	3.7	10.8	0.0	4.3	0.0	0.0	0.0	15.1	11.7	17.9	35.5
Leaf character													
CRENM (0-2)	0.4	0.3	0.1	0.0	0.1	0.9	1.0	1.4	0.3	0.0	0.1	0.1	0.0
CORD (mm)	0.1	3.4	0.1	8.4	0.0	2.4	1.8	3.6	0.0	2.7	1.5	3.4	8.6
LAML (mm)	59.5	76.9	21.9	54.1	38.9	25.7	29.7	24.9	17.0	46.4	40.6	61.2	94.4
LAMW (mm)	33.5	39.6	49.9	53.6	13.1	31.7	27.7	25.6	11.6	24.9	20.9	33.0	49.4
LA (°)	95.6	78.9	98.3	93.3	99.5	109.0	98.5	99.5	75.0	50.0	111.5	100.3	90.4
LGL (0-2)	0.4	0.5	4.8	3.3	0.0	4.8	0.0	0.6	0.0	0.0	1.0	1.7	2.1
$LP(^{\circ})$	16.6	14.6	7.0	3.3	4.5	9.5	15.5	13.5	7.5	0.0	10.5	10.5	9.4
LTA (°)	93.3	86.7	108.3	101.5	78.8	101.3	99.8	98.4	84.3	81.6	76.5	80.3	87.7
LWP (mm)	27.0	28.1	1.8	13.2	18.7	9.1	12.7	7.2	7.6	14.0	9.4	14.7	31.7
MRRED (0-2)	0.5	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.7
PETL (mm)	4.5	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0
Plant character													
HT10 (mm)	330	338	244	244	188	214	215	222	86	193	262	285	319
LAT05	2.6	3.7	1.7	2.2	7.4	4.7	8.3	7.4	7.8	10.0	3.6	2.5	2.9
LAT610	7.0	3.7	0.8	3.3	7.5	4.8	6.9	9.1	7.7	10.0	5.4	4.5	2.7
LLLAT (mm)	113	106	59	155	71	122	105	188	72	170	120	109	91
NLLAT (node)	7.7	6.5	3.6	6.3	3.5	6.6	6.1	5.6	4.2	3.0	6.3	7.8	4.6
Stem character													
INTER10 (mm)	32.7	39.9	27.2	26.2	16.1	23.8	28.4	35.2	11.6	30.0	30.4	34.0	33.3
INTRA10 (mm)	16.3	0.2	0.0	0.0	7.6	0.0	0.3	0.0	0.4	0.0	0.0	0.0	0.0
SGL (0-2)	0.0	0.1	2.0	1.5	0.0	1.4	0.0	0.0	0.0	0.0	0.2	0.7	1.6
SRE (mm)	1.0	1.0	1.0	0.9	1.0	1.0	1.0	1.0	1.0	1.1	1.0	1.0	1.0
STEMRED (0-2)	0.1	0.5	0.6	0.0	0.2	0.7	0.4	0.6	0.3	0.0	0.7	0.4	0.8
SRO (mm)	0.9	0.6	1.0	0.8	1.0	1.0	0.7	0.9	0.7	0.5	0.9	0.8	0.4
SV (0-2)	0.2	0.7	0.2	0.3	1.0	0.1	1.1	1.5	0.5	1.0	0.9	0.6	0.1
WW (0–3)	0.2	0.8	0.0	0.2	0.0	0.0	0.7	0.2	0.3	0.1	0.0	0.3	2.5