

University of Tasmania Open Access Repository

Cover sheet

Title

'FIND Technology': Investigating the feasibility, efficacy and safety of controller-free interactive digital rehabilitation technology in an inpatient stroke population: Study protocol for a randomized controlled trial

Author

Marie-Louise Bird, Cannell, J, Michele Callisaya, Moles, E, Rathjen, A, Lane, K, Tyson, A, Smith, S

Bibliographic citation

Bird, Marie-Louise; Cannell, J; Callisaya, Michele; Moles, E; Rathjen, A; Lane, K; et al. (2016). 'FIND Technology': Investigating the feasibility, efficacy and safety of controller-free interactive digital rehabilitation technology in an inpatient stroke population: Study protocol for a randomized controlled trial. University Of Tasmania. Journal contribution.

https://figshare.utas.edu.au/articles/journal_contribution/_FIND_Technology_Investigating_the_feasibility_efficac_free_interactive_digital_rehabilitation_technology_in_an_inpatient_stroke_population_Study_protocol_for_a_ran

Is published in: [10.1186/s13063-016-1318-0](https://doi.org/10.1186/s13063-016-1318-0)

Copyright information

This version of work is made accessible in the repository with the permission of the copyright holder/s under the following,

Licence.

Rights statement: © 2016 Bird et al. Licensed under Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International (CC BY 4.0) <https://creativecommons.org/licenses/by/4.0/>

If you believe that this work infringes copyright, please email details to: oa.repository@utas.edu.au

Downloaded from [University of Tasmania Open Access Repository](#)

Please do not remove this coversheet as it contains citation and copyright information.

University of Tasmania Open Access Repository

Library and Cultural Collections

University of Tasmania

Private Bag 3

Hobart, TAS 7005 Australia

E oa.repository@utas.edu.au

CRICOS Provider Code 00586B | ABN 30 764 374 782

utas.edu.au

ERRATUM

Open Access



Erratum to: “FIND Technology”: investigating the feasibility, efficacy and safety of controller-free interactive digital rehabilitation technology in an inpatient stroke population: study protocol for a randomized controlled trial’

M. L. Bird^{1*}, J. Cannell², M. L. Callisaya³, E. Moles², A. Rathjen², K. Lane², A. Tyson¹ and S. Smith⁴

Unfortunately, the original version of this article [1] contained an error. An acknowledgement was included incorrectly.

Support for this trial was received from the National Stroke Association (Australia). We have also received funding to assist with publication costs from The Tasmanian Health Organisation (North).

The correct acknowledgement can be found below:

Support for this trial was received from the National Stroke Association (Australia). We have also received funding to assist with publication costs from The Tasmanian Health Service (Northern Region).

Author details

¹Faculty of Health, University of Tasmania, Launceston, Australia. ²Tasmanian Health Organisation, Launceston, Australia. ³Menzies Medical Research Institute, Launceston, Australia. ⁴University of the Sunshine Coast, Sippy Downs, Australia.

Published online: 19 May 2016

Reference

1. Bird ML, Cannell J, Callisaya ML, Moles E, Rathjen A, Lane K, Tyson A, Smith S. “FIND Technology”: investigating the feasibility, efficacy and safety of controller-free interactive digital rehabilitation technology in an inpatient stroke population: study protocol for a randomized controlled trial. *Trials*. 2016;17:203.

* Correspondence: birdm@utas.edu.au

¹Faculty of Health, University of Tasmania, Launceston, Australia
Full list of author information is available at the end of the article

Submit your next manuscript to BioMed Central and we will help you at every step:

- We accept pre-submission inquiries
- Our selector tool helps you to find the most relevant journal
- We provide round the clock customer support
- Convenient online submission
- Thorough peer review
- Inclusion in PubMed and all major indexing services
- Maximum visibility for your research

Submit your manuscript at
www.biomedcentral.com/submit

