

University of Tasmania Open Access Repository

Cover sheet

Title

Geological framework of the mineral deposits of the Collahuasi district, Región de Tarapacá, Chile

Author

Ireland, T

Bibliographic citation

Ireland, T (2011). Geological framework of the mineral deposits of the Collahuasi district, Región de Tarapacá, Chile. University Of Tasmania. Thesis. <https://doi.org/10.25959/23212601.v1>

Is published in:

Copyright information

This version of work is made accessible in the repository with the permission of the copyright holder/s under the following,

Licence.

Rights statement: Copyright 2011 the author

If you believe that this work infringes copyright, please email details to: oa.repository@utas.edu.au

Downloaded from [University of Tasmania Open Access Repository](#)

Please do not remove this coversheet as it contains citation and copyright information.

University of Tasmania Open Access Repository

Library and Cultural Collections

University of Tasmania

Private Bag 3

Hobart, TAS 7005 Australia

E oa.repository@utas.edu.au

CRICOS Provider Code 00586B | ABN 30 764 374 782

utas.edu.au

REFERENCES CITED

- Aceñolaza, F. G., and Toselli, A. J., 1976, Consideraciones estratigráficas y tectónicas sobre el Paleozoico inferior del noroeste Argentino: 2º Congreso Latinoamericano de la Geología, p. 755-764.
- Aeolus-Lee, C.-T., Brandon, A. D. and Norman, M. D., 2003, Vanadium in peridotites as a proxy for paleo-fO₂ during partial melting: prospects, limitations, and implications. *Geochimica et Cosmochimica Acta* 67, 3045–3064.
- Aeolus-Lee, C.-T., Leeman, W. P., Canil, D., and Xheng-Xue, A. L., 2005, Similar V/Sc Systematics in MORB and Arc Basalts: Implications for the Oxygen Fugacities of their Mantle Source Regions: *Journal of Petrology*, v. 46, p. 2313-2336.
- Allen, S. R., and McPhie, J., 2003, Phenocryst fragments in rhyolitic lavas and lava domes: *Journal of Volcanology and Geothermal Research*, v. 126, p. 263-283.
- Allmendinger, R. W., Jordan, T. E., Kay, S. M., and Isacks, B. L., 1997, The evolution of the Altiplano-Puna Plateau of the Central Andes: *Annual Review of Earth and Planetary Sciences*, v. 25, p. 139-174
- Allmendinger, R. W., Gonzalez, G., Yu, J., and Isacks, B. L., 2003, The East-West fault scarps of northern Chile: tectonic significance and climatic clues: *Actas - 10º Congreso Geológico Chileno*, Concepción, 2003.
- Alonso-Perez, R., Müntener, O., and Ulmer, P., 2009, Igneous garnet and amphibole fractionation in the roots of island arcs: experimental constraints on andesitic liquids: *Contributions to Mineralogy and Petrology*, v. 157, p. 541–558.
- Alpers, C. N., and Brimhall, G. H., 1988, Middle Miocene climatic change in the Atacama Desert, northern Chile; evidence from supergene mineralization at La Escondida; with Suppl. Data 88-21: *Geological Society of America Bulletin*, v. 100, p. 1640-1656.
- Alpers, C. N., and Brimhall, G. H., 1989, Paleohydrologic evolution and geochemical dynamics of cumulative supergene metal enrichment at La Escondida, Atacama Desert, northern Chile: *Economic Geology*, v. 84, p. 229-255.
- Alvarado, P., Beck, S., and Zandt, G., 2007, Crustal structure of the south-central Andes Cordillera and backarc region from regional waveform modelling: *Geophysical Journal International*, v. 170, p. 858-875.
- Ambrus, J., 1977, Geology of the El Abra porphyry copper deposit, Chile: *Economic Geology*, v. 72, p. 1062-1085.
- Amilibia, A., and Skármeta, J., 2003, La inversión tectónica de la Cordillera de Domeyko en el norte de Chile y su relación con la intrusión de sistemas pórfidos de Cu-Mo: *Actas - 10º Congreso Geológico Chileno*, Concepción, 2003.
- Amilibia, A., McClay, K., Skarmeta, J., and Bourdon, E., 2003, Inversion tectonics at Cordillera de Domeyko (north Chile) and its control on giant porphyry copper emplacement; new insights on flat-slab subduction kinematics during the Tertiary: *Abstracts with Programs - Geological Society of America*, v. 35, p. 429.
- Amilibia, A., Sabat, F., McClay, K. R., Muñoz, J. A., Roca, E., and Chong, G., 2008, The role of inherited tectono-sedimentary architecture in the development of the central Andean mountain belt: Insights from the Cordillera de Domeyko: *Journal of Structural Geology*, v. 30, p. 1520–1539, doi:10.1016/j.jsg.2008.08.005.
- Andriessen, P. A. M., and Reutter, K. J., 1994, K-Ar and fission track mineral age determinations of igneous rocks related to multiple magmatic arc systems along the 23°S latitude of Chile and NW Argentina, in Reutter, K. J., Scheuber, E., and Wigger, P. J., eds., 1994, *Tectonics of the Southern Central Andes*: Berlin, Springer-Verlag.
- Angelier, J., 1991, Analyse chronologique matricielle et succession regionale des evenements tectoniques. Chronological matrix analysis and regional succession of tectonic events: *Comptes Rendus de l'Academie des Sciences, Serie 2, Mecanique, Physique, Chimie, Sciences de l'Univers, Sciences de la Terre*, v. 312, p. 1633-1638.

- Angermann, D., Klotz, J., and Reigber, C., 1999, Space-geodetic estimation of the Nazca-South America Euler vector: *Earth and Planetary Science Letters*, v. 171, no. 3, p. 329-334.
- Anthony, E. Y., and Titley, S. R., 1985, Inverse solution for crystal fractionation in a periodically tapped magma chamber, Sierrita porphyry copper deposit, Arizona: *Abstracts with Programs - Geological Society of America*, v. 17, p. 514.
- Anthony, E. Y., and Titley, S. R., 1994, Patterns of element mobility during hydrothermal alteration of the Sierrita porphyry copper deposit, Arizona: *Economic Geology*, v. 89, p. 186-192.
- Arabas, W. J., Jr., 1971, Geological and geophysical studies of the Atacama Fault Zone, northern Chile: Unpublished Doctoral thesis, California Institute of Technology.
- Aramaki, S., 1973, Plutonic rocks: classification and nomenclature recommended by the IUGS Subcommission on the Systematics of Igneous Rocks: *Geotimes*, v. 18, p. 26-30.
- Arancibia, O. N., and Clark, A. H., 1996, Early magnetite-amphibole-plagioclase alteration-mineralization in the Island copper porphyry copper-gold-molybdenum deposit, British Columbia: *Economic Geology and the Bulletin of the Society of Economic Geologists*, v. 91, p. 402-438.
- Arancibia, G., Matthews, S. J., and Perez de Arce, C., 2006a, K-Ar and $^{40}\text{Ar}/^{39}\text{Ar}$ geochronology of supergene processes in the Atacama Desert, northern Chile; tectonic and climatic relations: *Journal of the Geological Society of London*, v. 163, p. 107-118.
- Arancibia, G., Matthews, S. J., Cornejo, P., Perez de Arce, C., Zuluaga, J. I., and Kasareva, S., 2006b, $^{40}\text{Ar}/^{39}\text{Ar}$ and K-Ar geochronology of magmatic and hydrothermal events in a classic low sulphidation bonanza deposit: El Peñon, Chile: *Mineralium Deposita*, v. 41, p. 505-516.
- Arculus, R. J., 1981, Island arc magmatism in relation to the evolution of the crust and mantle: *Tectonophysics*, v. 75, p. 113-133.
- Arcuri, T., and Brimhall, G. H., 2002, Animation model of west central south america from the early jurassic to late miocene, with some oil and gas implications*: *Search and Discovery*, art. # 10033, <http://www.searchanddiscovery.net/documents/arcuri/index.htm>.
- Arévalo, C., 2006, Tectónica de arcos volcánicos: estructuras pre, sin y posemplazamiento en el batolito de la costa entre Copiapó y Vallenar (27°20'-28°30'S): *Actas - 11° Congreso Geológico Chileno*, Universidad Católica del Norte, Antofagasta, Chile. v., Antofagasta, 2006. v. 2, p. 157-160.
- Arévalo, C., Grocott, J., Valenzuela, J., and Welkner, D., 2002, Tabular plutons from the Coastal Cordillera of Copiapó-Vallenar 27°00'-28°30'S, and an approach to their emplacement mechanisms, Atacama region, Chile: in *Géodynamique Andine: résumés étendus*, Institut de recherche pour le développement, Université Paul Sabatier, Paris Toulouse, France, p. 37-40.
- Arévalo, C., Grocott, J., and Welkner, D., 2003, The Atacama Fault System in the Huasco Province, southern Atacama Desert, Chile: *Actas - 10° Congreso Geológico Chileno*, Concepción, 2003.
- Arévalo, C., Grocott, J., Martin, W., Pringle, M., and Taylor, G., 2006, Structural setting of the Candelaria Fe oxide Cu-Au deposit, Chilean Andes (27°30'S): *Economic Geology*, v. 101, p. 819-841.
- Arias Farias, J., Baeza Assis, L., and Cáceres Sanhueza, C., 1988, Geología, geoquímica y potencial de mineralización de molibdeno en el área de Copaguirre, primera región de Tarapaca: *Serie Comunicaciones - Departamento de Geología, Facultad de Ciencias Físicas y Matemáticas, Universidad de Chile*, v. 39, p. 48.
- Ariskin, A. A., and Barmina, G. S., 1999, An empirical model for the calculation of spinel-melt equilibria in mafic igneous systems at atmospheric pressure: 2. Fe-Ti oxides: *Contributions to Mineralogy and Petrology*, v. 134, p. 251-263.
- Armijo, R., and Thiele, R., 1990, Active faulting in northern Chile; ramp stacking and lateral decoupling along a subduction plate boundary?: *Earth and Planetary Science Letters*, v. 98, p. 40-61.
- Arnott, A., M., and Zentilli, M., 2003, The Chuquicamata Intrusive Complex: its relation to the Fortuna Intrusive Complex and the role of the Banco Porphyry in the potassic alteration zone: *Actas - 10° Congreso Geológico Chileno*, Concepción, 2003.
- Arriagada, C., Roperch, P., and Mpodozis, C., 2000, Clockwise block rotations along the eastern border of the Cordillera de Domeyko, northern Chile (22°45'-23°30'S): *Tectonophysics*, v. 326, p.

153-171.

Arriagada, C., Roperch, P., and Cobbold, P. R., 2003, Rotaciones tectónicas y origen del Oróclino Boliviano: 2) restauración numérica de la deformación y un modelo evolutivo de la curvatura oroclinal: Actas - 10º Congreso Geológico Chileno, Concepción, 2003.

Arribas, A., Jr., Hedenquist, J. W., Itaya, T., Okada, T., Concepcion, R. A., and Garcia, J. S., Jr., 1995, Contemporaneous formation of adjacent porphyry and epithermal Cu-Au deposits over 300 ka in northern Luzon, Philippines: *Geology*, v. 23, p. 337-340.

Arth, J. G., 1976, Behavior of trace elements during magmatic processes; a summary of theoretical models and their applications: *Journal of Research of the U. S. Geological Survey*, v. 4, p. 41-47.

Arth, J. G., and Hanson, G. N., 1975, Geochemistry and origin of the Precambrian Crust of north-eastern Minnesota, *G.C.A.*, v. 39, p. 325-362.

Astudillo, N., Roperch, P., Townley, B., Arriagada, C., and MaksaeV, V., 2008, Importance of small block rotations in damage zones along transcurrent faults; evidence from the Chuquicamata open pit, northern Chile: *Tectonophysics*, v. 450, p. 1-20.

Atkinson, W. W., Jr., Souviron, A., Vehrs, T. I., Faunes G, A., Camus, F., Sillitoe, R. M., and Petersen, R., 1996, Geology and mineral zoning of the Los Pelambres porphyry copper deposit, Chile: *Special Publication - Society of Economic Geologists*, v. 5, p. 131-156.

Babcock, R. C., Jr., Ballantyne, G. H., and Phillips, C. H., 1995, Summary of the geology of the Bingham District, Utah, in Pierce, F. W., and Bolm, J. G., eds., *Arizona Geological Society Digest*, vol.20: Tucson, Arizona Geological Society, p. 316-335.

Baby, P., Sempere, T., Oller, J., Blanco, J., Zubieta, D., Herail, G., Laubacher, G., Olivier, R. A., and Vatin-Perignon, N., 1990, Evidence for major shortening on the eastern edge of the Bolivian Altiplano; the Calazaya Nappe, *Colloques et Seminaires - Institut de Recherche Scientifique pour le Developpement en Cooperation: Paris, Editions de l'Office de la Recherche Scientifique et Technique d'Outre-mer*, p. 163-166.

Baeza, L., and Alfaro, J., 1994, Exploración geológica en el proyecto El Loa, II Región-Chile: *Septimo Congreso Geológico Chileno, Concepción, Chile, 1994*, p. 731-735.

Bahlburg, H., 2003, On the influence of Paleozoic paleogeographic patterns on Andean mountain building in northwestern Argentina and northern Chile: *Actas - 10º Congreso Geológico Chileno, Concepción, 2003*.

Bahlburg, H., and Breitzkreuz, C., 1991, Paleozoic evolution of active margin basins in the southern Central Andes (northwestern Argentina and northern Chile): *Journal of South American Earth Sciences*, v. 4, p. 171-188.

Bahlburg, H., and Breitzkreuz, C., 1993, Differential response of a Devonian-Carboniferous platform-deeper basin system to sea-level change and tectonics, N. Chilean Andes: *Basin Research*, v. 5, p. 21-40.

Bahlburg, H., and Hervé, F., 1997, Geodynamic evolution and tectonostratigraphic terranes of northwestern Argentina and northern Chile: *Geological Society of America Bulletin*, v. 109, p. 869-884.

Bahlburg, H., Moya, M. C., Zimmermann, U., Bock, B., and Hervé, F., 2000, Paleozoic plate tectonic evolution of the western Gondwana margin in northern Chile and northwestern Argentina, in Miller, H., and Herve, F., eds., *Zeitschrift fuer Angewandte Geologie, Sonderhefte*, vol.1: Hanover, Schweizerbart, p. 345-353.

Bainbridge, A. L., Corbett, G. J., and Leach, T. M., 1994, The Nena high sulphidation copper-gold system, Frieda River Complex, Papua New Guinea, in Rogerson, R., ed., *Monograph 22 - Geology of Australian and Papua New Guinean Mineral Deposits: Australasian Institute of Mining and Metallurgy*, vol.2/94: Parkville, Australasian Institute of Mining and Metallurgy, p. 130-137.

Baker, M. C. W., 1977, Geochronology of upper Tertiary volcanic activity in the Andes of North Chile: *Geologische Rundschau*, v. 66, p. 455-465.

Baker, D.R. and Eggler, D.H., 1983, Fractionation paths of Atka (Aleutians) high-alumina basalts:

Constraints from phase relations: *Volcanology and Geothermal Research*, v. 18, p. 387-404.

Baker, M. C. W., and Francis, P. W., 1978, Upper Cenozoic volcanism in the central Andes; ages and volumes: *Earth and Planetary Science Letters*, v. 41, p. 175-187.

Baker, R. C., Guilbert, J. M., and Dickinson, W. R., 1987, Regional structural control of porphyry copper deposits in northern Chile: Abstracts with Programs - Geological Society of America, v. 19, p. 578.

Baldwin, J. A., and Pearce, J. A., 1982, Discrimination of productive and nonproductive porphyritic intrusions in the Chilean Andes: *Economic Geology*, v. 77, p. 664-674.

Ballard, J. R., Palin, J. M., Williams, I. S., Campbell, I. H., and Faunes, A., 2001, Two ages of porphyry intrusion resolved for the super-giant Chuquibambilla copper deposit of northern Chile by ELA-ICP-MS and SHRIMP: *Geology*, v. 29, p. 383-386.

Barley, M.E., Rak, P., and Wyman, D., 2002, Tectonic controls on magmatic-hydrothermal gold mineralisation in the magmatic arcs of SE Asia, in Blundell, D.J., Neubauer, F., and Von Quadt, A., eds., *The timing and location of major ore deposits in an evolving orogen*: Geological Society, London, Special Publications, v. 204, p. 39-47.

Barnes, J. B., and Pelletier, J. D., 2006, Latitudinal variation of denudation in the evolution of the Bolivian Andes: *American Journal of Science*, v. 306, p. 1-31.

Barton, M. D., Jensen, E. P., and Ducea, M. N., 2005, Fluid sources for IOCG (Candelaria, Punta del Cobre) and porphyry Cu-style mineralization, Copiapo Batholith, Chile; geologic and Sr isotopic constraints: Abstracts with Programs - Geological Society of America, v. 37, p. 316

Barra, F., Ruiz, J., Mathur, R., and Titley, S., 2003, A Re-Os study of sulfide minerals from the Bagdad porphyry Cu-Mo deposit, northern Arizona, USA: *Mineralium Deposita*, v. 38, p. 585-596.

Barrett, T. J., and MacLean, W.H., 1994, Mass changes in hydrothermal alteration zones associated with VMS deposits of the Noranda area: *Exploration and Mining Geology*, v. 3, p. 131-160.

Beard, J. S., and Lofgren, G. L., 1991, Dehydration melting and watersaturated melting of basaltic and andesitic greenstones and amphibolites: *Journal of Petrology*, v. 29, p. 365-401.

Beate, B., Monzier, M., Spikings, R., Cotten, J., Silva, J., Bourdon, E., and Eissen, J.-P., 2001, Mio-Pliocene adakite generation related to flat subduction in southern Ecuador; the Quimsacocha volcanic center: *Earth and Planetary Science Letters*, v. 192, p. 561-570.

Beck, M.E., Jr., 1988, Analysis of Late Jurassic-Recent paleomagnetic data from active plate margins of South America: *Journal of South American Earth Sciences*, v. 1, p. 39-52.

Behn, G., Camus, F., Carrasco, P., and Ware, H., 2001, Aeromagnetic signature of porphyry copper systems in northern Chile and its geologic implications: *Economic Geology*, v. 96, p. 239-248.

Belousova, E. A., Griffin, W. L., Shee, S. R., Jackson, S. E., and O'Reilly, S. Y., 2001, Two age populations of zircons from the Timber Creek kimberlites, Northern Territory, as determined by laser-ablation ICP-MS analysis: *Australian Journal of Earth Sciences*, v. 48, p. 757-765.

Berger, A. L., Spotila, J. A., Chapman, J. B., Pavlis, T. L., Enkelmann, E., Ruppert, N. A., and Buscher, J. T., 2008, Architecture, kinematics, and exhumation of a convergent orogenic wedge; a thermochronological investigation of tectonic-climatic interactions within the central St. Elias Orogen, Alaska: *Earth and Planetary Science Letters*, v. 270, p. 13-24.

Berkman, D., 1995, Monograph 9: Field Geologists' Manual, Australasian Institute of Mining and Metallurgy, p. 389.

Berlein, F., and Maher, S., 2001, Orogenic disseminated gold in Phanerozoic fold belts - examples from Victoria and elsewhere: *Ore Geology Reviews*, v. 18, p. 113-148.

Berndt, J., Koepke, J., and Holtz, F., 2005, An experimental investigation of the influence of water and oxygen fugacity on differentiation of MORB at 200 MPa: *Journal of Petrology*, v. 46, p. 135-167.

Berry, R., Jenner, G. A., Meffre, S., and Tubrett, M., 2001, A North American provenance for Neoproterozoic to Cambrian sandstones in Australia?: *Earth and Planetary Science Letters*, v. 192, p. 207-222.

- Bertens, A., Deckart, K., and Gonzalez, A., 2003, Geocronología U-Pb, Re-Os y ^{40}Ar - ^{39}Ar del pórfido de Cu-Mo Los Pelambres, Chile central. *Actas - 10° Congreso Geológico Chileno*, Concepción, 2003.
- Bertens, A., Clark, A. H., Barra, F., and Deckart, K., 2006, Evolution of the Los Pelambres – El Pachón porphyry copper-molybdenum district, Chile/Argentina: *Actas - 11° Congreso Geológico Chileno*, Universidad Católica del Norte, Antofagasta, Chile. v.2, p. 179-181.
- Bingen, B., Austrheim, H., and Whitehouse, M., 2001, Ilmenite as a source for zirconium during high-grade metamorphism? Textural evidence from the Caledonides of western Norway and implications for zircon geochronology: *Journal of Petrology*, v. 42, p.355-375.
- Bissig, T., Clark, A. H., Lee, J. K. W., Heather, K. B., 2000, Revised metallogenetic model for the El Indio-Pascua/Lama Au (-Ag, Cu) belt, Regiones III/IV, Chile, and Provincia San Juan, Argentina, Abstracts with Programs - Geological Society of America, 32: Boulder, Geological Society of America (GSA), p. 280.
- Bissig, T., Clark, A. H., Lee, J. K. W., and Hodgson, C. J., 2002, Miocene landscape evolution and geomorphologic controls on epithermal processes in the El Indio-Pascua Au-Ag-Cu belt, Chile and Argentina: *Economic Geology*, v. 97, p. 971-996.
- Bisso, C., Duran, M., and Gonzales, A., 1998, Geology of the Ujina and Rosario Copper-Porphyry deposits, Collahuasi district, Chile, in Porter, M., ed., *Porphyry and Hydrothermal Copper and Gold Deposits - A Global Perspective*: PGC Publishing, Adelaide, p. 133-148.
- Black, L. P., and Gulson, B., 1978, The age of the Mud Tank Carbonatite, Strangeways Range, Northern Territory: *Bureau of Mineral Resources Journal of Australian Geology and Geophysics*, v. 3, p. 227-232.
- Black, L. P., Kamo, S. L., Allen, C. M., Aleinikoff, J. N., Davis, D. W., Korsch, R. J., and Foudoulis, C., 2003, TEMORA 1; a new zircon standard for Phanerozoic U-Pb geochronology: *Chemical Geology*, v. 200, p. 155-170.
- Blanco, N., Tomlinson, A. J., Mpodozis, C., Perez de Arce, C., and Matthews, S., 2003, Formación Calama, Eoceno, II Región de Antofagasta (Chile): estratigrafía e implicaciones tectónicas: *Xo Congreso Geológico Chileno*, Concepción, Chile, 2003, p. 10.
- Blundell, D., Arndt, N., Cobbold, P. R., and Heinrich, C., 2005, Processes of tectonism, magmatism and mineralization; lessons from Europe: *Ore Geology Reviews*, v. 27, p. 333-349.
- Bogdanic, T., and Chong, G., 1985, Bioestratigrafía del Jurásico de la zona preandina chilena entre los 24°30' - 25°30' de latitud sur: *IV Congreso Geológico Chileno*, Antofagasta, Chile, 1985, p. 1/38-57.
- Bogdanic, T., and Doebel, R., 1990, Cretaceous and early Tertiary in northern Chile between 21° and 23°S: *Symposium international; Géodynamique andine; resumes des communications-- International symposium; Andean geodynamics; abstracts*, 1990, p. 245-248.
- Bogdanic, T., Doebel, R., Laubacher, G., Olivier, R. A., and Vatin-Perignon, N., 1990, Cretaceous and early Tertiary in northern Chile between 21° and 23°S, *Colloques et Séminaires - Institut de Recherche Scientifique pour le Développement en Coopération*: Paris, Editions de l'Office de la Recherche Scientifique et Technique d'Outre-mer, p. 245-248.
- Bogdanov, B. D., 1983, Porphyry-copper deposits of Bulgaria: *International Geology Review*, v. 25, p. 178-188.
- Bogdanov, B. D., and Boyle, R. W., 1990, Modelling of the ore-forming process in the Assarel porphyry-copper deposit, Bulgaria, *Proceedings of the Quadrennial IAGOD Symposium*, vol.8: Stuttgart, E. Schweizerbart'sche Verlagsbuchhandlung (Naegle u. Obermiller), p. A148-A149.
- Bohlen, S. R., and Liotta, J. J., 1986, A barometer for garnet amphibolites and garnet granulites: *Journal of Petrology*, v. 27, p. 1025-1034.
- Boric, P. R., Diaz, P. F., and Maksaev, V., 1990, Geología y yacimientos metalíferos de la Región de Antofagasta: *Servicio Nacional de Geología Minería*, Santiago, Chile, Boletín 40, 246 p.
- Bornhorst, T.J., and Rose, W.I., 1986, Partitioning of gold in young calc-alkaline volcanic rocks from Guatemala: *Journal of Geology*, v. 94, p. 412-418.

- Bouzari, F., and Clark, A. H., 2002, Anatomy, evolution, and metallogenic significance of the supergene orebody of the Cerro Colorado porphyry copper deposit; I Region, northern Chile: *Economic Geology*, v. 97, p. 1701-1740.
- Bouzari, F., and Clark, A. H., 2006, Prograde evolution and geothermal affinities of a major porphyry copper deposit; the Cerro Colorado hypogene protore, I Region, northern Chile: *Economic Geology*, v. 101, p. 95-134.
- Bowman, J. R., Parry, W. T., Kropp, W. P., and Kruer, S. A., 1987, Chemical and isotopic evolution of hydrothermal solutions at Bingham, Utah: *Economic Geology*, v. 82, p. 395-428.
- Braxton, D. P., 2007, Boyongan and Bayugu porphyry copper-gold deposits, NE Mindanao, Philippines: Geology, geochemistry and tectonic evolution: unpublished PhD thesis, University of Tasmania, Hobart, Australia, 277 p.
- Braxton, D. P., and Cooke, D. R., 2005, The Boyongan Porphyry Cu-Au deposit: Repeated hydrothermal cycles tied to discrete intrusive events: SGA 2005 Mineral Deposit Research: Meeting the Global Challenge: Society for Geology Applied to Mineral Deposits, Beijing, China, p. 357-360.
- Braxton, D. P., Cooke, D. R., Ignacio, A. M., Rye, R. O., and Waters, P. J., 2009, Ultra-Deep Oxidation and Exotic Copper Formation at the Late Pliocene Boyongan and Bayugo Porphyry Copper-Gold Deposits, Surigao, Philippines: Geology, Mineralogy, Paleogeometry, and their Implications for Geologic, Physiographic, and Tectonic Controls: *Economic Geology*, v. 104, p. 333-349.
- Breitkreuz, C., 1992, Timing of the Permian and Triassic tectonic and magmatic events in the North Chilean Andes: International Geological Congress, Abstracts--Congres Geologique Internationale, Resumes, v. 29, p. 279.
- Breitkreuz, C., and Zeil, W., 1994, The Late Carboniferous to Triassic volcanic belt in northern Chile, in Reutter, K. J., Scheuber, E., and Wigger, P. J., eds., *Tectonics of the Southern Central Andes*: Berlin, Springer-Verlag.
- Breitkreuz, C., Bahlburg, H., Delakowitz, B., and Pichowiak, S., 1989, Paleozoic volcanic events in the Central Andes: *Journal of South American Earth Sciences*, v. 2, p. 171-189.
- Breitkreuz, C., Laubacher, G., Olivier, R. A., and Vatin-Perignon, N., 1990, Late Carboniferous to Triassic magmatism in the Central and Southern Andes; the change from accretionary to an erosive plate margin mirrors the Pangea history: Editions de l'Office de la Recherche Scientifique et Technique d'Outre-mer, Paris, France.
- Breitkreuz, F., Goldstein, R. H., and Walton, A. W., 1994a, Diagenesis and hydrothermal overprint in Permian volcanoclastic rocks, northern Chile: Annual Meeting Abstracts - American Association of Petroleum Geologists and Society of Economic Paleontologists and Mineralogists, v. 1994, p. 109-110.
- Breitkreuz, C., Schmidt, S. T., and Stempok, M., 1994b, Temperature estimation from authigenic phyllosilicates in Permian volcanoclastic rocks, N Chile: *Journal of the Czech Geological Society = Casopis Ceske Geologicke Spolecnosti*, v. 39, p. 13-14.
- Brenan, J.M., Shaw, H.F., Phinney, D.L., and Ryerson, F.J., 1994, Rutile-aqueous fluid partitioning of Nb, Ta, Hf, Zr, U and Th: implications for the high field strength element depletions in island-arc basalts: *Earth and Planetary Science Letters*, v. 128, p. 327-339.
- Brenan, J.M., Shaw, H.F., and Ryerson, F.J., 1995, Experimental evidence for the origin of lead enrichment in convergent-margin magmas: *Nature*, v. 378, p. 54-56.
- Briggs, R. M., and McDonough, W. F., 1990, Contemporaneous convergent margin and intraplate magmatism, North Island, New Zealand: *Journal of Petrology*, v. 31, p. 813-851.
- Brimhall, G. H., 1977, Early fracture-controlled disseminated mineralization at Butte, Montana: *Economic Geology*, v. 72, p. 37-59.
- Brimhall, G. H., Alpers, C. N., and Cunningham, A. B., 1985, Analysis of supergene ore-forming processes and ground-water solute transport using mass balance principles: *Economic Geology*, v. 80, p. 1227-1256.
- Brophy, J. G., 2008, A study of rare earth element (REE)-SiO₂ variations in felsic liquids generated

by basalt fractionation and amphibolite melting: a potential test for discriminating between the two different processes: *Contributions to Mineralogy and Petrology*, v. 156, p. 337–357.

Brown, M., 1991, Comparative geochemical interpretation of Permian-Triassic plutonic complexes of the Coastal Range and Altiplano (25°30'S-26°30S), northern Chile: Geological Society of America, Special Paper 265, p. 157-177.

Brown, S. J. A., Wilson, C. J. N., Cole, J. W., and Wooden, J. L., 1998, The Whakamaru Group ignimbrites, Taupo volcanic zone, New Zealand; evidence for reverse tapping of a zoned silicic magmatic system: *Journal of Volcanology and Geothermal Research*, v. 84, p. 1-37.

Browne, P. R. L., 1978, Hydrothermal alteration in active geothermal fields: *Annual Review of Earth and Planetary Sciences*, v. 6, p. 229-250.

Buckley, V. J. E., Sparks, R. S. J., and Wood, B. J., 2006, Hornblende dehydration reactions during magma ascent at Soufriere Hills Volcano, Montserrat: *Contributions to Mineralogy and Petrology*, v. 151, p. 121-140.

Burnham, C.W., 1979, Magmas and hydrothermal fluids, in Barnes, H.L., ed., *Geochemistry of hydrothermal ore deposits*: J. Wiley Interscience, New York, p. 71–136.

Burnham, O. M., and Schweyer, J., 2004, Trace element analysis of geological samples by ICP-MS at the Geoscience Laboratories: revised capabilities due to improvements to instrumentation, Ontario Geological Survey Open File Report 6145: Summary of Field Work and Other Activities 2004, p. 54.1-54.20.

Burnham, O. M., Hechler, J. H., Semenyna, L., and Schweyer, J., 2002, Mineralogical controls on the determination of trace elements following mixed acid dissolution, Summary of Field Work and Other Activities 2002; Ontario Geological Survey Open File Report 6100, p. 36.1-36.12.

Busby-Spera, C. J., and White, J. D. L., 1987, Variation in peperite textures associated with differing host-sediment properties: *Bulletin of Volcanology*, v. 49, p. 765-776.

Busquets, P., Colombo, F., Heredia, N., Sole de Porta, N., Rodriguez Fernandez, L. R., and Alvarez Marron, J., 2005, Age and tectonostratigraphic significance of the Upper Carboniferous series in the basement of the Andean Frontal Cordillera; geodynamic implications: *Tectonophysics*, v. 399, p. 181-194.

Cahill, T., 1990, Earthquakes and tectonics of the central Andean subduction zone: Unpublished Ph.D. Thesis, Cornell University, 225 p.

Campbell, I. H., Ballard, J., Palin, J. M., Allen, C., and Faunes, A., 2006, U-Pb zircon geochronology of granitic rocks from the Chuquicamata-El Abra porphyry copper belt of northern Chile: excimer laser ablation ICP-MS analysis: *Economic Geology*, v. 101, no. 7, p. 1327-1344.

Campos, E., Touret, J. L. R., Nikogosian, I., and Delgado, J., 2002, Overheated, Cu-bearing magmas in the Zaldívar porphyry-Cu deposit, northern Chile; geodynamic consequences, in Wörner, G., and Jaillard, E., eds., *Tectonophysics*, 345: Amsterdam, Elsevier, p. 229-251.

Camus, F., 2002, The Andean Porphyry Systems, in Cooke, D., and Pongratz, J., eds., *Giant Ore Deposits; characteristics, genesis and exploration*: CODES Special Publication No. 4: Hobart, Tasmania, University of Tasmania, p. 5-21.

Camus, F., 2003, *Geología de las sistemas porfíricos en los Andes de Chile*: Santiago de Chile, Servicio Nacional de Geología y Minería, 267 p.

Camus, F., and Fam, R., 1971, Bosquejo geológico del prospecto Copaquire: Iquique, Chile, Instituto de Investigaciones Geológicas, p. 7.

Cande, S. C., and Haxby, W. F., 1991, Eocene propagating rifts in the Southwest Pacific and their conjugate features on the Nazca Plate: *Journal of Geophysical Research*, B, Solid Earth and Planets, v. 96, p. 19,609-19,622.

Candela, P. A., and Piccoli, P. M., 2005, Magmatic processes in the development of porphyry-type ore systems, in Hedenquist, J. W., Thompson, J. F. H., Goldfarb, R., and Richards, J. P., eds., *Economic Geology 100th Anniversary Volume 1905-2005*: Littleton, Colorado, Society of Economic Geologists, p. 25-38.

- Cannell, J., Cooke, D. R., Walshe, J. L., and Stein, H., 2005, Geology, mineralization, alteration, and structural evolution of the El Teniente porphyry Cu-Mo deposit: *Economic Geology*, v. 100, p. 979-1003.
- Carrasco, M., and Chong Diaz, G., 1985, Geología del distrito argentífero de Challocallo, primera región de Tarapaca, Chile. Geology of the Challocallo silver district, first region of Tarapaca, Chile: *Actas - Congreso Geológico Chileno*, v. 4, p. 3.550-3.578.
- Carrillo, M. M., Valencia I, J. J., and Vazquez, M. E., 2001, Geology of the southwestern Sierra Madre Oriental fold-and-thrust belt, east-central Mexico; a review: *AAPG Memoir*, v. 75, p. 145-158.
- Carrizo, D., Olivares, V., González, G., Dunai, T., Jensen, A., and Cortés, J., 2007, Relación entre los cambios climáticos globales post-24ma y el proceso de desecación del Desierto de Atacama: *Actas - 11° Congreso Geológico Chileno*, Antofagasta, 2006. v. 2, p. 171-174.
- Carten, R. B., 1986, Sodium-calcium metasomatism; chemical, temporal, and spatial relationships at the Yerington, Nevada, porphyry copper deposit: *Economic Geology*, v. 81, p. 1495-1519.
- Cas, R. A. F., and Wright, J. V., 1987, Volcanic successions, modern and ancient; a geological approach to processes, products and successions, Allen & Unwin, London, United Kingdom (GBR), 528 p.
- Casas, A. M., Gapais, D., Nalpas, T., Besnard, K., and Roman-Berdiel, T., 2001, Analogue models of transpressive systems: *Journal of Structural Geology*, v. 23, p. 733-743.
- Cathles, L. M., and Shannon, R., 2007, How potassium silicate alteration suggests the formation of porphyry ore deposits begins with the nearly explosive but barren expulsion of large volumes of magmatic water: *Earth and Planetary Science Letters*, v. 262, p. 92-108.
- Cathles, L. M., Erendi, A. H. J., Barrie, T., and Stein, H. J., 1997, How long can a hydrothermal system be sustained by a single intrusive event?: *Economic Geology* v.92, no.7-8, p.766-771.
- Cembrano, J., Faulkner, D., Herrera, V., Mitchell, T., 2006, On the formation of and fluid pressure within strike-slip dilational jogs: constraints on crustal stresses at depth: *Actas - 11° Congreso Geológico Chileno*, Universidad Católica del Norte, Antofagasta, Chile. v., Antofagasta, Chile. v. 2, p. 174-176.
- Cembrano, J., González, G., Ahumada, I., Olivares, V., and Herrera, V., 2003, Fault-fracture network development in upper crustal strike-slip settings: a case study from the Atacama Fault System: *Actas - 10° Congreso Geológico Chileno*, Concepción, Chile, 2003.
- Cembrano, J., González, G., Arancibia, G., Ahumada, I., Olivares, V., and Herrera, V., 2005, Fault zone development and strain partitioning in an extensional strike-slip duplex; a case study from the Mesozoic Atacama fault system, northern Chile: *Tectonophysics*, v. 400, p. 105-125.
- Chambefort, I., Dilles, J. H., and Kent, A. J. R., 2008, Anhydrite-bearing andesite and dacite as a source for sulfur in magmatic-hydrothermal mineral deposits: *Geology*, v. 36, p. 719-722.
- Chang, Z., Vervoort, J. D., McClelland, W. C., and Knaack, C., 2006, U-Pb dating of zircon by LA-ICP-MS: *Geochemistry, Geophysics, Geosystems*, v. 7, p. Q05009, doi:10.1029/2005GC001100.
- Charrier, R., and Muñoz, N., 1994, Jurassic Cretaceous palaeogeographic evolution of the Chilean Andes at 23°-24°S latitude and 34°-35°S latitude; a comparative analysis, in Reutter, K. J., Scheuber, E., and Wigger, P. J., eds., *Tectonics of the Southern Central Andes*: Berlin, Springer-Verlag.
- Charrier, R., and Reutter, K. J., 1994, The Purilactis Group of northern Chile; boundary between arc and backarc from Late Cretaceous to Eocene, in Reutter, K. J., Scheuber, E., and Wigger, P. J., eds., 1994, *Tectonics of the Southern Central Andes*: Berlin, Springer-Verlag.
- Charvet, J., Ogawa, Y., 1994. Arc-Trench Tectonics, In: Hancock, P. L., ed., *Continental Deformation*. Oxford, Pergamon Press, 421 p.
- Chobanova, A., 1984, Rolyata na nyakoi faktori vyrkhu kontsentratsiyata na med v medno-porfirnite nakhodishcha Asarel i Tsar Asen. Role of several factors concerning the copper concentration in the porphyry copper deposits of Assarel and Tsar Asen: *Rudoobrazuvatelni Protsezi i Mineralni Nakhodista = Ore-Formation Processes and Mineral Deposits*, v. 20, p. 53-65.
- Chong Diaz, G., and Reutter, K. J., 1985, Fenomenos de tectonica compresiva en las sierras de Varas

- y de Argomedo, Precordillera Chilena, en el ambito del paralelo 25°S: Actas - 4° Congreso Geológico Chileno, 4: Departamento de Geociencias, Universidad del Norte Chile, p. 2219-2238.
- Christie, D. M. and Sinton, J. M., 1981, Evolution of abyssal lavas along propagating segments of the Galapagos spreading center: *Earth and Planetary Science Letters*, v. 56, p. 321-355.
- Claeson, D.T., and Meurer, W.P., 2004, Fractional crystallization of hydrous basaltic arc-type magmas and the formation of amphibole-bearing gabbroic cumulates: *Contributions to Mineralogy and Petrology*, v. 147, p. 288-304.
- Clague, D. A., and Jarrard, R. D., 1973, Tertiary Pacific Plate Motion Deduced from the Hawaiian-Emperor Chain: *Geological Society of America Bulletin*, v. 84, p. 1135-1154.
- Clark, A. M., Mortimer, C., and Sillitoe, R. H., 1968, Tectonic and geomorphic environment of supergene mineral alteration, Copiapo mining district, Chile: *Economic Geology and the Bulletin of the Society of Economic Geologists*, v. 63, p. 698.
- Clark, A. H., Farrar, E., Kontak, D. J., Langridge, R. J., Arenas F, M. J., France, L. J., McBride, S. L., Woodman, P. L., Wasteneys, H. A., Sandeman, H. A., and Archibald, D. A., 1990a, Geologic and geochronologic constraints on the metallogenic evolution of the Andes of southeastern Peru: *Economic Geology*, v. 85, p. 1520-1583.
- Clark, A. H., Tosdal, R. M., Farrar, E., Plazolles V, A., and Skinner, B. J., 1990b, Geomorphologic environment and age of supergene enrichment of the Cuajone, Quellaveco, and Toquepala porphyry copper deposits, southeastern Peru: *Economic Geology*, v. 85, p. 1604-1628.
- Clark, A. H., Archibald, D. A., Lee, A. W., Farrar, E., and Hodgson, C. J., 1998, Laser probe $^{40}\text{Ar}/^{39}\text{Ar}$ ages of early- and late-stage alteration assemblages, Rosario porphyry copper-molybdenum deposit, Collahuasi district, I Region, Chile: *Economic Geology*, v. 93, p. 326-337.
- Clift, P. D., and Hartley, A. J., 2007, Slow rates of subduction erosion and coastal underplating along the Andean margin of Chile and Peru: *Geology*, v. 35, p. 503-506.
- Cline, J. S., and Bodnar, R. J., 1991, Can economic porphyry copper mineralization be generated by a typical calc-alkaline melt?: *Journal of Geophysical Research, B, Solid Earth and Planets*, v. 96, p. 8113-8126.
- Clode, C., Proffett, J., Mitchell, P., and Munajat, I., 1999, Relationships of intrusion, wall-rock alteration and mineralisation in the Batu Hijau copper-gold porphyry deposit, in Weber, G., ed., *Publication Series - Australasian Institute of Mining and Metallurgy*, vol.4-99: Parkville, AusIMM - Australasian Institute of Mining and Metallurgy, p. 485-498.
- Coughlin, T. J., Holcombe, R. J., and Vernon, R., 1995, The kinematic evolution and tectonic implications of major arc-oblique lineaments, in the northwest Argentine Andes: *Abstracts - Geological Society of Australia*, v. 40, p. 28-29.
- Coira, B., Davidson, J., Mpodozis, C., and Ramos, V., 1982, Tectonic and magmatic evolution of the Andes of northern Argentina and Chile, in Linares, E., Cordani, U. G., and Munizaga, F., eds., *Earth-Science Reviews*, 18: Amsterdam, Elsevier, p. 303-332.
- Concepcion, R. A., Cinco, J. C., Jr., 1989, Geology of Lepanto far southeast gold-rich porphyry copper deposit, Mankayan, Benguet, Philippines, *International Geological Congress, Abstracts--Congres Geologique Internationale, Resumes*, 28: location varies, *International Geological Congress*, p. 1.319-1.320.
- Concha, O., and Valle, J., 1999, Prospeccion, exploracion y desarrollo del yacimiento de Cuajone. *Exploration, geology and development of the Cuajone Deposit*: Lima, Instituto de Ingenieros de Minas de Peru.
- Cooke, D. R., and Berry, R., 1996, Porphyry-epithermal relationships in the Baguio District, Philippines; telescoping of low sulfidation mineralisation by transpressional uplift and erosion, *Abstracts with Programs - Geological Society of America*, 28: Boulder, Geological Society of America (GSA), p. 155.
- Cooke, D. R., Hollings, P., and Walshe, J. L., 2005, Giant porphyry deposits; characteristics, distribution, and tectonic controls: *Economic Geology*, v. 100, p. 801-818.

- Cooper, M.A.; Williams, G.D. 1989. Inversion Tectonics. Geological Society of London, Special Publication, No. 44, p. 376.
- Cornejo, P., Tosdal, R. M., Mpodozis, C., Tomlinson, A. J., Rivera, O., and Fanning, C. M., 1997, El Salvador, Chile porphyry copper deposit revisited; geologic and geochronologic framework: *International Geology Review*, v. 39, p. 1-21.
- Cornejo, P., Matthews, S., and Pérez de Arce, C., 2003, The “K-T” compressive deformation event in Northern Chile (24-27°S): *Actas - 10° Congreso Geológico Chileno*, Concepción, Chile, 2003.
- Cornejo, P., Matthews, S., Marinovic, N., Pérez de Arce, C., Basso, M., Alfaro, J. and Navarro, M., 2006, Alteración hidrotermal y mineralización recurrente de Cu y Cu-Mo durante el Pérmico y el Triásico en la Cordillera de Domeyko (Zona de Zaldívar-Salar de Los Morros) - antecedentes geocronológicos U-Pb, $^{40}\text{Ar}/^{39}\text{Ar}$ y Re/Os: *Actas - 11° Congreso Geológico Chileno*, Universidad Católica del Norte, Antofagasta, Chile. v. 2, p. 219-222.
- Coward, M.P. 1994. Inversion Tectonics. In *Continental Deformation* (Hancock, P.R.; editor). Pergamon Press, p. 289-304.
- Cox, S. F., 2005, Coupling between deformation, fluid pressures and fluid flow in ore-producing hydrothermal systems at depth in the crust, in Hedenquist, J. W., Thompson, J. F. H., Goldfarb, R., and Richards, J. P., eds., *Economic Geology 100th Anniversary Volume 1905-2005*: Littleton, Colorado, Society of Economic Geologists, p. 39-76.
- Crawford, A. J., Falloon, T. J. & Eggins, S., 1987, The origin of island arc high-alumina basalts: *Contributions to Mineralogy and Petrology*, v. 97, p. 417-430.
- Creager, K. C., Chiao, L.-Y., Winchester, J. P., Jr., Engdahl, E. R., and Wallace, T. C., 1995, Membrane strain rates in the subducting plate beneath South America: *Geophysical Research Letters*, v. 22, p. 2321-2324.
- Creixall, C., Parada, M. A., Morata, D., 2006, Contrasting tectonomagmatic styles in the late Paleozoic and Jurassic batholiths of central Chile: *Actas - 11° Congreso Geológico Chileno*, Universidad Católica del Norte, Antofagasta, Chile. v. 2, p. 189-192.
- Crowhurst, P. V., Hill, K. C., and Foster, D. A., 1997, The structural and tectonic development of the Frieda River mineral district, NW Papua New Guinea, in Hancock, G. E., ed., *Publication Series - Australasian Institute of Mining and Metallurgy*, vol.10/97: Parkville, Australasian Institute of Mining and Metallurgy, p. 51-60.
- Cuadra, P., Grez, A., and GH, G., 1997, Geología del yacimiento Radmiro Tomic, Corporación Nacional de Cobre de Chile, División Chuquibambilla.
- Cuadra, P., and Camus, F., 1998, The Radomiro Tomic porphyry copper deposit, northern Chile, in Porter, T. M., ed.: *Glenside*, Australian Mineral Foundation.
- Cumming, G. L., and Richards, J. R., 1975; Ore lead isotope ratios in a continuously changing Earth: *Earth and Planetary Science Letters*, v. 28, p.155.
- Cunningham, C. G., Aparicio N, H., Murillo S, F., Jimenez C, N., Lizca B, J. L., McKee, E. H., Ericksen, G. E., and Tavera V, F., 1994, Relationship between the Porco, Bolivia, Ag-Zn-Pb-Sn deposit and the Porco Caldera: *Economic Geology*, v. 89, p. 1833-1841.
- Dalpé, C., and Baker, D. R., 2000, Experimental investigation of large-ion-lithophile-element-, high-field-strength-element-, and rare-earth-element-partitioning between calcic amphibole and basaltic melt: the effects of pressure and oxygen fugacity: *Contributions to Mineralogy and Petrology*, v.140, p. 233-250.
- Dalrymple, G. B., Alexander, E. C., Jr., Lanphere, M. A., and Kraker, G. P., 1981, Irradiation of samples for $^{40}\text{Ar}/^{39}\text{Ar}$ dating using the Geological Survey TRIGA reactor, U. S. Geological Survey Professional Paper: P 1176, p. 55.
- Damm, K. W., Pichowiak, S., Todt, W., and Giese, P., 1986, *Geochemie, Petrologie und Geochronologie der Plutonite und des metamorphen Grundgebirges in Nordchile*: *Berliner Geowissenschaftliche Abhandlungen, Reihe A: Geologie und Palaeontologie*, v. 66, p. 73-146.
- Damm, K. W., Pichowiak, S., Harmon, R. S., Todt, W., Kelley, S., Omarini, R., and Niemeyer, H.,

- 1990, Pre-Mesozoic evolution of the Central Andes; the basement revisited: Geological society of America Special Paper 241, p. 101-126.
- Davidson, J., and Arculus, R. J., 2006, The significance of Phanerozoic arc magmatism in generating continental crust, in Brown, M., and Rushmer, T., eds., *Evolution and Differentiation of the Continental Crust*: Cambridge, U.K., Cambridge University Press, p. 135-172.
- Davidson, J., Covacevich, V., and Godoy, E., 1976, El bajociano marino de Sierra Minillas (70°30'W.-26°S.) y Sierra Fraga (69°50' W-27°S.), Provincia de Atacama, Chile; edad y marco geotectonico de la formacion La Negra en esta latitud: Departamento de Geociencias, Universidad del Norte Chile.
- Davidson, J., Mpodozis, C. and Rivano, S., 1981, El Paleozoico de Sierra Almeida, al oeste de Monturaqui, Alta Cordillera de Antofagasta, Chile: *Revista Geológica de Chile*, v. 12, p. 3-23.
- Davidson, J., Ramirez, C., Gardeweg, M., Herve, F., Brook, M., and Pankhurst, R., 1985, Calderas del Paleozoico Superior-Triasico Superior y mineralizacion asociada en la Cordillera de Domeyko, norte de Chile: *Comunicaciones de la Universidad de Chile*, v. 35, p. 53-57.
- Davidson, J., Turner, S., Handley, H., Macpherson, C., and Dosseto, A., 2007, Amphibole “sponge” in arc crust?: *Geology*, v. 35; p. 787-790.
- Davidson, P., Kamenetsky, V., Cooke, D. R., Frikken, P., Hollings, P., Ryan, C., Van Achterbergh, E., Mernagh, T., Skarmeta, J., Serrano L., and Vargas, R., 2006, Magmatic precursors of hydrothermal fluids at the Río Blanco Cu–Mo deposit, Chile: links to silicate magmas and metal transport: *Economic Geology*, v. 100, p. 963–978.
- Davies, A. G. S., Cooke, D. R., and Gemmell, J. B., 1999, Characteristics, timing and formation of diatreme breccias at the Kelian gold deposit, East Kalimantan, Indonesia, in Weber, G., ed., *Publication Series - Australasian Institute of Mining and Metallurgy*, 4: Parkville, AusIMM - Australasian Institute of Mining and Metallurgy, p. 81-90.
- DeBeer, L., and Dick, L., 1994, The development of the Collahuasi porphyry copper deposits, a world class copper project in the Andes of northern Chile.: *Mining Latin America*, Santiago, Chile, 1994, p. 181-195.
- Dempster, T. J., and Persano, C., 2006, Low-temperature thermochronology; resolving geotherm shapes or denudation histories?: *Geology*, v. 34, p. 73-76.
- Depine, G. V., Kay, S. M., and Morgan, J. P., 2005, Origin of Gondwana margin Permo-Jurassic granite-rhyolite provinces; the South American Choiyoi example: *Abstracts - Geological Society of Australia*, v. 81, p. 125
- Desrochers, J-P., LaPointe, M., Chait, E., Montoya, C., and others, 2001, Geological maps at 1:5,000 of the Quebrada Blanca deposit and the El Colorado prospect, Tarapaca Region, Chile: Compañía Minera Quebrada Blanca S.A. internal map production. Iquique, Chile.
- DeWit, M., Jeffery, M., Bergh, H., and Nicolaysen, L., 1988, Geological map of sectors of Gondwana reconstructed to their disposition ~150 Ma. Lambert Equal Area Projection., Bernhard Price Institute of Geophysical Research, University of Witwatersrand, RSA, and the American Association of Petroleum Geologists.
- Diaz-Martinez, E., 1996, Sintesis estratigrafica y geodinamica del Carbonifero de Bolivia: XII Congreso Geologico de Bolivia, Tarija, 1996, p. 355-367.
- Dick, L., Chavez, W., Gonzales, A., and Bisso, C., 1994, Geologic setting and mineralogy of the Cu-Ag-(As) Rosario Vein System, Collahuasi district, Chile: *SEG Newsletter*, v. 19, p. 1, 6-11.
- Dickinson, W. R., 1975, Potash-depth (K-h) relations in continental margin and intra-oceanic magmatic arcs: *Geology*, v. 3, p. 53-56.
- Dietrich, V. J., Emmermann, R., Oberhänsli, R. E., and Puchelt, H., 1978, Geochemistry of basaltic and gabbroic rocks from the West Mariana Basin and the Mariana Trench ; *Earth and Planetary Science Letters*, v. 39, p. 127-144
- Digert, F. E., Hoke, G. D., Jordan, T. E., and Isacks, B. L., 2003, Subsurface stratigraphy of the Neogene Pampa de Tamarugal Basin, northern Chile: *Actas - 10º Congreso Geológico Chileno*,

Concepción, 2003, Simposio III.

Dilles, J. H., 1987, Petrology of the Yerington Batholith, Nevada; evidence for evolution of porphyry copper ore fluids: *Economic Geology*, v. 82, p. 1750-1789.

Dilles, J. H., and Einaudi, M. T., 1992, Wall-rock alteration and hydrothermal flow paths about the Ann-Mason porphyry copper deposit, Nevada; a 6-km vertical reconstruction: *Economic Geology*, v. 87, p. 1963-2001.

Dilles, J. H., Tomlinson, Andrew J., Martin, Martin W., and Blanco, Nicolas, 1997, El Abra and Fortuna Complexes: a porphyry copper batholith sinistrally displaced by the Falla Oeste (extended abstract): Congreso Geológico Chileno VIII, Antofagasta, Chile.

Disini, A. F., Robertson, B. M., and Claveria, R. J. R., 1998, The Mankayan mineral district, Luzon, Philippines, in Porter, T. M., ed.: *Glenside*, Australian Mineral Foundation.

Djouka-Fonkwe, M., Kyser, K., Clark, A. H., Oates, J. C., and Ihlenfeld, C., 2008, Petrographic characterization of propylitic alteration associated with porphyry Cu-Mo deposits in the Collahuasi District, Northern Chile: implications for mineral exploration: Abstracts - Geological Association of Canada-Mineralogical Association of Canada Joint Annual Meeting, Quebec, Canada.

Donato, E., and Vergani, G., 1985, Geología del Devonico y neopaleozoico de la zona del Cerro Rincon, Provincia de Salta, Argentina: 4° Congreso Geológico Chileno, 1985, p. 262-283.

Drake, M. J., and Weill, D. F., 1975, Partition of Sr, Ba, Ca, Y, Eu²⁺, Eu³⁺, and other REE between plagioclase feldspar and magmatic liquid: an experimental study: *Geochimica et Cosmochimica Acta*, v. 39, p. 689-712.

Dreher, S.T., Macpherson, C.G., Pearson, D.G., and Davidson, J.P., 2005, Re-Os isotope studies of Mindanao adakites: Implications for sources of metals and melts: *Geology*, v. 33, p. 957-960.

Ducea, M. N., and Saleeby, J. B., 1998, The age and origin of a thick mafic-ultramafic keel from beneath the Sierra Nevada batholith: *Contributions to Mineralogy and Petrology*, v. 133, p. 169-185.

Dungan, M. A., Wulff, A., and Thompson, R. A., 2001, Eruptive stratigraphy of the Tatara-San Pedro Complex, 36°S, southern volcanic zone, Chilean Andes; reconstruction method and implications for magma evolution at long-lived arc volcanic centers: *Journal of Petrology*, v. 42, p. 555-626.

Dunne, W. M., and Hancock, P. L., 1994, Palaeostress analysis of small-scale brittle structures.

Ehlers, T. A., 2005, Crustal thermal processes and the interpretation of thermochronometer data: *Reviews in Mineralogy and Geochemistry*, v. 58, p. 315-350.

Einaudi, M. T., Hedenquist, J. W., and Inan, E. E., 2003, Sulfidation state of fluids in active and extinct hydrothermal systems; transitions from porphyry to epithermal environments: Special Publication, Society of Economic Geologists, v. 10, p. 285-313.

Ege, H., 2004, Exhumations- und Hebungsgeschichte der zentralen Anden in Südbolivien (21° S) durch Spaltspur-Thermochronologie an Apatit: Unpublished PhD thesis, Freie Universität Berlin, <http://www.diss.fu-berlin.de/2004/64/index.html>

Elger, K., Oncken, O., Glodny, J., 2005, Plateau-style accumulation of deformation – the Southern Altiplano: *Tectonics* v. 24, no.4, 19 pp., doi 10.1029/2004TC001675

Elliott, T. R., Plank, T., Zindler, A., White, W., and Bourdon, B., 1997, Element transport from slab to volcanic front at the Mariana Arc: *Journal of Geophysical Research*, v. B102, p. 14991-15019.

Ellis, D. J., and Thompson, A. B., 1986, Subsolvus and partial melting reactions in the quartz-excess CaO+MgO+Al₂O₃+SiO₂+H₂O system under water-excess and water-deficient conditions to 10 kb; some implications for the origin of peraluminous melts from mafic rocks: *Journal of Petrology*, v. 27, p. 91-121.

Elkins-Tanton, L. T., 2005, Continental magmatism caused by lithospheric delamination: Special Paper - Geological Society of America, v. 388, p. 449-461.

Enders, M.S., and Leveille, R. A., 2004, Meeting quarter-century exploration requirements in a quarterly results business world. Corporate presentation, Newmont Mining Corporation and Phelps Dodge Mining Corporation. 19 p.

- Espi, J. O., 1999, Nena high sulphidation-type deposit, Frieda River, PNG; host-rock types, hydrothermal alteration and copper-gold mineralisation, in Weber, G., ed., Publication Series - Australasian Institute of Mining and Metallurgy, vol.4-99: Parkville, AusIMM - Australasian Institute of Mining and Metallurgy, p. 473-481.
- Espinoza, S., 1981, El cinturón ferífero de Atacama y Coquimbo, Chile: 1° Coloquio sobre Volcanismo y Metalogénesis, Universidad del Norte, Departamento de Geociencias, Antofagasta, Chile, v. 4, p. 95-106.
- Espinoza, S., 1986, Sobre el origen volcánico-sedimentario de los mantos ferruginosos Bandurrias y Manote, al sur de Copiapó: Revista Geológica de Chile, v. 27, p. 33-40.
- Espurt, N., Martinod, J., and Regard, V., 2006, Effects of ridge subduction on upper plate deformations: the Juan Fernandez Ridge case, Chile and Argentina. Insights from 3D analogue modeling: Actas - 11° Congreso Geológico Chileno, Universidad Católica del Norte, Antofagasta, Chile, v. 2, p. 197-200.
- Espurt, N., Baby, P., Brusset, S., Roddaz, M., Hermoza, W., Regard, V., Antoine, P. O., Salas-Gismondi, R., and Bolanos, R., 2007, How does the Nazca Ridge subduction influence the modern Amazonian foreland basin?: Geology, v. 35, p. 515-518.
- Etchecopar, A., Vasseur, G., and Gaignieres, M., 1981, An inverse problem in microtectonics for the determination of stress tensors from fault striation analysis: Journal of Structural Geology, v. 3, p. 51-65.
- Eugster, H. P., 1969, Inorganic bedded cherts from the Magadi area, Kenya: Contributions to Mineralogy and Petrology, v. 22, p. 1-31.
- Faill, R. T., 1969, A solution of the 'space problem' in the cores of flexural slip folds, 347 p.
- Fam, R., 1974, Exploración geológica en Quebrada Blanca, Departamento de Iquique, Provincia de Tarapaca, Chile: Unpublished Honours thesis, Universidad de Chile, 119 p.
- Fanger, L., Driesner, T., Heinrich, C. A., von Quadt, A., and Peycheva, I., 2001, Elatsite porphyry Cu deposit, Bulgaria; mineralisation, alteration, and structures: Proceedings of the 6th Biennial SGA Meeting, vol.6, p. 527-529.
- Farias, M., Charrier, R., Comte, D., Martinod, J., and Herail, G., 2003, Deformación por flexuras en la precordillera de la Región de Arica (19°25'-19°45'S): correlaciones con la sismicidad superficial e implicancias para el alzamiento del borde occidental del Altiplano: Actas - 10° Congreso Geológico Chileno, Concepción, 2003.
- Farley, K. A., 2000, Helium diffusion from apatite; general behavior as illustrated by Durango fluorapatite: Journal of Geophysical Research, v. 105, p. 2903-2914.
- Farley, K. A., 2002, (U-Th)/He dating: Techniques, calibrations, and applications: Reviews in Mineralogy and Geochemistry, v. 47, p. 819-844.
- Farley, K. A., and Clark, M. K., 2006, Progress and problems with apatite (U-Th)/He dating: Geochimica et Cosmochimica Acta, v. 70, p. A166.
- Farley, K. A., Wolf, R. A., and Silver, L. T., 1996, The effects of long alpha-stopping distances on (U-Th)/He ages: Geochimica et Cosmochimica Acta, v. 60, p. 4223-4229.
- Farrar, E., Clark, A. H., Kontak, D. J., and Archibald, D. A., 1988, Zongo-San Gaban Zone; Eocene foreland boundary of the central Andean Orogen, Northwest Bolivia and Southeast Peru: Geology, v. 16, p. 55-58.
- Fedorowich, J., 2001, Structural mapping and sampling program, Área de Interés, Collahuasi Exploration Project: Falconbridge Limited, internal company report, 18 p.
- Feeley, T. C., 1993, Crustal modification during subduction-zone magmatism; evidence from the southern Salar de Uyuni region (20°-22°S), Central Andes: Geology, v. 21, p. 1019-1022.
- Feeley, T. C., and Davidson, J. P., 1994, Petrology of Calc-Alkaline Lavas at Volcán Ollagüe and the Origin of Compositional Diversity at Central Andean Stratovolcanoes: Journal of Petrology, v. 35, p. 1295-1340.

- Feeley, T. C., Davidson, J. P., and Armendia, A., 1993, The volcanic and magmatic evolution of Volcan Ollague, a high-K, late quaternary stratovolcano in the Andean Central Volcanic Zone: *Journal of Volcanology and Geothermal Research*, v. 54, p. 221-245.
- Felix, M., and Peakall, J., 2006, Transformation of debris flows into turbidity currents; mechanisms inferred from laboratory experiments: *Sedimentology*, v. 53, p. 107-123.
- Fernandez Seveso, F., Perez, F., Brisson, F., and Alvarez, L., 1993, Sequence stratigraphy and tectonic analysis of the Paganzo Basin, western Argentina: XIIo Congress on the Permo-Carboniferous Systems, Buenos Aires, 1993, p. 223-260.
- Fernandez-Suarez, J., Gutierrez-Alonso, G., Jenner, G. A., and Jackson, S. E., 1998, Geochronology and geochemistry of the Pola de Allande granitoids (northern Spain); their bearing on the Cadomian-Avalonian evolution of Northwest Iberia: *Canadian Journal of Earth Sciences = Journal Canadien des Sciences de la Terre*, v. 35, p. 1439-1453.
- Fierstein, J., Bruggman, P. E., Bartel, A. J., Stewart, K. C., Taggart, J. E., Jr., Drake, R. E., and Hildreth, W., 1989, Chemical analyses of rocks and sediments from central Chile: U.S. Geological Survey Open File Report 89-78, 13p.
- Finney, S., Gleason, J., Gehrels, G., Peralta, S., and Acenolaza, G., 2003a, Early Gondwanan connection for the Argentine Precordillera terrane: *Earth and Planetary Science Letters*, v. 205, p. 349-359.
- Finney, S. C., Gleason, J. D., Gehrels, G. E., and Peralta, S. H., 2003b, Tectonic and paleogeographic relationships of Precordillera of western Argentina determined from U/Pb geochronology of detrital zircons from Upper Ordovician sandstones, Abstracts with Programs - Geological Society of America, 35: Boulder, Geological Society of America (GSA), p. 389-390.
- Fisk, M., and Kelley, K. A., 2002, Probing the Pacific's oldest MORB glass; mantle chemistry and melting conditions during the birth of the Pacific Plate: *Earth and Planetary Science Letters*, v. 202, p. 741-752.
- Foley, S.F., Barth, M.G., and Jenner, G.A., 1999, Rutile/melt partition coefficients for trace elements and an assessment of the influence of the trace element characteristics of subduction zone magmas: *Geochimica et Cosmochimica Acta*, v. 64, p. 933-938.
- Fournier, R., 1999, Hydrothermal processes related to movement of fluid from plastic to brittle rock in the magmatic-hydrothermal environment: *Economic Geology*, v. 94, p. 1193-1212.
- Fox, K. A., Hitzman, M. W., 2001, Superimposed magnetite and iron oxide-Cu-Au mineralization at Productora, Chilean iron belt, Abstracts with Programs - Geological Society of America, 33: Boulder, Geological Society of America (GSA), p. 129.
- Francis, P. W., and Baker, M. C. W., 1978, Sources of two large ignimbrites in the central Andes; some Landsat evidence: *Journal of Volcanology and Geothermal Research*, v. 4, p. 81-87.
- Franz, G., Lucassen, F., Kramer, W., Trumbull, R. B., Romer, R. L., Wilke, H.-G., Viramonte, J. G., Becchio, R., and Siebel, W., 2006, Crustal evolution at the Central Andean continental margin; a geochemical record of crustal growth, recycling and destruction, in Oncken, O., Chong, G., Franz, G., Giese, P., Gotze, H.-J., Ramos, V. A., Strecker, M. R., and Wigger, P., eds., *The Andes. Active Subduction Orogeny*: Springer-Verlag, Berlin Heidelberg, p.45-64.
- Friksen, P. H., Cooke, D. R., Walshe, J. L., Archibald, D., Skarmeta, J., Serrano, L., and Vargas, R., 2005, Mineralogical and isotopic zonation in the Sur-Sur tourmaline breccia, Rio Blanco-Los Bronces Cu-Mo deposit, Chile; implications for ore genesis: *Economic Geology*, v. 100, p. 935-961.
- Frost, R. A., Chamberlain, K. R., and Schumacher, J. C., 2000, Sphene (titanite): phase relations and role as a geochronometer: *Chemical Geology*, v. 172, p. 131-148.
- Fryer, B. J., Jackson, S. E., and Longerich, H. P., 1993, The application of laser ablation microprobe-inductively coupled plasma-mass spectrometry (LAM-ICP-MS) to in situ (U)-Pb geochronology: *Chemical Geology*, v. 109, p. 1-8.
- Fuentes, F., Aguirre, L., Vergara, M., Valdebenito, L., and Fonseca, E., 2004, Miocene fossil hydrothermal system associated with a volcanic complex in the Andes of central Chile: *Journal of Volcanology and Geothermal Research*, v. 138, p. 139-161.

- Galli, C., 1957, Las formaciones geológicas en el borde occidental de la Puna de Atacama, sector de Pica, Tarapacá, Minerales: Santiago de Chile, Servicio Nacional de Geología y Minería, p. 1-15.
- Garcia, J. S., Jr., 1991, Geology and mineralization characteristics of the Mankayan mineral district, Benguet, Philippines, in Matsuhisa, Y., Aoki, M., and Hedenquist, J. W., eds., Chishitsu Chosajo Hokoku = Report - Geological Survey of Japan, Report: 277: Kawasaki, Geological Survey of Japan, p. 21-30.
- Gardeweg, M., 1988, Petrografía y geoquímica del complejo volcánico Tumisa, altiplano de Antofagasta, Andes del norte de Chile: Actas, 5° Congreso Geológico de Chile, v. 3, p. i183-i208.
- Garrido, I., Cembrano, J., Siña, A., Stedman, P., and Yañez, G., 2002, High magma oxidation state and bulk crustal shortening: key factors in the genesis of Andean porphyry copper deposits, central Chile (31-34°S): *Revista Geológica de Chile*, Vol. 29, p. 43-54
- Garwin, S. L., 2000, The setting, geometry and timing of intrusion-related hydrothermal systems in the vicinity of the Batu Hijau porphyry copper-gold deposit, Sumbawa, Indonesia.: Unpublished PhD thesis, University of Western Australia, 320 p.
- Garzione, C. N., Molnar, P., Libarkin, J. C., and MacFadden, B. J., 2006, Rapid late Miocene rise of the Bolivian Altiplano; evidence for removal of mantle lithosphere: *Earth and Planetary Science Letters*, v. 241, p. 543-556.
- Gayo, E., Hinojosa, L. F., and Villagran, C., 2005, On the persistence of tropical paleofloras in central Chile during the early Eocene: *Review of Palaeobotany and Palynology*, v. 137, p. 41-50.
- Gerbault, M., Martinod, J., and Herail, G., 2005, Possible orogeny-parallel lower crustal flow and thickening in the Central Andes: *Tectonophysics - Andean Geodynamics*, v. 399, p. 59-72.
- Gerlach, D. C., Frey, F. A., Moreno-Roa, H., and Lopez-Escobar, L., 1988, Recent Volcanism in the Puyehue—Cordon Caulle Region, Southern Andes, Chile (40-5°S): *Petrogenesis of Evolved Lavas: Journal of Petrology*, v. 29, p. 333-382.
- Gerwe, J. E., Latorre, J. J., and Barrett, L. F., 2003, El Abra porphyry copper deposit, northern Chile - update: *Actas - 10° Congreso Geológico Chileno*, Concepción, 2003.
- Gifkins, C. C., McPhie, J., and Allen, R. L., 2002, Pumiceous rhyolitic peperite in ancient submarine volcanic successions: *Journal of Volcanology and Geothermal Research*, v. 114, p. 181-203.
- Gill, J. B., 1981, *Orogenic andesites and plate tectonics*: Berlin, Federal Republic of Germany, Springer Verlag, 401 p.
- Glen, R. A., and Walshe, J. L., 1999, Cross-structures in the Lachlan Orogen; the Lachlan transverse zone example: *Australian Journal of Earth Sciences*, v. 46, p. 641-658.
- Glen, R. A., Meffre, S. and Scott, R. J., 2007, Benambran Orogeny in the Eastern Lachlan Orogen, Australia: *Australian Journal of Earth Sciences*, v. 54, no. 2, p. 385 - 415. DOI: 10.1080/08120090601147019
- Godoy, E., Yañez, G., and Vera, E., 1999, Inversion of an Oligocene volcano-tectonic basin and uplifting of its superimposed Miocene magmatic arc in the Chilean Central Andes; first seismic and gravity evidences: *Tectonophysics*, v. 306, p. 217-236
- Gow, P. A., and Walshe, J. L., 2005, The role of preexisting geologic architecture in the formation of giant porphyry-related Cu+ or -Au deposits; examples from New Guinea and Chile: *Economic Geology*, v. 100, p. 819-833.
- Green, T. H., 1972, Crystallisation of calc-alkaline andesite under controlled high-pressure hydrous conditions: *Contributions to Mineralogy and Petrology*, v.34, p. 150-166.
- Griem-Klee, S., and Niemeyer R., H., 2006, Estilo de deformación pre-Mesozoica de rocas del basamento en el sector Quebrada Sama (~21°30'S, 68°50'W), Sierra de Moreno, Norte de Chile: *Actas - 11° Congreso Geológico Chileno*, Universidad Católica del Norte, Antofagasta, Chile. v. 2, p. 233-236.
- Griffin, W. L., and O'Reilly, S. Y., 1987, Is the continental Moho the crust-mantle boundary?: *Geology*, v. 15, p. 241-244.

- Griffin, W. L., O'Reilly, S. Y., Ryan, C. G., Gaul, O., and Ionov, D. A., 1998, Secular variation in the composition of the subcontinental lithospheric mantle: geophysical and geodynamic implications: *Geodynamics*, v. 26, p. 1-26.
- Grocott, J., and Taylor, G. K., 2002, Magmatic arc fault systems, deformation partitioning and emplacement of granitic complexes in the Coastal Cordillera, northern Chilean Andes (25°30'S to 27°00'S): *Journal of the Geological Society [London]*, v. 159, p. 425-442.
- Grocott, J., Brown, M., Dallmeyer, R. D., Taylor, G. K., and Treloar, P., 1994, Mechanisms of continental growth in extensional arcs; an example from the Andean plate-boundary zone: *Geology (Boulder)*, v. 22, p. 391-394.
- Grove, T. L., Chatterjee, N., Parman, S. W., and Médard, E., 2006, The influence of H₂O on mantle wedge melting: *Earth and Planetary Science Letters* v. 249, p. 74-89.
- Groves, D. I., and Bierlein, F. P., 2007, Geodynamic settings of mineral deposit systems: *Journal of the Geological Society [London]*: v. 164; no. 1; p. 19-30; DOI: 10.1144/0016-76492006-065
- Grunder, A.L., Klemetti, E.W., Feeley, T.C., and McKee, C.M., 2006, Eleven million years of arc volcanism at the Aucanquilcha Volcanic Cluster, northern Chilean Andes: implications for the life span and emplacement of plutons: *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*, v. 97, p. 415-436
- Guest, J.E., Rogers, P.S., 1967. The sintering of glass and its relationship to welding in ignimbrites: *Proceedings of the Geological Society of London*, v. 1641, p. 174- 177.
- Guivel, C., Morata, D., Pelleter, E., Espinoza, F., Maury, R. C., Lagabriele, Y., Polve, M., Bellon, H., Cotten, J., Benoit, M., Suarez, M., and de la Cruz, R., 2006, Miocene to Late Quaternary Patagonian basalts (46-47°S): Geochronometric and geochemical evidence for slab tearing due to active spreading ridge subduction: *Journal of Volcanology and Geothermal Research*, v. 149, p. 346-370.
- Gustafson, L. B., and Hunt, J. P., 1975, The porphyry copper deposit at El Salvador, Chile: *Economic Geology*, v. 70, p. 857-912.
- Gustafson, L. B., and Quiroga G, J., 1995, Patterns of mineralization and alteration below the porphyry copper orebody at El Salvador, Chile: *Economic Geology*, v. 90, p. 2-16.
- Gustafson, L. B., Einaudi, M. T., and Dilles, J. H., 1999, Porphyry Cu-Mo-Au deposits; geologic understanding and discovery: *Abstracts with Programs - Geological Society of America*, v. 31, p. 22.
- Gustafson, L.B., Orquera, W., McWilliams, M., Castro, M., Olivares, O., Rojas, G., Maluenda, J., and Mendez, M., 2001, Multiple Centers of Mineralization in the Indio Muerto District, El Salvador, Chile: *Economic Geology*, v. 96, p.325 - 350.
- Gutscher, M. A., Olivet, J. L., Aslanian, D., Eissen, J. P., and Maury, R., 1999b, The "lost Inca Plateau"; cause of flat subduction beneath Peru?: *Earth and Planetary Science Letters*, v. 171, p. 335-341.
- Gutscher, M.-A., Spakman, W., Bijwaard, H., and Engdahl, E. R., 2000, Geodynamics of flat subduction; seismicity and tomographic constraints from the Andean margin: *Tectonics*, v. 19, p. 814-833.
- Hacker, B.R., Abers, G.A. & Peacock, S.M., 2003. Subduction Factory 1. Theoretical mineralogy, densities, seismic wave speeds, and H₂O contents: *Journal of Geophysical Research*, v. 108, doi: 10.1029/2001JB001127.
- Hall, C. M., 1981, The application of K-Ar and ⁴⁰Ar/³⁹Ar methods to the dating of recent volcanics and the Laschamp event: Unpublished Ph.D thesis, University of Toronto, 186 p.
- Hall, R. J., Britten, R. M., and Henry, D. D., 1990, Frieda River copper-gold deposits: *Monograph Series - Australasian Institute of Mining and Metallurgy*, v. 14, p. 1709-1715.
- Hamilton, W., and Dostal, J., 2000, Middle Eocene initiation of Pacific-Farallon slab window magmatism along the Queen Charlotte portion of the continental margin: *Abstracts with Programs - Geological Society of America*, v. 32, p. 16-17.
- Hammerschmidt, K., Doebl, R., and Friedrichsen, H., 1992, Implication of ⁴⁰Ar/³⁹Ar dating of early Tertiary volcanic rocks from the North-Chilean Precordillera: *Tectonophysics*, v. 202, p. 55-81.

- Hancock, P. L., 1985, Brittle microtectonics; principles and practice: *Journal of Structural Geology*, v. 7, p. 437-457.
- Hanson, R. B., 1995, The hydrodynamics of contact metamorphism: *Geological Society of America Bulletin*, v. 107, p. 595-611.
- Harada, Y., and Nemoto, K., 2003, An abrupt change around 40 Ma seen from absolute motion of the African Plate: *Journal of the Faculty of Marine Science and Technology, Tokai University*, v. 55, p. 103-113.
- Harland, W. B., Armstrong, R. L., Craig, L. E., Smith, A. G., and Smith, D. G., 1990, A geologic time scale 1989, Cambridge University Press.
- Harris, A. C., Allen, C. M., Bryan, S. E., Campbell, I. H., Holcombe, R. J., and Palin, J. M., 2004, ELA-ICP-MS U-Pb zircon geochronology of regional volcanism hosting the Bajo de la Alumbrera Cu-Au deposit; implications for porphyry-related mineralization: *Mineralium Deposita*, v. 39, p. 46-67.
- Harris, A. C., Golding, S. D., and White, N. C., 2005, Bajo de la Alumbrera copper-gold deposit; stable isotope evidence for a porphyry-related hydrothermal system dominated by magmatic aqueous fluids: *Economic Geology*, v. 100, p. 863-886.
- Harrison, E. D., Reid, J. E., 1997, Copper-gold skarn deposits of the Bingham District, Utah: Abstracts with Programs - Geological Society of America, v. 29, p. 283.
- Harrison, T. M., and Zeitler, P. K., 2005, Fundamentals of noble gas thermochronometry: *Reviews in Mineralogy and Geochemistry*, v. 58, p. 123-149.
- Haschke, M., and Günther, A., 2003, Balancing crustal thickening in arcs by tectonic vs. magmatic means: *Geology*, v. 31, p. 933-936.
- Haschke, M., Siebel, W., Günther, A., and Scheuber, E., 2002a, Repeated crustal thickening and recycling during the Andean Orogeny in North Chile (21°-26°S): *Journal of Geophysical Research, B, Solid Earth and Planets*, v. 107, p. no.1, 18.
- Haschke, M., Scheuber, E., Günther, A., and Reutter, K. J., 2002b, Evolutionary cycles during the Andean Orogeny; repeated slab breakoff and flat subduction?: *Terra Nova*, v. 14, p. 49-55.
- Hattori, K. H., 2007, Sulfur and copper in magmatic arcs: sources and linkages: *American Geophysical Union, Fall Meeting 2007*, abstract #V33F-01.
- Hattori, K. H., and Keith, J. D., 2001, Contribution of mafic melt to porphyry copper mineralization; evidence from Mount Pinatubo, Philippines, and Bingham Canyon, Utah, USA: *Mineralium Deposita*, v. 36, p. 799-806.
- Hawkesworth, C. J., Hammill, M., Gledhill, A. R., van Calsteren, P., and Rogers, G., 1982, Isotope and trace element evidence for late-stage intra-crustal melting in the High Andes: *Earth and Planetary Science Letters*, v. 58, p. 240-254.
- Haynes, F. M., and Titley, S. R., 1980, The evolution of fracture-related permeability within the Ruby Star Granodiorite, Sierrita porphyry copper deposit, Pima County, Arizona: *Economic Geology*, v. 75, p. 673-683.
- Heald, P., Foley, N. K., and Hayba, D. O., 1987, Comparative anatomy of volcanic-hosted epithermal deposits: Acid sulfate and adularia-sericite types: *Economic Geology*, v. 82, p. 1-26.
- Heather, K. B., and Bissig, T., 2003, Regional geology of the El Indio Mineral District, north-central Chile: *Actas - 10° Congreso Geológico Chileno, Concepción*, 2003.
- Hedenquist, J. W., 1987, Volcanic-related hydrothermal systems in the Circum-Pacific basin and their potential for mineralisation: *Kozan Chishitsu = Mining Geology*, v. 37, p. 347-364.
- Hedenquist, J. W., 1999, Far Southeast-Lepanto porphyry-epithermal Cu-Au deposits, Philippines; coupled hydrothermal processes between the porphyry and high-sulphidation environments, in Weber, G., ed., *Publication Series - Australasian Institute of Mining and Metallurgy*, vol.4-99: Parkville, AusIMM - Australasian Institute of Mining and Metallurgy, p. 61-63.
- Hedenquist, J. W., and Lowenstern, J. B., 1994, The role of magmas in the formation of hydrothermal

ore deposits: *Nature*, v. 370, p. 519-527.

Heidrick, T. L., and Titley, S. R., 1982, Fracture and dike patterns in Laramide plutons and their structural and tectonic implications; *American Southwest*, in Titley, S. R., ed., *Advances in the Geology of the Porphyry Copper Deposits*: Tucson, Arizona, Arizona University Press.

Hedenquist, J. W., Arribas, A., Jr., and Reynolds, T. J., 1998, Evolution of an intrusion-centered hydrothermal system; Far Southeast-Lepanto porphyry and epithermal Cu-Au deposits, Philippines: *Economic Geology*, v. 93, p. 373-404.

Herail, G., Oller, J., Baby, P., Bonhomme, M., and Soler, P., 1996, Strike-slip faulting, thrusting and related basins in the Cenozoic evolution of the southern branch of the Bolivian Orocline, in Dewey, J. F., and Lamb, S. H., eds., *Tectonophysics*, 259: Amsterdam, Elsevier, p. 201-212.

Heredia, N., Alonso, J. L., Busquets, P., Colombo, F., Farias, P., Gallastegui, G., Gallastegui, J., García-Sansegundo, J., Giacosa, R. E., Montes, M., Nozal, F., Ramos, V., and Rodríguez Fernández, L. R., 2006, El orógeno gondwánico entre los Andes Centrales (30°S) y la Península Antártica (65°S): evolución y marco geotectónico: *Actas - 11º Congreso Geológico Chileno*, Universidad Católica del Norte, Antofagasta, Chile. v. 2, p. 251-254.

Hermann, J., 2002, Allanite: thorium and light rare earth element carrier in subducted crust: *Chemical Geology*, v. 192, p. 289 – 306.

Herron, E. M., 1972, Sea-Floor Spreading and the Cenozoic History of the East-Central Pacific: *Geological Society of America Bulletin*, v. 83, p. 1671-1691.

Herron, E. M., Cande, S. C., and Hall, B. R., 1979, An active spreading center collides with a subduction zone; a geophysical survey of the Chile margin triple junction, *Eos, Transactions, American Geophysical Union*, 60: Washington, American Geophysical Union, p. 377.

Herve, F., 1988, Late Paleozoic subduction and accretion in southern Chile: *Episodes*, v. 11, p. 183-188.

Hervé, F. 1992. Estado actual del conocimiento del metamorfismo y plutonismo de la Península Antártica al norte de los 65°S y el archipiélago de las Shetlands del Sur: revisión y problemas. In: *Geología de la Antártida Occidental*, (J. López-Martínez; editor). 8º Congreso Latinoamericano de Geología. Simposios, Tomo 3, p. 19-31, Salamanca-España.

Heuret, A., and Lallemand, S., 2005, Plate motions, slab dynamics and back-arc deformation: *Physics of the Earth and Planetary Interior*, v. 149, p. 31-51.

Hickey, R. L., Frey, F. A., Gerlach, D. C., Lopez-Escobar, L., Hildreth, W., Grove, T. L., and Dungan, M. A., 1986, Multiple sources for basaltic arc rocks from the Southern Volcanic Zone of the Andes (34°-41°S); trace element and isotopic evidence for contributions from subducted oceanic crust, mantle, and continental crust: *Journal of Geophysical Research B*, v. 91, p. 5963-5983.

Hildreth, W., and Moorbath, S., 1988, Crustal contributions to arc magmatism in the Andes of central Chile: *Contributions to Mineralogy and Petrology*, v. 98, p. 455-489.

Hildyard, S. C., Cas, R. A. F., and Viramonte, J. G., 2001, Distribution characteristics of the Cerro Galan Ignimbrite and the implications for eruption and collapse of the Cerro Galan Caldera, NW Argentina: *Abstracts - Geological Society of Australia*, v. 66, p. 2.

Hill, K. C., Kendrick, R. D., Crowhurst, P. V., and Gow, P. A., 2002, Copper-gold mineralisation in New Guinea; tectonics, lineaments, thermochronology and structure: *Australian Journal of Earth Sciences*, v. 49, p. 737-752.

Hirata, T., and Nesbitt, R. W., 1995, U-Pb isotope geochronology of zircon; evaluation of the laser probe-inductively coupled plasma mass spectrometry technique: *Geochimica et Cosmochimica Acta*, v. 59, p. 2491-2500.

Hoffman, A.W., Jochum, K.P., Seufert, M., and White, W.M., 1986, Nb and Pb in oceanic basalts: new constraints on mantle evolution: *Earth and Planetary Science Letters*, v. 79, p. 33-45.

Holdaway, M.J., 1972, Thermal stability of Al-Fe epidote as a function of fO₂ and Fe content; *Contributions to Mineralogy and Petrology*, v. 37, pp 307-340.

Holliday, J. R. and Cooke, D. R., 2007, *Advances in geological models and exploration methods*

for copper \pm gold porphyry deposits: Proceedings of Exploration 07, Fifth Decennial International Conference on Mineral Exploration, p. 791–809.

Holliday, J. R., Wilson, A. J., Blevin, P. L., Tedder, I. J., Dunham, P. D., and Pfitzner, M., 2002, Porphyry gold-copper mineralisation in the Cadia District, eastern Lachlan fold belt, New South Wales, and its relationship to shoshonitic magmatism: *Mineralium Deposita*, v. 37, p. 100–116.

Hollings, P., Cooke, D. R., and Gow, P., 2003, Geodynamics, architecture and metallogenesis of the Andean margin in Chile., AMIRA International, 1: Hobart, Tasmania, CODES Centre for Ore Deposit Research, p. 2,1-2,42.

Hollings, P., Cooke, D. R., and Clark, A. H., 2005, Regional geochemistry of Tertiary igneous rocks in central Chile; implications for the geodynamic environment of giant porphyry copper and epithermal gold mineralization: *Economic Geology*, v. 100, p. 887–904.

Hollister, V., and Bernstein, M., 1975, Copacabana, Chile: its geologic setting and porphyry copper deposit: *Transactions of the Society of Mining Engineers, AIME*, v. 258, p. 137–142.

Holloway, J. R., and Burnham, C. W., 1972, Melting relations of basalt with equilibrium water pressure less than total pressure: *Journal of Petrology*, v. 13, p. 1–29.

Hou, Z., Ma, H., Khin, Z., Zhang, Y., Wang, M., Wang, Z., and Pan, G., 2003, The Himalayan Yulong porphyry copper belt; product of large-scale strike-slip faulting in eastern Tibet: *Economic Geology*, v. 98, p. 125–145.

House, M. A., Wernicke, B. P., Farley, K. A., and Dumitru, T. A., 1997, Cenozoic thermal evolution of the central Sierra Nevada, California, from (U-Th)/He thermochronometry: *Earth and Planetary Science Letters*, v. 151, p. 167–179.

Huete, C., Maksaev, V., Moscoso, R., Ulriksen, C., and Vergara, H., 1977, Antecedentes geocronologicos de rocas intrusivas y volcanicas en la Cordillera de los Andes comprendida entre la Sierra Moreno y el Rio Loa y los 21° y 22° S, II region, Chile: *Revista Geologica de Chile*, v. 4, p. 35.

Hunt, J. P., 1985, Applied geology at Quebrada Blanca and Collahuasi, Chile, and in the future of U. S. metal mining: *Economic Geology*, v. 80, p. 794–800.

Hunt, J. P., Bratt, J. A., and Marquardt L. J. C., 1983, Quebrada Blanca, Chile; an enriched porphyry copper deposit: *Mining Engineering*, v. 35, p. 636–644.

Hurfurd, J. A., 1991, Uplift and cooling pathways derived from fission track analysis and mica dating: a review: *International Journal of Earth Sciences*, v. 80, no. 2, p. 349–368.

Iaffaldano, G., and Bunge, H.-P., 2008, Relating rapid plate-motion variations to plate boundary forces in global coupled models of the mantle/lithosphere system: Effects of topography and friction: *Tectonophysics*, v. 474, p. 393–404.

Ignatovski, P., 1979, Struktura na medno-porfirnoto nakhodishche Asarel. Structure of the Assarel porphyry-copper deposit: *Spisanie na Bulgarskogo Geologichesko Druzhestvo*, v. 40, p. 263–277.

Ignatovski, P., 1980, Vzaimootnosheniya mezhdu napukanostta i orudyavaneto v medno-porfirnite nakhodishcha “Asarel”, “Tsar Asen”, “Vlaykov vrkh”, “Prokhorovo, i Studenets”. Jointing and ore mineralization in the porphyry copper deposits of Asarel, Tsar Asen, Vlaykov Vrah, Prokhorovo, and Studenetz: *Rudoobrazovatelni Protsezi i Mineralni Nakhodista = Ore-Formation Processes and Mineral Deposits*, v. 12, p. 60–70.

Ignatovski, P., Berinde, N., and Smanku, M., 1994, Sravnitelna kharakteristika na mednoporfirnoto orudyavane v nakhodishchata Asarel i Medet (Bulgariya), Roshia Poeni i Buchum-Tarnitsa (Rumuniya) i razvitate v tyakh protsezi na khidrotermalin izmeneniya. Comparative character of porphyry-copper of Asarel and Medet (Bulgaria) and Rosia Poeni and Bucum-Tarnitza (Romania) deposits and evolution of alteration processes: *Rudoobrazovatelni Protsezi i Mineralni Nakhodista = Ore-Formation Processes and Mineral Deposits*, v. 35, p. 13–19.

Inan, E. E., and Einaudi, M. T., 2000, Reading through sulfide assemblages; evolution toward high sulfidation in the contact aureole of the Bingham porphyry Cu-Au-Mo deposit, Utah: Abstracts with Programs - Geological Society of America, v. 32, p. 251.

Ionov, D. A., and Hoffmann, A. W., 1995, Nb-Ta-rich mantle amphiboles and micas; implications for

- subduction-related metasomatic trace element fractionations: *Earth and Planetary Science Letters*, v. 131, p. 341-356.
- Ireland, T., Zhou, T., Deyell, C., Hollings, P., and Cooke, D. R., 2006, The Collahuasi district, Chile: Structural controls on, and transitions between porphyry Cu-Mo, epithermal Cu-Ag-As and epithermal Ag-Mn-Au mineral systems: Data compilation appendix, AMIRA International project P765, unpublished research report, 16 p.
- Irvine, T. N., and Baragar, W. R. A., 1971, A guide to the chemical classification of the common volcanic rocks: *Canadian Journal of Earth Sciences*, v. 8, p. 523-548.
- Irving, A. J., and Frey, F. A., 1978, Distribution of trace elements between garnet megacrysts and host volcanic liquids of kimberlitic to rhyolitic composition: *Geochimica et Cosmochimica Acta*, v. 42, p. 771-788.
- Isacks, B. L., 1988, Uplift of the Central Andean Plateau and bending of the Bolivian Orocline: *Journal of Geophysical Research*, v. 93, p. 3211-3231.
- IUGS, 1973, Classification and nomenclature of plutonic rocks; recommendations: *neues jahrbuch fuer mineralogie: Monatshefte*, v. 4, p. 149-164.
- Jackson, S. E., Pearson, N. J., Griffin, W. L., and Belousova, E. A., 2004, The application of laser ablation-inductively coupled plasma-mass spectrometry to in situ U/Pb zircon geochronology: *Chemical Geology*, v. 211, p. 47-69.
- James, D. E., 1971, Andean crustal and upper mantle structure: *Journal of Geophysical Research*, v. 76, p. 3246-3271.
- James, D. E., and Sacks, I. S., 1999, Cenozoic formation of the Central Andes; a geophysical perspective: *Special Publication - Society of Economic Geologists*, v. 7, p. 1-25.
- Jankovic, S., Herrington, R. J., and Kozelj, D., 1998, The Bor and Majdanpek copper-gold deposits in the context of the Bor metallogenic zone (Serbia, Yugoslavia), in Porter, T. M., ed.: *Glenside, Australian Mineral Foundation*.
- Jarrard, R. D., 1986, Causes of compression and extension behind trenches, in Johnson, B., and Bally, A. W., eds., *Tectonophysics*, 132: Amsterdam, Elsevier, p. 89-102.
- Jensen, P. W., and Titley, S. R., 1998, Wrench fault control of porphyry emplacement at the Sierrita porphyry copper deposit, Arizona: *Abstracts with Programs - Geological Society of America*, v. 30, p. 367.
- Jones, R. R., and Tanner, P. W. G., 1995, Strain partitioning in transpression zones: *Journal of Structural Geology*, v. 17, p. 793-802.
- Jones, R. R., Holdsworth, R. E., and Bailey, W., 1997, Lateral extrusion in transpression zones: the importance of boundary conditions: *Journal of Structural Geology*, v. 19, p. 1201-1217.
- Jones, R. R., Holdsworth, R. E., Clegg, P., McCaffrey, K., and Tavarnelli, E., 2004, Inclined transpression: *Journal of Structural Geology*, v. 26, p. 1531-1548.
- Jordan, T. E., and Alonso, R. N., 1987, Cenozoic stratigraphy and basin tectonics of the Andes Mountains, 20°-28°S latitude: *AAPG Bulletin*, v. 71, p. 49-64.
- Jordan, T., Burns, W. M., Veiga, R., Pangaro, F., Copeland, P., Kelley, S., and Mpodozis, C., 2001, Extension and basin formation in the Southern Andes caused by increased convergence rate; a mid-Cenozoic trigger for the Andes: *Tectonics*, v. 20, p. 308-324.
- Jordan, T., Isacks, B., Allmendinger, R., Brewer, V., Ramos, V., and Ando, C., 1983, Andean tectonics related to geometry of subducted Nazca plate: *Geological Society of America Bulletin*, v. 94, p. 341-361.
- Kalaydzhev, S., Khadzhiski, G., and Angelkov, K., 1984, Strukturni usloviya za lokalizatsiyata na medno-porfirnoto nakhodishche Elatsite. Structural conditions of porphyry copper localization in the Elatsite Deposit: *Spisanie na Bulgarskogo Geologicheskoto Druzhestvo*, v. 45, p. 189-196.
- Kamenetsky, V. A., Wolfe, R. C., Eggins, S. M., Mernagh, T. P., and Bastrakov, E., 1999, Volatile exsolution at the Dinkidi Cu-Au porphyry deposit, Philippines: A melt-inclusion record of the initial

ore-forming process; *Geology*, v. 27, p. 691-694.

Kay, R.W., 1978, Aleutian magnesian andesites: Melts from subducted Pacific Ocean crust: *Journal of Volcanology and Geothermal Research*, v. 4, p. 117-132.

Kay, R. W., and Mahlburg-Kay, S., 1991, Creation and destruction of lower continental crust: *International Journal of Earth Sciences*, v. 80, p. 259-278.

Kay, R. W., and Kay, S. M., 1993, Delamination and delamination magmatism: *Tectonophysics*, v. 219, p. 177-189.

Kay, S. M., and Mpodozis, C., 1999, Setting and origin of Miocene giant ore deposits in the Central Andes: *Publication Series - Australasian Institute of Mining and Metallurgy*, v. 4-99, p. 5-12.

Kay, S. M., and Mpodozis, C., 2002, Magmatism as a probe to the Neogene shallowing of the Nazca plate beneath the modern Chilean flat-slab: *Journal of South American Earth Sciences*, v. 15, p. 39-57.

Kay, S. M., Makshev, V., Mpodozis, C., Moscoso, R., and Nasi, C., 1987, Probing the Andean lithosphere: Mid-late Tertiary magmatism in Chile (29°-30.5°S) over the zone of subhorizontal subduction: *Journal of Geophysical Research*, v. 92, p. 6173-6189.

Kay, S. M., Ramos, V. A., Mpodozis, C., and Sruoga, O., 1989, Late Paleozoic to Jurassic silicic magmatism at the Gondwanaland margin: Analogy to the Middle Proterozoic in North America?: *Geology*, v. 17, p. 324-328.

Kay, S. M., Coira, B., Viramonte, J., 1994a, Young mafic back-arc volcanic rocks as indicators of continental lithospheric delamination beneath the Argentine Puna plateau, Central Andes: *Journal of Geophysical Research*, v. 99(B12), p. 24323 - 24339.

Kay, S. M., Mpodozis, C., Tittler, A., and Cornejo, P., 1994b, Tertiary magmatic evolution of the Maricunga mineral belt in Chile: *International Geology Review*, v. 36, p. 1079-1112.

Kay, S. M., Coira, B., and Mpodozis, C., 1995, Neogene magmatic evolution and the shape of the subducting oceanic slab beneath the central Andean arc, *International Union of Geodesy and Geophysics, General Assembly*, vol.21, p. 440.

Kay, S. M., Mpodozis, C., and Coira, B., 1999, Neogene magmatism, tectonism, and mineral deposits of the Central Andes (22° to 33°S latitude): *Special Publication - Society of Economic Geologists*, v. 7, p. 27-59.

Kay, S. M., Coira, B., and Mpodozis, C., 2003, Early Miocene to Recent magmatic history of the southern Puna: implications for Andean Geodynamics: *Actas - 10° Congreso Geológico Chileno, Concepción, 2003, Simposio III*.

Kay, S. M., Mancilla, O., and Copeland, P., 2006, Evolution of the late Miocene Chachahuen volcanic complex at 37°S over a transient shallow subduction zone under the Neuquen Andes: *Special Paper - Geological Society of America*, v. 407, p. 215-246.

Keating, G. N., 2005, The role of water in cooling ignimbrites: *Journal of Volcanology and Geothermal Research*, v. 142, p. 145-171.

Keith, J. D., Christiansen, E. H., Best, M. G., Barr, D. L., Moore, D. K., Waite, K. A., Tingey, D. G., Whitney, J. A., and Kim, C.-S., 1995, The role of mafic alkaline magmatism in formation of porphyry-and vein-type mineralization; examples from the Bingham and Tintic mining districts, Utah, USA: *Program with Abstracts - Geological Association of Canada; Mineralogical Association of Canada; Canadian Geophysical Union, Joint Annual Meeting*, v. 20, p. 52.

Keith, S. B., and Swan, M. M., 1995, Tectonic setting, petrology, and genesis of the Laramide porphyry copper cluster of Arizona, Sonora, and New Mexico: *Arizona Geological Society Digest*, v. 20, p. 339-346.

Keith, S. B., Thompson, T. L., and Swan, M. M., 2000, Flat subduction, peraluminous gold-related magmatism, and continental-scale trench-directed thrusting; the ultimate effects of Cordilleran Orogeny: *Abstracts with Programs - Geological Society of America*, v. 32, p. 504.

Kelley, D. L., Cameron, E. M., and Benn, C., 2003, Geochemical Exploration for copper in the central andes: formation of geochemical anomalies through transported overburden: *Actas - 10° Congreso Geológico Chileno, Concepción, Chile, 2003*.

- Kelley, D. L., Kelley, K. D., Coker, W. B., Caughlin, B., and Doherty, M. E., 2006, Beyond the Obvious Limits of Ore Deposits: The Use of Mineralogical, Geochemical, and Biological Features for the Remote Detection of Mineralization: *Economic Geology*, v. 101, p. 729-752.
- Kelley, S., 2002, Excess argon in K-Ar and Ar-Ar geochronology: *Chemical Geology*, v. 188, p. 1-22.
- Kelly, P. G., Sanderson, D. J., and Peacock, D. C. P., 1998, Linkage and evolution of conjugate strike-slip fault zones in limestones of Somerset and Northumbria: *Journal of Structural Geology*, v. 20, p. 1477-1493.
- Kendall, C. G. S. C., and Warren, J. K., 1988, Peritidal evaporites and their sedimentary assemblages.
- Kesler, S. E., Campbell, I. H., Smith, C. N., Hall, C. M., and Allen, C. M., 2005, Age of the Pueblo Viejo gold-silver deposit and its significance to models for high-sulfidation epithermal mineralization: *Economic Geology*, v. 100, p. 253-272.
- Keskin, M., 2003, Magma generation by slab steepening and breakoff beneath a subduction-accretion complex: An alternative model for collision-related volcanism in Eastern Anatolia, Turkey: *Geophysical Research Letters*, v. 30, p. TUR 9-1 to TUR 9-4, doi:10.1029/2003GL018019
- Kessel, R., Ulmer, P., Pettke, T., Schmidt, M. W., and Thompson, A. B., 2005, The water-basalt system at 4 to 6 GPa: Phase relations and second critical endpoint in a K-free eclogite at 700 to 1400 °C: *Earth and Planetary Science Letters*, v. 237, p. 873-892.
- Ketcham, R. A., Donelick, R. A., and Carlson, W. D., 1999, Variability of apatite fission-track annealing kinetics; III, Extrapolation to geological time scales: *American Mineralogist*, v. 84, p. 1235-1255.
- Kirschner, D. L., Cosca, M. A., Masson, H. and Hunziker, J. C. 1996. Staircase $^{40}\text{Ar}/^{39}\text{Ar}$ spectra of fine grained white mica: timing and duration of deformational events, and empirical constraints on argon diffusion. *Geology*, 24, 747-750.
- Klemetti, E., and Grunder, A., 2008, Volcanic evolution of Volcán Aucanquilcha: a long-lived dacite volcano in the Central Andes of northern Chile: *Bulletin of Volcanology*, v. 70, p. 633-650.
- Kley, J., and Reinhardt, M., 1994, Geothermal and tectonic evolution of the Eastern Cordillera and the Subandean Ranges of southern Bolivia, in Reutter, K. J., Scheuber, E., and Wigger, P. J., eds., 1994, *Tectonics of the Southern Central Andes*: Berlin, Springer-Verlag.
- Kober, F., Schlunegger, F., Ivy-Ochs, S., and Wieler, R., 2002, The dependency of cosmogenic nuclides to climate and surface uplift in transient landscapes [modified]: *Geochimica et Cosmochimica Acta*, v. 66, p. 408.
- Koning, T., 1996, Exploration in the Ombilin intermontane basin, West Sumatra: *American Association of Petroleum Geologists - Annual Meeting Expanded Abstracts*, vol. 5, p. 77.
- Kontak, D. J., Clark, A. H., Farrar, E., and Strong, D. J., 1985, The rift-associated Permo-Triassic magmatism of the Eastern Cordillera: a precursor to the Andean Orogeny, in Pitcher, W. S., Atherton, M., Cobbing, E. J., and Beckinsale, R. D., eds., *Magmatism at a plate edge: the Peruvian Andes*: Glasgow, Scotland, Blackie, p. 36-44.
- Krainer, K., and Spoetl, C., 1998, Abiogenic silica layers within a fluvio-lacustrine succession, Bolzano volcanic complex, northern Italy; a Permian analogue for Magadi-type cherts?: *Sedimentology*, v. 45, p. 489-505.
- Kuiper, Y. D., 2002, The interpretation of inverse isochron diagrams in $^{40}\text{Ar}/^{39}\text{Ar}$ geochronology: *Earth and Planetary Science Letters*, v. 203, p. 499-506.
- Kusssmaul, S., Jordan, L., and Ploskonka, E., 1975, Isotopic ages of Tertiary volcanic rocks of SW-Bolivia.
- Ladino, M., 1998, Geología de la parte occidental de los cuadrángulos Quebrada Chug-Chug y Cerros de Montecristo, región de Antofagasta, Chile: Unpublished Honours thesis, Universidad de Chile, Depto. de Geología, 138 p.
- Lallemant, S., Heuret, A., and Boutelier, D., 2005, On the relationships between slab dip, back-arc stress, upper plate absolute motion, and crustal nature in subduction zones: *Geochemistry, Geophysics, Geosystems*, v. 6, Q09006, doi:10.1029/2005GC000917.

- Lamb, S., and Davis, P., 2003, Cenozoic climate change as a possible cause for the rise of the Andes: *Nature*, v. 425, p. 792-797
- Lambert, I. B., and Wyllie, P. J., 1972, Melting of gabbro (quartz eclogite) with excess to 35 kilobars, with geological applications: *Journal of Geology*, v. 80, p. 693-708.
- Lambert, I. B., and Wyllie, P. J., 1974, Melting of tonalite and crystallization of andesite liquid with excess water to 30 kilobars: *Journal of Geology*, v.82, p. 88-97.
- LaPointe, M., 2003, Descripciones de litologías en el yacimiento de Quebrada Blanca: Compañía Minera Quebrada Blanca S.A. internal report, 6 p.
- Laursen, J., Scholl, D. W., and von Huene, R., 2002, Neotectonic deformation of the central Chile margin; deepwater forearc basin formation in response to hot spot ridge and seamount subduction: *Tectonics*, v. 21, p. no.5, 27.
- Le Bas, M. J., Le Maitre, R. W., Streckeisen, A., Zanettin, B., and the IUGS Subcommittee on the Systematics of Igneous Rocks, 1986, A Chemical Classification of Volcanic Rocks Based on the Total Alkali-Silica Diagram: *Journal of Petrology*, v. 27 p. 745-750.
- Le Maitre, R., Bateman, P., Dudek, A., Keller, J., Lemeyer, J., Le, B., Sabine, P., Schmid, R., Sorensen, H., Streckeisen, A., Wooley, A., and Zanettin, B., 1989, A classification of igneous rocks and glossary of terms: Oxford, United Kingdom, Blackwell Scientific Publications, 193 p.
- Lee, A. W., 1994, Evolution of the Rosario copper-molybdenum porphyry deposit and associated copper-silver vein system, Collahuasi district, Region I, northern Chile.: Unpublished Master's thesis, Queen's University, 75 p.
- Lee, J. K. W., Williams, I. S., and Ellis, D. J., 1997, Pb, U and Th diffusion in natural zircon: *Nature* v. 390, p. 159-162.
- Lehmann, L., 1980, Mineralización y distribución del molibdeno y contenido de renio en Quebrada Blanca: Unpublished Honours thesis, Universidad de Chile, 115 p.
- Lehnert, K., Su, Y., Langmuir, C. H., Sarbas, B. & Nohl, U. (2000). A global geochemical database structure for rocks. *Geochemistry, Geophysics, Geosystems* 1, 1999GC000026.
- Leiva, G., Valdes, R., Aravena, Y., and Villaroel, R., 2000, Caracterización geotécnica-estructural mina Radomiro Tomic: Actas - 9º Congreso Geológico Chileno, Puerto Varas, Chile, 2000, p. 261-265.
- Lilov, P., and Chipchakova, S., 1999, K-Ar datiranje na gornokredni magmatiti i khidrotermalni metasomatiti v Panagyurskiya vulkano-intruziven rayon na tsentralnoto Srednogoriye. K-Ar dating of Upper Cretaceous magmatic rocks and hydrothermal metasomatic rocks from central Sredna Gora: *Geokhimiya, Mineralogiya i Petrologiya*, v. 36, p. 77-91.
- Limarino, C. O., Caminos, R. L., and Fauque, L., 1996, Caracterización litoestratigráfica y correlación regional de la Formación Ranchillos (Carbonífero superior-Permiano), Cordillera Frontal de La Rioja: Actas del Congreso Geológico Argentino, v. 13, p. 513-530.
- Limarino, C. O., Massabie, A., Rossello, E. A., Lopez Gamundi, O., Page, R., and Jalfin, G., 1999, El Paleozoico de Ventania, Patagonia e Islas Malvinas. The Paleozoic at Ventania, Patagonia, and Falkland Islands: Report no. 29, Anales - Dirección Nacional del Servicio Geológico (Argentina), p. 319-347.
- Lindsay, D., Zentilli, M., and Rojas de la Rivera, J., 1995, Evolution of an active ductile to brittle shear system controlling mineralisation at the Chuquicamata porphyry copper deposit, northern Chile.: *International Geology Reviews*, v. 37, p. 945-958.
- Lindsay, J. M., de Silva, S., Trumbull, R., Emmermann, R., and Wemmer, K., 2001, La Pacana Caldera, N. Chile; a re-evaluation of the stratigraphy and volcanology of one of the world's largest resurgent calderas: *Journal of Volcanology and Geothermal Research*, v. 106, p. 145-173.
- Lips, A.L.W, 2002, Correlating magmatic-hydrothermal ore deposit formation over time with geodynamic processes in SE Europe: *Geological Society Special Publications*, v. 204, p. 69-79.
- Lister, G. S., 2006, Contrasting styles of accretionary versus collisional orogens (oral presentation): Australian Earth Science Convention - Geological Society of Australia, Melbourne, 2006.

- Lister, G. S., Forster, M. A., and Rawling, T. J., 2001, Episodicity during orogenesis: Geological Society Special Publications, v. 184, p. 89-113.
- Llambias, E., and Sato, A., 1990, El Batolito de Colanguil (29-30°S): estructura y marco tectónico, Cordillera Frontal de Argentina: *Revista Geológica de Chile*, v. 7, p. 89-108.
- Lo, C.-H., Lee, J. K. W., and Onstott, T. C., 2000, Argon release mechanisms of biotite in vacuo and the role of short-circuit diffusion and recoil: *Chemical Geology*, v. 165, p. 135-166.
- Longo, A. A., 2006, Evolution of volcanism and hydrothermal activity in the Yanacocha Mining District, northern Perú: Unpublished Ph.D thesis, Oregon State University, 469 p.
- López, L., 1982, Características geoquímicas de rocas ígneas asociadas con pórfidos cupríferos chilenos: *Revista Geológica de Chile*, no. 17, p. 3-19.
- Lopez-Escobar, L., Frey, F. A., and Oyarzun, J., 1979, Geochemical characteristics of central Chile (33°-34°S) granitoids: *Contributions to Mineralogy and Petrology*, v. 70, p. 439-450.
- Losada-Calderon, A., and McPhail, D., 1994, The Nevados del Famatina mining district; porphyry- and epithermal-style mineralization, La Rioja Prov., Argentina: *Actas - 7° Congreso Geológico Chileno*, Departamento de Geociencias, Universidad del Norte Chile, p. 1585-1589.
- Losada-Calderon, A. J., McPhail, D. C., Camus, F., Sillitoe, R. M., and Petersen, R., 1996, Porphyry and high-sulfidation epithermal mineralization in the Nevados del Famatina mining district, Argentina: *Special Publication - Society of Economic Geologists*, v. 5, p. 91-118.
- Love, D. A., Clark, A. H., and Schwarz, F. P., 2000, The Antamina Deposit, Ancash, northern Peru; anatomy and petrology of a giant copper zinc skarn, *Abstracts with Programs - Geological Society of America*, 32: Boulder, Geological Society of America (GSA), p. 137-138.
- Lowell, J., and Guilbert, J., 1970, Lateral and vertical alteration-mineralisation zoning in porphyry ore deposits: *Economic Geology*, v. 65, p. 373-408.
- Loewy, S.L., Connelly, F. N. & Dalziel, I.W.D. 2004. An orphaned basement block: The Arequipa-Antofalla basement of the central Andean margin of South America. *Geological Society of America Bulletin*, January/February 2004, p. 171-187.
- Lucassen, F., Franz, G., Thirlwall, M. F., and Mezger, K., 1999a, Crustal recycling of metamorphic basement: Late Paleozoic granites of the Chilean Coast Range and Precordillera at 22°S: *Journal of Petrology*, v. 40, p. 1527-1551.
- Lucassen, F., Lewerenz, S., Franz, G., Viramonte, J., and Mezger, K., 1999b, Metamorphism, isotopic ages and composition of lower crustal granulite xenoliths from the Cretaceous Salta Rift, Argentina: *Contributions to Mineralogy and Petrology*, v. 134, p. 325-341.
- Lucassen, F., Becchio, R., Wilke, H. G., Franz, G., Thirlwall, M. F., Viramonte, J. & Wemmer, K. 2000. Proterozoic-Paleozoic development of the basement of the Central Andes (18 – 26°S) – a mobile belt of the South American craton. *Journal of South American Earth Sciences*, v. 13, p. 697 – 715.
- Lucassen, F., Becchio, R., Harmn, R., Kasemann, S., Franz, G., Trumbull, R., Wilke, H. G., Romer, R. L., and Dulski, P., 2001, Composition and density model of the continental crust at an active continental margin - the Central Andes between 21° and 27°S: *Tectonophysics*, v. 341, p. 195-223.
- Ludwig, K. R., 2001, *Isoplot/Ex rev. 2.49*: Berkeley, California, Berkeley Geochronology Center, Special Publication No. 1a.
- Ludwig, K. R., and Mundil, R., 2002, Extracting reliable U-Pb ages and errors from complex populations of zircons from Phanerozoic tuffs: *Geochimica et Cosmochimica Acta*, v. 66, p. 463.
- Luo, Y., Sun, M., Zhao, G., Li, S., Xu, P., Ye, K., and Xia, X., 2004, LA-ICP-MS U-Pb zircon ages of the Liaohe Group in the eastern block of the North China Craton; constraints on the evolution of the Jiao-Liao-Ji Belt: *Precambrian Research*, v. 134, p. 349-371.
- MacFadden, B. J., Anaya, F., and Swisher, C. C., III, 1995, Neogene paleomagnetism and oroclinal bending of the Central Andes of Bolivia: *Journal of Geophysical Research*, B, Solid Earth and Planets, v. 100, p. 8153-8167.
- Machado, N., and Gauthier, G., 1996, Determination of ²⁰⁷Pb/²⁰⁶Pb ages on zircon and monazite

- by laser ablation ICPMS and application to a study of sedimentary provenance and metamorphism in southeastern Brazil: *Geochimica et Cosmochimica Acta*, v. 60, p. 5063-5073.
- MacIntyre, D. G., and Villeneuve, M. E., 2000, Magmatic and tectonic evolution of the Babine porphyry copper district, central British Columbia: Abstracts with Programs - Geological Society of America, v. 32, p. 26.
- Macpherson, C.G., Dreher, S.T., and Thirlwall, M.F., 2006, Adakites without slab melting: High pressure differentiation of island arc magma, Mindanao, the Philippines: *Earth and Planetary Science Letters*, v. 243, p. 581-593.
- Magalhaes, M. C. F., Pedrosa de Jesus, J. D., and Williams, P. A., 1988, The chemistry of formation of some secondary arsenate minerals of Cu(II), Zn(II) and Pb(II): *Mineralogical Magazine*, v. 52, Part 5, p. 679-690.
- Magoon, L. B., Molenaar, C.M., Bruns, T. R., Fisher, M. A., and Valin, Z.C., 1997, Southern Alaska Province: United States Geological Survey, Central Energy Resources Team, National Oil and Gas Assessment, <http://www.certmapper.cr.usgs.gov/data/noga95/prov3/text/prov3.pdf>
- Maksaev, V., 1978, Cuadrángulo Chitigua y sector occidental del cuadrángulo Cerro Palpana : región de Antofagasta, Carta Geológica de Chile no.31: Santiago de Chile, Servicio Nacional de Geología y Minería.
- Maksaev, V., 1979, Las fases tectónicas Incaica y Quechua en la Cordillera de los Andes del Norte Grande de Chile: *Actas - 2nd Congreso Geológico Chileno*, Universidad del Norte Chile, v. 1, p. B63-B77.
- Maksaev, V., 1990, Metallogeny, geological evolution, and thermochronology of the Chilean Andes between latitudes 21° and 26°S, and the origin of the major porphyry copper deposits: Unpublished PhD thesis, Dalhousie University, 554 p.
- Maksaev, V., 2000, Major porphyry copper formation in the Chilean Andes related to crustal shortening and thickening events, Abstracts with Programs - Geological Society of America, 32: Boulder, Geological Society of America (GSA), p. 27.
- Maksaev, J., and Tomlinson, A.J., 1995, Cuadrangulo Cerros de Paqui, Region de Antofagasta: Servicio Nacional de Geología y Minería y Corporación Nacional del Cobre, Registered Report IR-95-07, map scale 1: 50,000.
- Maksaev, V., and Zentilli, M., 1999, Fission track thermochronology of the Domeyko Cordillera, northern Chile; implications for Andean tectonics and porphyry copper metallogenesis: *Exploration and Mining Geology*, v. 8, p. 65-89.
- Maksaev, V., Boric, R., Zentilli, M., and Reynolds, P. H., 1988, Significado metalogenico de dataciones K-Ar, $^{40}\text{Ar}/^{39}\text{Ar}$ y trazas de fisión de zonas mineralizadas en el Norte Grande de Chile, in Corvalán D. J., and Charrier, R., eds., *Serie Comunicaciones - Departamento de Geología, Facultad de Ciencias Físicas y Matemáticas, Universidad de Chile*, v. 39, p. 63.
- Maksaev, V., Marinovic, N., Smoje, I., and Mpodozis, C., 1991, Mapa geológica de la Hoja Augusta Victoria, Region de Antofagasta, 1:100,000: Santiago, Chile, Servicio Nacional de Geología y Minería.
- Maksaev, V., Tomlinson, A. J., and Blanco, N., 1994, Estudio geológico de la franja longitudinal comprendida entre Quebrada Blanca y Chuquicamata: Servicio Nacional de Geología y Minería, y Corporación Nacional del Cobre, unpublished report, 72 p.
- Maksaev, V., Munizaga, F., Fanning, M., Palacio, C., and Tapia, J., 2006, SHRIMP U-Pb dating of the Antucoya porphyry copper deposit: new evidence for an Early Cretaceous porphyry-related metallogenic epoch in the Coastal Cordillera of northern Chile: *Mineralium Deposita*, v. 41, p. 637-644.
- Mammerickx, J., Herron, E., and Dorman, L., 1980, Evidence for two fossil spreading ridges in the Southeast Pacific: *Geological Society of America Bulletin*, v. 91, p. 1263-1271.
- Mangano, M. G., and Buatois, L. A., 1996, Shallow marine event sedimentation in a volcanic arc-related setting; the Ordovician Suri Formation, Famatina Range, Northwest Argentina: *Sedimentary Geology*, v. 105, p. 63-90.

- Marinovic, N., and Garcia, M., 1999, Hoja Pampa Unión, Región de Antafogasta. No. 9, Mapas Geológicos: Santiago, Chile, Servicio Nacional de Geología y Minería.
- Marinovic, N., and Lahsen, A., 1984, Hoja Calama, Carta Geológica 1:250,000: Santiago, Chile, Servicio Nacional de Geología y Minería.
- Marquardt, L. J. C., Pizarro, A., Gomez, M., and Martinez, A. A., 1997, Prospecto Lila, descubrimiento de un pórfido cuprífero Triasico superior - Jurasico inferior en la Cordillera de Domeyko, II Región, Chile: Octavo Congreso Geológico Chileno, Antafogasta, Chile, 1997, p. 1048-1053.
- Marschik, R., and Fontbote, L., 2001, The Candelaria-Punta del Cobre iron oxide Cu-Au(-Zn-Ag) deposits, Chile: *Economic Geology*, v. 96, p. 1799-1826.
- Marschik, R., Singer, B. S., Munizaga, F., Tassinari, C., Moritz, R., and Fontboté, L., 1997, Age of Cu(-Fe)-Au mineralization and thermal evolution of the Punta del Cobre District, Chile: *Mineralium Deposita*, v. 32, p. 531-546.
- Marsh, T. M., Einaudi, M. T., McWilliams, M., Stein, H. J., and Cathles, L. M., 1997, $^{40}\text{Ar}/^{39}\text{Ar}$ geochronology of Cu-Au and Au-Ag mineralization in the Potrerillos District, Chile, *Economic Geology*, 92: Lancaster, Economic Geology Publishing Company, p. 784-806.
- Martini, J., 1984, Estudio de vetillas hidrotermales "tipo D" en Quebrada Blanca, I Region, Chile: Unpublished Honours thesis, Universidad de Chile, 79 p.
- Martinod, J., Funicello, F., Faccenna, C., Labanieh, S., and Regard, V., 2005, Dynamical effects of subducting ridges; insights from 3-D laboratory models: *Geophysical Journal International*, v. 163, p. 1137-1150.
- Marton, E., Drobne, K., and Cosovic, V., 1998, Tertiary counterclockwise rotation of Adria as evidenced by new paleomagnetic data from Istria and NW Dinarids, *Annales Geophysicae* (1988), vol.16, Suppl. 1: Kathlenburg-Lindau, European Geophysical Society, p. 15.
- Mason, D. R., and MacDonald, J. A., 1978, Intrusive rocks and porphyry copper occurrences of the Papua New Guinea-Solomon Islands region: a reconnaissance study: *Economic Geology*, v. 73, p. 857-877.
- Masterman, G. J., 2003, Geology of the Rosario Cu-Mo-Ag Mine, Collahuasi, Chile: Unpublished PhD thesis, CODES Centre for Ore Deposit Research, University of Tasmania, 253 p.
- Masterman, G. J., and Moore, R., 2002, The geology and corporate discovery history of the Collahuasi district porphyry copper deposits, Chile, in Cooke, D., and Pongratz, J., eds., *Giant Ore Deposits: characteristics, genesis and exploration.*: Hobart, CODES Special Publication 4, University of Tasmania, p. 23-50.
- Masterman, G. J., Cooke, D., Berry, R., Clark, A., Archibald, D., Mathur, R., Walshe, J., and Duran, M., 2004, $^{40}\text{Ar}/^{39}\text{Ar}$ and Re-Os geochronology of porphyry copper-molybdenum deposits and related copper-silver veins in the Collahuasi district, northern Chile: *Economic Geology*, v. 99, p. 673-690.
- Masterman, G. J., Cooke, D. R., Berry, R. F., Walshe, J. L., Lee, A. W., and Clark, A. H., 2005, Fluid chemistry, structural setting, and emplacement history of the Rosario Cu-Mo porphyry and Cu-Ag-Au epithermal veins, Collahuasi district, northern Chile: *Economic Geology*, v. 100, p. 835-862.
- Mathur, R., Ruiz, J., and Munizaga, F., 2000, Relationship between copper tonnage of Chilean base-metal porphyry deposits and Os isotope ratios: *Geology*, v. 28, p. 555-558.
- Mathur, R., Ruiz, J., Marschik, R., and Munizaga, F., 2002, Molybdenite age for Candelaria iron oxide Cu-Au deposit, and a comparison of the Re-Os isotopic signatures of ore from the Chilean iron belt: *Abstracts with Programs - Geological Society of America*, v. 34, p. 337.
- Matteini, M., Mazzuoli, R., Omarini, R., Cas, R., and Maas, R., 2002, Geodynamical evolution of Central Andes at 24°S as inferred by magma composition along the Calama-Olacapato-El Toro transversal volcanic belt: *Journal of Volcanology and Geothermal Research*, v. 118, p. 205-228.
- Matthews, S., and Cornejo, P. C., 2003, First- and second-order segmentation and the timing of porphyry copper magmatism in northern Chile: *Actas - 10º Congreso Geológico Chileno*, Concepción, 2003.

- Mattey, D. P., Marsh, N. G., and Tarney, J., 1980, The geochemistry mineralogy and petrology of basalts from the West Philippine and Parece Vela basins and from the Lalau-Kyushu and West Mariana ridges: Initial Report of Deep Sea Drilling Project Leg 59, p. 753-802.
- Mattos, R., and Valle, J., 1999, Exploracion, geologia y desarrollo del yacimiento Toquepala. Exploration, geology and development of the Toquepala Deposit: Lima, Instituto de Ingenieros de Minas de Peru.
- Maturana, M., and Saric, N., 1991, Geologia y mineralizacion del yacimiento tipo porfido cuprifero Zaldivar, en los Andes del norte de Chile. Geology and mineralization of the Zaldivar porphyry copper deposit, in the Andes of northern Chile: *Revista Geológica de Chile*, v. 18, p. 109-120.
- Maughan, D. T., Keith, J. D., Pulsipher, T., Tingey, D. G., and Dorais, M. J., 1999, Eocene alkaline magmatism in north-central Utah and potential relationships to mineralization: Abstracts with Programs - Geological Society of America, v. 31, p. 405.
- McCandless, T. E., and Ruiz, J., 1993, Rhenium-osmium evidence for regional mineralization in southwestern North America: *Science*, v. 261, p. 1282-1286.
- McClay, K.R., 1991, The mapping of geological structures: John Wiley & Sons, London, 168 p.
- McClay, K.R., 1995, The geometries and kinematics of the inverted fault systems: a review of analogue model studies. In Buchanan, J.G. and Buchanan, P.G. eds., *Basin Inversion: Geological Society of London, Special Publication, No. 98*, p. 97-118.
- McClay, K. R., 2004, Structural models in the oil industry: The future for mineral exploration? [ext. abst.]: Centre for Global Metallogeny, University of Western Australia Publication 33, p. 35-40.
- McClay, K., Skarmeta, J., and Bertens, A., 2002, Structural controls on porphyry copper deposits in northern Chile; new models and implications for Cu-Mo mineralization in subduction orogens: *Bulletin - Australian Institute of Geoscientists*, v. 36, p. 127.
- McCuaig, T. C., Kerrich, R., and Xie, Q., 1994, Phosphorus and high field strength element anomalies in Archean high-magnesian magmas as possible indicators of source mineralogy and depth: *Earth and Planetary Science Letters*, v. 124, p. 221-239.
- McDougall, I., and Harrison, T. M., 1999, *Geochronology and thermochronology by the $^{40}\text{Ar}/^{39}\text{Ar}$ method*: New York, NY, USA, Oxford University Press, 269 p.
- McInnes, B. I. A., Farley, K. A., Sillitoe, R. H., and Kohn, B. P., 1999, Application of apatite (U-Th)/He thermochronometry to the determination of the sense and amount of vertical fault displacement at the Chuquicamata porphyry copper deposit, Chile: *Economic Geology*, v. 94, p. 937-947.
- McInnes, B. I. A., Farley, K. A., Sillitoe, R. H., and Kohn, B. P., 2001, Application of apatite (U-Th)/He thermochronology to the determination of the sense and amount of vertical displacement at the Chuquicamata porphyry copper deposit, Chile; reply: *Economic Geology*, v. 96, p. 1310.
- McInnes, B. I. A., Evans, N. J., Fu, F. Q., and Garwin, S., 2005, Application of thermochronology to hydrothermal ore deposits: *Reviews in Mineralogy and Geochemistry*, v. 58, p. 467-498.
- McKee, E. H., and Noble, D. C., 1989, Cenozoic tectonic events, magmatic pulses, and base- and precious-metal mineralisation in the central Andes: Houston, Texas, Circum-Pacific Council for Energy and Mineral Resources, *Earth Science Series*, v. 11, p. 189-194.
- McKinnon, S. D., and de la Barra, I. G., 2003, Stress field analysis at the El Teniente Mine; evidence for N-S compression in the modern Andes: *Journal of Structural Geology*, v. 25, p. 2125-2139.
- McLennan, S. M., Taylor, S. R., Hemming, S. R., 2006, Composition, differentiation, and evolution of the continental crust: constraints from sedimentary rocks and heat flow. in Brown, M., and Rushmer, T., eds., *Evolution and Differentiation of the Continental Crust*: Cambridge, U.K., Cambridge University Press, p. 92-134.
- McMillan, N. J., Davidson, J. P., Wörner, G., Harmon, R. S., Moorbath, S., and Lopez-Escobar, L., 1993, Influence of crustal thickening on arc magmatism; Nevados de Payachata volcanic region, northern Chile: *Geology*, v. 21, p. 467-470.
- McGuire, A. V., Dyar, M. D. & Nielson, J. E., 1991, Metasomatic oxidation of upper mantle peridotite: *Contributions to Mineralogy and Petrology*, v. 109, p. 252-264.

- McPhie, J., Doyle, M., and Allen, R., 1993, Volcanic textures; a guide to the interpretation of textures in volcanic rocks: Hobart, TAS, Australia, University of Tasmania, CODES Centre for Ore Deposit Research., 198 p.
- Meffre, S., Scott, R.J., Glen, R.A., and Squire, R.J., 2007, Re-evaluation of contact relationships between Ordovician volcanic belts and the quartz-rich turbidites of the Lachlan Orogen: Australian Journal of Earth Sciences: An International Geoscience Journal of the Geological Society of Australia, v. 54, p. 363 - 383.
- Meffre, S., Large, R.R., Scott, R., Woodhead, J., Chang, Z., Gilbert, S.E., Danyushevsky, L.V., Maslennikov, V., and Hergt, J.M., 2008, Age and pyrite Pb-isotopic composition of the giant Sukhoi Log sediment-hosted gold deposit, Russia: *Geochimica et Cosmochimica Acta*, v. 72, p. 2377-2391.
- Mégard, F., 1984, The Andean orogenic period and its major structures in central and northern Peru: *Journal of the Geological Society of London*, v. 141, p. 893-900.
- Mégard, F., Dalmayrac, B., Laubacher, G., Marocco, R., Martinez, C., Paredes, J., and Tomasi, P., 1971, La chaîne hercynienne au Pérou et en Bolivie; premiers résultats. The Hercynian belt in Peru and Bolivia; first results: *Cahiers - ORSTOM, Serie Geologie*, v. 3, p. 5-43.
- Melnick, D., Rosenau, M., Folguera, A., and Echtler, H., 2006, Neogene tectonic evolution of the Neuquen Andes western flank (37-39°S): Special Paper - Geological Society of America, v. 407, p. 73-95.
- Meunier, A., and Velde, B. D., 2004, Illite: Springer, Berlin. 286 p.
- Meurer, W. P., and Claeson, D. T., 2002, Evolution of crystallizing interstitial liquid in an arc-related cumulate determined by LA ICPMS mapping of a large amphibole oikocryst: *Journal of Petrology*, v. 43, p. 60-629.
- Miller, H., Hoeckenreiner, M., and Soellner, F., 2003, Opening and closure of an island arc-back arc system in the early Paleozoic at the Gondwana margin: Famatinian System and the Las Termas Belt, NW Argentina: *Actas - 10º Congreso Geológico Chileno*, Concepción, 2003.
- Miller, S. A., Collettini, C., Chiaraluce, L., Cocco, M., Barchi, M., and Kaus, B. J. P., 2004, Aftershocks driven by a high-pressure CO₂ source at depth: *Nature*, v. 427, p. 724-727.
- Milner, D. M., Cole, J. W., and Wood, C. P., 2003, Mamaku Ignimbrite; a caldera-forming ignimbrite erupted from a compositionally zoned magma chamber in Taupo volcanic zone, New Zealand: *Journal of Volcanology and Geothermal Research*, v. 122, p. 243-264.
- Miyashiro, A. 1978. Nature of alkalic volcanic rock series. *Contributions to Mineralogy and Petrology*, 66, pp. 91-104.
- Moine, B. N., Gregoire, M., O'Reilly, S. Y., Sheppard, S. M. F., and Cottin, J. Y., 2001, High field strength element fractionation in the upper mantle; evidence from amphibole-rich composite mantle xenoliths from the Kerguelen Islands (Indian Ocean): *Journal of Petrology*, v. 42, p. 2145-2167.
- Moore, G. and Carmichael, I.S.E. 1998. The hydrous phase equilibria (to 3 kbar) of an andesite and basaltic andesite from western Mexico: Constraints on water content and conditions of phenocryst growth. *Contributions to Mineralogy and Petrology*, 130, pp. 304-319.
- Moore, M.A., and England, P.C., 2001, On the inference of denudation rates from cooling ages of minerals: *Earth and Planetary Science Letters*, v. 185, p. 265-284.
- Moore, W. J., and Nash, J. T., 1974, Alteration and Fluid Inclusion Studies of the Porphyry Copper Ore Body at Bingham, Utah: *Economic Geology*, v. 69, p. 631-645.
- Moreno, K., Rubilar, D., and Blanco, N., 2000, Icnitas de dinosaurios de la Formación Chacarilla, I y II Region, Norte de Chile. Ichnofossil of dinosaurs in the Chacarilla Formation; I and II regions; northern Chile: *Ameghiniana*, v. 37, p. 30.
- Mortimer, C., and Saric, R., N, 1975, Cenozoic studies in northernmost Chile: *Geologische Rundschau*, v. 64, p. 395-420.
- Mpodozis, C., and Cornejo, P., 1994, Segmentación Andina en el Paleozoico Superior: evidencias en los batolitos Permicos Sierra Castillo y Pedernales, El Salvador, Chile (26°-27°S). 7º Congreso Geológico Chileno, 2: Concepción, Chile, Universidad de Concepción, p. 1399-1403.

- Mpodozis, C., and Kay, S. M., 1992, Late Paleozoic to Triassic evolution of the Gondwana margin; evidence from Chilean Frontal Cordilleran batholiths (28°S to 31°S); with Suppl. Data 92-22: Geological Society of America Bulletin, v. 104, p. 999-1014.
- Mpodozis, C., and Kay, S. M., 2003, Neogene tectonics, ages and mineralisation along the transition zone between the El Indio and Maricunga mineral belts (Argentina and Chile 28°-29°S): Actas - 10° Congreso Geológico Chileno, Concepción, 2003, Simposio III.
- Mpodozis, C., and Perelló, J., 2003, Porphyry copper metallogeny of the middle Eocene-early Oligocene arc of western South America: relationships with volcanism and arc segmentation: Actas - 10° Congreso Geológico Chileno, Concepción, 2003, Simposio III.
- Mpodozis, C., and Ramos, V. A., 1990, The Andes of Chile and Argentina, in Ericksen, G. E., Pinochet, M. T. C., and Reinemund, J. A., eds., Circum-Pacific Council for Energy and Mineral Resources, Earth Science Series: Houston, Circum-Pacific Council for Energy and Mineral Resources, p. 59-90.
- Mpodozis, C., Hervé, F., Davidson, J., and Rivano, S., 1983, Los granitoides de Cerros de Lila, manifestaciones de un episodio intrusivo y termal del Paleozoico inferior en los Andes del norte de Chile: Revista Geológica de Chile, v. 18, p. 3-14.
- Mpodozis, C., Marinovic, N., and Smoje, I., 1993, Eocene left lateral strike slip faulting and clockwise block rotations in the Cordillera de Domeyko, west of Salar de Atacama, northern Chile, Colloques et Seminaires - Institut de Recherche Scientifique pour le Developpement en Cooperation, vol.1993: Paris, Editions de l'Office de la Recherche Scientifique et Technique d'Outre-mer, p. 225-228.
- Mpodozis, C., Tomlinson, A. J., and Cornejo, P. C., 1994, Acerca del control estructural de intrusivos Eocenos y porfidos cupriferos en la region de Potrerillos, El Salvador: VII° Congreso Geológico Chileno, Universidad del Norte Chile, p. 1596-1600.
- Mpodozis, C., Arriagada, C., Basso, M., Roperch, P., Cobbold, P. R., and Reich, M., 2005, Late Mesozoic to Paleogene stratigraphy of the Salar de Atacama Basin, Antofagasta, northern Chile; implications for the tectonic evolution of the Central Andes: Tectonophysics, v. 399, p. 125-154.
- Müller, J. P., Kley, J., and Jacobshagen, V., 2002, Structure and Cenozoic kinematics of the Eastern Cordillera, southern Bolivia (21° S): Tectonics, v. 21: doi 0.1029/2001TC00134
- Munchmeyer, C., 1972, Proyecto Copaquaire, antecedentes generales y justificación de un estudio preliminar de factibilidad económica: Santiago, Chile, Instituto de Investigaciones Geológicas, p. 6.
- Munchmeyer, C., 1994, Los depositos exóticos; productos de migración lateral asociada a sistemas porfíricos. Exotic deposits; lateral migration of products associated to porphyry systems: Actas - 7° Congreso Geológico Chileno, Departamento de Geociencias, Universidad del Norte Chile, p. 1602-1606.
- Munchmeyer, C., Hunt, J. P., and Ware, H., 1984, Geología del distrito de Collahuasi y del porfido cupriferio Rosario: Internal Company Report, Compania Minera Dona Ines de Collahuasi, Santiago, Chile, 84 p.
- Mungall, J. E., 2002, Roasting the mantle; slab melting and the genesis of major Au and Au-rich Cu deposits: Geology, v. 30, p. 915-918.
- Munizaga F., Maksaev V., Fanning C.M., Giglio S., Yaxley G., Tassinari C.C.G., 2008, Late Paleozoic-Early Triassic magmatism on the western margin of Gondwana: Collahuasi area, Northern Chile: Gondwana Research, v. 13, p. 407-427.
- Muñoz, N., and Charrier, R., 1996, Uplift of the western border of the altiplano on a west-vergent thrust system, northern Chile: Journal of South American Earth Sciences, v. 9, p. 171-181.
- Muñoz, N., Charrier, R., and Reutter, K.-J., 1997, Evolución de la cuenca Salar de Atacama: Inversión tectónica y relleno de una cuenca de antepais de retroarco: Actas, 8° Congreso Geológico Chileno, p. 195-199.
- Muñoz, N., Charrier, R., and Jordan, T., 2002, Interactions between basement and cover during the evolution of the Salar de Atacama Basin, northern Chile: Revista Geológica de Chile, vol.29, no.1, p.55-80.

- Muntean, J. L., and Einaudi, M. T., 2001, Porphyry-epithermal transition; Maricunga Belt, northern Chile: *Economic Geology*, v. 96, p. 743-772.
- Müntener, O., and Ulmer, P., 2006, Experimentally derived high-pressure cumulates from hydrous arc magmas and consequences for the seismic velocity structure of lower arc crust: *Geophysical Research Letters*, v. 33, L21308, doi:10.1029/2006GL027629.
- Murphy, J. B., Fernandez-Suarez, J., Jeffries, T. E., and Strachan, R. A., 2004, U-Pb (LA-ICP-MS) dating of detrital zircons from Cambrian clastic rocks in Avalonia; erosion of a Neoproterozoic arc along the northern Gondwanan margin: *Journal of the Geological Society of London*, v. 161, p. 243-254.
- Mutschler, F. E., Ludington, S. D., and Bookstrom, A. A., 2000, Giant porphyry-related metal camps of the world; a database, [URL:<http://geopubs.wr.usgs.gov/open-file/of99-556/>].
- Nakamura, N., 1974, Determination of REE, Ba, Fe, Mg, Na and K in carbonaceous and ordinary chondrites: *Geochimica et Cosmochimica Acta*, v. 38, p. 757-775.
- Nalpas, T., Faccenna, C., Brun, J.-P., Davy, P., and Bosi, V., 1995, The influence of pre-existing thrust faults on normal fault geometry in nature and in experiments: *Journal of Structural Geology*, v. 17, p. 1139-1149.
- Naney, M. T., 1983, Phase equilibria of rock-forming ferromagnesian silicates in granitic systems: *American Journal of Science*, v. 283, p. 993-1033.
- Naranjo, J. A., and Puig, A., 1984, Hojas TalTal y Chañaral : Regiones de Antofagasta y Atacama, Carta Geológica de Chile, 62-63, p. 140.
- Naranjo, J. A., Herve, F., Prieto, X., and Munizaga, F., 1984, Actividad Cretacica de la Falla Atacama al este de Chanaral; milonitizacion y plutonismo: Serie Comunicaciones - Departamento de Geologia, Facultad de Ciencias Fisicas y Matematicas, Universidad de Chile, vol.34, p. 57-66.
- Nash, W. P., and Crecraft, H. R., 1985, Partition coefficients for trace elements in silicic magmas: *Geochimica et Cosmochimica Acta*, v. 49, p. 2309-2322.
- Nelson, M. A., Kyser, T. K., Clark, A. H., and Oates, C., 2009, Application of carbon isotope ratios in regolith to the exploration for buried exotic-type copper ore deposits, Collahuasi district, northern Chile: *Geochemistry: Exploration, Environment Analysis* (Geological Society of London), v. 9, p. 3-8, DOI 10.1144/1467-7873/07-168
- Nesbitt, H. W., and Young, G. M., 1982, Early Proterozoic climates and plate motions inferred from major element chemistry of lutites: *Nature*, v. 299, p. 715-717.
- Neubauer, F., 2002, Contrasting Late Cretaceous with Neogene ore provinces in the Alpine-Balkan-Carpathian-Dinaride collision belt, in Blundell, D. J., Neubauer, F., and von Quadt, A., eds., *Geological Society Special Publications*, vol.204: London, Geological Society of London, p. 81-102.
- Nicholls, I. A., and Harris, K. L., 1980, Experimental rare earth element partition coefficients for garnet, clinopyroxene and amphibole coexisting with andesitic and basaltic liquids: *Geochimica et Cosmochimica Acta*, v. 44, p. 287-308.
- Nielsen, R. L., 1979, Regional tectonics and the emplacement of Laramide porphyry-copper intrusions; Arizona, New Mexico: Report - Nevada Bureau of Mines and Geology, p. 49-55.
- Nielsen, R. L., Gallahan, W. E., and Newberger, F., 1992, Experimentally determined mineral-melt partition coefficients for Sc, Y and REE for olivine, orthopyroxene, pigeonite, magnetite and ilmenite: *Contributions to Mineralogy and Petrology*, v. 110, p. 488-499.
- Niemeyer, H., 1984, La Megafalla Tucucaro en el extremo sur del Salar de Atacama; una antigua zona de cizalle reactivada en el Cenozoico: Serie Comunicaciones - Departamento de Geologia, Facultad de Ciencias Fisicas y Matematicas, Universidad de Chile, vol.34: p. 37-45.
- Niemeyer, H., Urzua, F., Aceñolaza, F. G., and Gonzales, R., 1985, Progresos recientes del conocimiento del Paleozoico de la region de Antofagasta: 4º Congreso Geológico Chileno, 1985, p. 410-438.
- Noble, D. C., and McKee, E. H., 1999, The Miocene metallogenic belt of central and northern Peru: Special Publication - Society of Economic Geologists, v. 7, p. 155-193.

- Noble, D. C., Silberman, M. L., Mégard, F., and Bowman, H. R., 1978, Comendite (peralkaline rhyolite) and basalt in the Mitu Group, Peru; evidence for Permian-Triassic lithospheric extension in the central Andes: *Journal of Research of the U. S. Geological Survey*, v. 6, p. 453-457.
- Noble, D. C., McKee, E. H., and Mégard, F., 1979, Early Tertiary "Incaic" tectonism, uplift, and volcanic activity, Andes of central Peru: *Geological Society of America Bulletin*, v. 90, p. 1903-1907.
- Norabuena, E., Leffler-Griffin, L., Mao, A., Dixon, T., Stein, S., Sacks, I. S., Ocola, L., and Ellis, M., 1998, Space geodetic observations of nazca-south america convergence across the central Andes: *Science*, v. 279, no. 5349, p. 358-362. DOI: 10.1126/science.279.5349.358
- Norman, D. K., Parry, W. T., and Bowman, J. R., 1991, Petrology and geochemistry of propylitic alteration at Southwest Tintic, Utah: *Economic Geology*, v. 86, p. 13-28.
- Norton, I. O., 1995, Plate motions in the North Pacific; the 43 Ma nonevent: *Tectonics*, v. 14, p. 1080-1094.
- Nyström, J.O., Vergara, M., Morata, D., and Levi, B., 2003, Tertiary volcanism during extension in the Andean foothills of central Chile (33°15'-33°45'S): *Geological Society of America Bulletin*, v. 115, p. 1523-1537.
- O'Driscoll, E. S. T., 1981, A fundamental structural pattern in disposition of mineral and energy resources: *AAPG Studies in Geology*, v. 12, p. 465-487.
- Oates, C.J., Hart S., Plant J.A., and Voulvoulis N., 2007. Geochemical Mapping of the Collahuasi district, N. Chile: a pilot study for a geochemical atlas of the Andes. *Goldschmidt Conference Abstracts 2007*, p. A727
- Ojeda, F., J. M., Fouts, J., and Brennan, T., 1990, Geology of the Escondida porphyry copper deposit, II region, Chile, Pacific Rim Congress, 1990: Parkville, Australasian Institute of Mining and Metallurgy, p. 473-483.
- Okamoto, K., and Maruyama, S., 1999, The high-pressure synthesis of lawsonite in the MORB-H₂O system: *American Mineralogist*, v. 84, p. 362-373.
- Olivares, B., 2001, Alzamiento, termocronología y evolución tectónica de bloques en la Cordillera de Domeyko, norte de Chile: Unpublished Honours thesis, Universidad de Chile, 71 p.
- Omarini, R. H., Sureda, R. J., Goetze, H. J., Seilacher, A., and Pflueger, F., 1999, Puncoviscana folded belt in northwestern Argentina; testimony of late Proterozoic Rodinia fragmentation and pre-Gondwana collisional episodes: *International Journal of Earth Sciences*, v. 88, p. 76-97.
- Oncken, O., Sobolev, S. V., Stiller, M., and Giese, P., 1999, ANCORP '96; imaging active margin processes with reflection seismology (Central Andes), *Eos, Transactions, American Geophysical Union*, 80: Washington, American Geophysical Union, p. 1051.
- Oncken, O., Hindle, D., Kley, J., Elger, K., Victor, P., and Schemmann, K., 2006, Deformation of the Central Andean upper plate system - facts, fiction, and constraints for plateau models, in Oncken, O., Chong, G., Franz, G., Giese, P., Gotze, H-J., Ramos, V. A., Strecker, M. R., and Wigger, P., eds., *The Andes. Active Subduction Orogeny*: Springer-Verlag, Berlin Heidelberg, p.1-27.
- Onstott, T. C., and Peacock, M. W., 1987, Argon retentivity of hornblendes; a field experiment in a slowly cooled metamorphic terrane: *Geochimica et Cosmochimica Acta*, v. 51, p. 2891-2903.
- Orrego, M., 1992, Estratigrafía y sedimentación de una secuencia Triásico Jurásica expuesta en el cuadrángulo Cerro Yocas, Sierra de Moreno, región de Antofagasta, Chile: Unpublished Honours thesis, Universidad Católica del Norte, 155 p.
- Osorio, R., and Rivano, S., 1985, Paraparchitidae (ostracoda) del Paleozoico Superior en la Formación Pular, Quebrada Pajonales, vertiente occidental de la Sierra de Alameda, Antofagasta.: *Actas, 4º Congreso Geológico de Chile*, p. 439-457.
- Osozawa, S., 1997, The cessation of igneous activity and uplift when an actively spreading ridge is subducted beneath an island arc: *Island Arc*, vol. 6, no.4, p. 361-371.
- Ossandon, G., and Zentilli, M., 1997, El distrito de Chuquicamata: una concentración de cobre de clase mundial., *Corporación Nacional de Cobre de Chile, División Chuquicamata*.

- Ossandon, G., Freraut C. R., Gustafson, L. B., Lindsay, D. D., and Zentilli, M., 2001, Geology of the Chuqucamata Mine; a progress report: *Economic Geology*, v. 96, p. 249-270.
- Oyarzun, R., Ortega, L., Sierra, J., and Lunar, R., 1996, The manto-type gold deposits of Andacollo (Chile) revisited; a model based on fluid inclusion and geologic evidence: *Economic Geology*, v. 91, p. 1298-1309.
- Oyarzun, R., Rodriguez, M., Pincheira, M., Doblas, M., and Helle, S., 1999, The Candelaria (Cu-Fe-Au) and Punta del Cobre (Cu-Fe) deposits (Copiapo, Chile); a case for extension-related granitoid emplacement and mineralization processes?: *Mineralium Deposita*, v. 34, p. 799-801.
- Oyarzun, R., Oyarzun, J., Menard, J. J., and Lillo, J., 2003, The Cretaceous iron belt of northern Chile; role of oceanic plates, a superplume event, and a major shear zone: *Mineralium Deposita*, v. 38, p. 640-646.
- Padilla-Garza, R., Titley, S. R., and Pimentel B. F., 2001, Geology of the Escondida porphyry copper deposit, Antofagasta region, Chile: *Economic Geology*, v. 96, p. 307-324.
- Palacios, C., Ramirez, L. E., Townley, B., Solari, M., and Guerra, N., 2007, The role of the Antofagasta-Calama Lineament in ore deposit deformation in the Andes of northern Chile: *Mineralium Deposita*, v. 42, No. 3, p. 301-308.
- Parada, M. A., 1990, Granitoid plutonism in central Chile and its geodynamic implications; a review: *Special Paper - Geological Society of America*, v. 241, p. 51-67.
- Parada, M. A., Levi, B., Nystrom, J. O., Harmon, R. S., and Rapela, C. W., 1991, Geochemistry of the Triassic to Jurassic plutonism of central Chile (30° to 33°S); petrogenetic implications and tectonic discussion, *Special Paper - Geological Society of America*, v. 265, p. 99-112.
- Pardo-Casas, F., and Molnar, P., 1987, Relative motion of the Nazca (Farallon) and South American plates since Late Cretaceous time: *Tectonics*, v. 6, p. 233-248.
- Park, R. B., 1983, *Foundations of Structural Geology*: Glasgow, Blackie, 135p.
- Parkinson, I. J., and Arculus, R. J., 1999, The redox state of subduction zones; insights from arc-peridotites: *Chemical Geology*, v. 160, p. 409-423.
- Paterson, S. R., and Schmidt, K. L., 1999, Is there a close spatial relationship between faults and plutons?: *Journal of Structural Geology*, v. 21, p. 1131-1142.
- Paton, C., Woodhead, J.D., Hellstrom, J.C., Hergt, J.M., Greig, A., and Maas, R., 2010, Improved laser ablation U-Pb zircon geochronology through robust downhole fractionation correction, *Geochemistry, Geophysics, Geosystems*, Volume 11, reference Q0AA06.
- Pawley, A. R., 1994, The pressure and temperature stability limits of lawsonite: implications for H₂O recycling in subduction zones: *Contributions to Mineralogy and Petrology*, v. 118, p. 99-108.
- Pearce, J.A., 1976, Statistical analysis of major element patterns in basalt: *Journal of Petrology*, v. 17, p. 15-43.
- Pearce, J.A., 1982, Trace element characteristics of lavas from destructive plate boundaries: in Thorpe, R. S., ed., *Andesites*: Wiley, New York, p. 525-548.
- Pearce, J. A., and Norry, M. J., 1979, Petrogenetic implications of Ti, Zr, Y, and Nb variations in volcanic rocks: *Contributions to Mineralogy and Petrology*, v. 69, p. 33-47.
- Pearce, J. A., and Parkinson, I. J., 1993, Trace element models for mantle melting: application to volcanic arc petrogenesis: *Geological Society, London, Special Publications*, v. 76, p. 373-403.
- Pearce, J. A., and Peate, D. W., 1995, Tectonic implications of the composition of volcanic arc magmas: *Annual Review of Earth and Planetary Sciences*, v. 23, p. 251-285.
- Pearce, J. A., Bender, J. F., De Long, S. E., Kidd, W. S. F., Low, P. J., Guner, Y., Saroglu, F., Yilmaz, Y., Moorbath, S., and Mitchell, J. G., 1990, Genesis of collision volcanism in eastern Anatolia, Turkey: *Journal of Volcanology and Geothermal Research*, v. 44, p. 189-229.
- Peacock, S. M., 1990, Numerical simulation of metamorphic pressure-temperature-time paths and fluid production in subducting slabs: *Journal of Geophysical Research*, v. 106, p. 6325-6345.

- Peacock, D. C. P., Harris, S. D., and Mauldon, M., 2003, Use of curved scanlines and boreholes to predict fracture frequencies: *Journal of Structural Geology*, v. 25, p. 109-119.
- Peccerillo, A., and Taylor, S. R., 1976, Geochemistry of Eocene calc-alkaline volcanic rocks from the Kastamonu area, northern Turkey: *Contributions to Mineralogy and Petrology*, v. 58, p. 63-81.
- Pemberton, G. B., 1997, Dating of alteration at the Radomiro Tomic porphyry copper deposit, northern Chile by the high precision $^{40}\text{Ar}/^{39}\text{Ar}$ method: Unpublished Honours thesis, Dalhousie University, 169 p.
- Perelló, J., and Muller, G., 1984, El Horst de Sierra Castillo en la Cordillera de Domeyko, al occidente del Salar de Pedernales; sus fallas limites Barrancas y Sierra Castillo: *Serie Comunicaciones - Departamento de Geologia, Universidad de Chile, Santiago*, v. 34, p. 47-55.
- Perelló, J., and Posso, H., 2007, Porphyry copper deposit size controlled by regional structural style: examples from the Middle Eocene-Early Oligocene belt of southern Peru and northern Chile. *Arizona Geological Symposium - abstracts*. Abstract ID: 185.
- Perelló, J., Carlotto, V., Zarate, A., Ramos, P., Rosso, H., Neyra, C., Caballero, A., Fuster, N., and Muhr, R., 2003, Porphyry-style alteration and mineralization of the middle Eocene to early Oligocene Andahuaylas-Yauri Belt, Cuzco region, Peru: *Economic Geology*, v. 98, p. 1575-1605.
- Perelló, J., Brockway, H., and Martini, R., 2004, Discovery and geology of the Esperanza porphyry Cu-Au deposit, Antofagasta Region, northern Chile: *Society of Economic Geologists Special Publication 11*, p. 167-186.
- Perelló, J., Raziq, A., Schloderer, J., and ur-Rehman, A., 2008, The Chagai porphyry copper belt, Baluchistan province, Pakistan: *Economic Geology*, v. 103; p. 1583-1612.
- Perfit, M.R., Gust, D.A., Bence, A.E., Arculus, R.J., and Taylor, S.R., 1980, Chemical characteristics of island-arc basalts: Implications for mantle sources: *Chemical Geology*, v. 30, p. 227-256.
- Petit, J. P., 1987, Criteria for sense of movement on fault surfaces in brittle rocks: *Journal of Structural Geology*, v. 9, p. 597-608.
- Phillips, C. H., Smith, T. W., Harrison, E. D., and Mudge, K. L., 1997, Geology and ore controls in the Bingham Canyon porphyry copper deposit, Utah: *Abstracts with Programs - Geological Society of America*, v. 29, p. 282.
- Pichowiak, S., 1994, Early Jurassic to Early Cretaceous magmatism in the Coastal Cordillera and the Central Depression of North Chile, in Reutter, K. J., Scheuber, E., and Wigger, P. J., eds., 1994, *Tectonics of the Southern Central Andes*: Berlin, Springer-Verlag.
- Pichowiak, S., Bahlburg, H., Breitzkreuz, C., and Acenolaza, F. G., 1987, Paleozoic volcanic and geotectonic evolution in northern Chile: *Actas del Congreso Geológico Argentino*, v. 10, Vol. 4, p. 302-304.
- Pichowiak, S., Buchelt, M., and Damm, K. W., 1990, Magmatic activity and tectonic setting of the early stages of the Andean cycle in northern Chile: *Special Paper - Geological Society of America*, v. 241, p. 127-144.
- Pilger, R. H. Jr., 1981, Plate reconstructions, aseismic ridges, and low-angle subduction beneath the Andes: *Geological Society of America Bulletin*, v. 92, p. 448-456.
- Poli, S., 1993, The amphibolite-eclogite transformation: An experimental study on basalt: *American Journal of Science*, v. 293, p. 1061-1107.
- Pollard, D. D., 1987, Elementary fracture mechanics applied to the structural interpretation of dykes: *Special Paper - Geological Association of Canada*, v. 34, p. 5-24.
- Pollard, P. J., and Taylor, R. G., 2002, Paragenesis of the Grasberg Cu-Au deposit, Irian Jaya, Indonesia; results from logging section 13: *Mineralium Deposita*, v. 37, p. 117-136.
- Pope, D. C., and Willett, S. D., 1998, Thermal-mechanical model for crustal thickening in the Central Andes driven by ablative subduction: *Geology*, v. 26, p. 511-514.
- Potts, G. J., and Reddy, S. M., 1999, Construction and systematic assessment of relative deformation histories: *Journal of Structural Geology*, v. 21, p. 1245-1253.

- Price, R. A., Gamble, J. A., Smith, I. E. M., Stewart, R. B., Eggins, S., and Wright, I. C., 2005, An integrated model for the temporal evolution of andesites and rhyolites and crustal development in New Zealand's North Island: *Journal of Volcanology and Geothermal Research*, v. 140, p. 1–24.
- Prinz, P., Wilke, H.-G., and von Hillebrandt, A., 1994, Sediment accumulation and subsidence history in the Mesozoic marginal basin of northern Chile, in Reutter, K. J., Scheuber, E., and Wigger, P. J., eds., 1994, *Tectonics of the Southern Central Andes*: Berlin, Springer-Verlag.
- Proffett, J. M., 2003, Geology of the Bajo de la Alumbrera porphyry copper-gold deposit, Argentina: *Economic Geology*, v. 98, p. no.8, 1535-1574.
- Quane, S. L., and Russell, J. K., 2005, Welding: insights from high-temperature analogue experiments: *Journal of Volcanology and Geothermal Research*, v. 142, p. 67-87.
- Quang, C. X., Clark, A. H., Lee, J. K., and Hawkes, N., 2005, Response of supergene processes to episodic Cenozoic uplift, pediment erosion, and ignimbrite eruption in the porphyry copper province of southern Peru: *Economic Geology*, v. 100, p. 87-114.
- Radelli, L., Desmons, J., and Castro-L., T., 1993, The rotation of Laurentia and the Nevadian Orogeny of NW Mexico and SW USA: *Boletín del Departamento de Geología Uni-Son*, v. 10, p. 63-110.
- Ramelow, J., Riller, U., Romer, R. L., and Oncken, O., 2006, Kinematic link between episodic trapdoor collapse of the Negra Muerta Caldera and motion on the Olacapato-El Toro fault zone, southern Central Andes: *Geologische Rundschau = International Journal of Earth Sciences*, v. 95, p. 529-541.
- Ramirez, C., and Gardeweg, M., 1982, Hoja Toconao, Region de Antofagasta, Carta Geológica de Chile: Santiago de Chile, Servicio Nacional de Geología y Minería.
- Ramirez, L. E., Palacios, C., Townley, B., Parada, M. A., Sial, A. N., Fernandez-Turiel, J. L., Gimeno, D., Garcia-Valles, M., and Lehmann, B., 2006, The Mantos Blancos copper deposit: an upper Jurassic breccia-style hydrothermal system in the Coastal Range of Northern Chile: *Mineralium Deposita*, v. 41, p. 246–258.
- Ramos, E. D., and Ramos, V. A., 1979, Los ciclos magmaticos de la Republica Argentina. Magmatic cycles in Argentina, *Actas del Congreso Geológico Argentino*, no.7, Tomo I: Buenos Aires, Asociacion Geológica Argentina, p. 771-786.
- Ramos, V. A., 1988, Late Proterozoic-early Paleozoic of South America; a collisional history: *Episodes*, v. 11, p. 168-174.
- Ramos, V. A., 1994, Terranes of southern Gondwanaland and their control in the Andean structure (30°-33°S latitude), in Reutter, K. J., Scheuber, E., and Wigger, P. J., eds., 1994, *Tectonics of the Southern Central Andes*: Berlin, Springer-Verlag.
- Ramos, V. A., and Aleman, A. M., 2000, Tectonic evolution of the Andes, in Cordani, U. G., Milani, E. J., and Thomaz Filho, A., eds., *Proceedings of the 31st International Geological Congress*, Rio de Janeiro, p. 635–685.
- Ramos, V. A., Jordan, T. E., Allmendinger, R. W., Mpodozis, M. C., Kay, S. M., Cortes, J. M., and Palma, M., 1986, Paleozoic terranes of the central Argentine-Chilean Andes: *Tectonics*, v. 5, p. 855-880.
- Ramos, V. A., Aguirre Ureta, M., Alvarez, P. P., Cegarra, M., Cristallini, E., Kay, S. M., Lo Forte, G., Pereyra, F., and Perez, D., 1996a, Geología de la region de Aconcagua, provincias de San Juan y Mendoza, Argentina: *Dirección Nacional del Servicio Geológico Anales*, v. 24, p. 1-510.
- Ramos, V. A., Cegarra, M., and Cristallini, E., 1996b, Cenozoic tectonics of the high Andes of west-central Argentina (30-36°S latitude), in Dewey, J. F., and Lamb, S. H., eds., *Tectonophysics*, 259: Amsterdam, Elsevier, p. 185-200.
- Rapalini, A. E., Astini, R. A., and Conti, C. M., 1999, Paleomagnetic constraints on the evolution of Paleozoic suspect terranes from southern South America: *Special Paper - Geological Society of America*, v. 336, p. 171-182.
- Rapp, R. P., and Watson, E. B., 1995, Dehydration melting of metabasalt at 8-32 kbar: implications for continental growth and crust-mantle recycling: *Journal of Petrology*, v. 36, p. 891-931.

- Rea, D. K., 1978, Evolution of the East Pacific Rise between 3°S and 13°S since the middle Miocene: *Geophysical Research Letters*, v. 5, p. 561-564.
- Redmond, P. B., Einaudi, M. T., and Landtwing, M. R., 2002, Cyclical P-T-X evolution of magmatic-hydrothermal fluids in the Bingham porphyry Cu-Au-Mo deposit, Utah: *Abstracts with Programs - Geological Society of America*, v. 34, p. 187.
- Rech, J. A., Currie, B. S., Michalski, G., and Cowan, A. M., 2006, Neogene climate change and uplift in the Atacama Desert, Chile: *Geology*, v. 34, p. 761-764.
- Rehrig, W. A., and Heidrick, T. L., 1972, Regional Fracturing in Laramide Stocks of Arizona and its Relationship to Porphyry Copper Mineralization: *Economic Geology*, v. 67, p. 198-213.
- Reiners, P. W., 2005, Zircon (U-Th)/He thermochronometry: *Reviews in Mineralogy and Geochemistry*, v. 58, no. 1, p. 151-179.
- Reiners, P.W., Nelson, B.K., and Ghiorso, M.S., 1995, Assimilation of felsic crust by basaltic magma: Thermal limits and extents of crustal contamination of mantle-derived magmas: *Geology*, v. 23, p. 563-566.
- Reiners, P. W., Farley, K. A., and Hickes, H. J., 2002, He diffusion and (U-Th)/He thermochronometry of zircon; initial results from Fish Canyon Tuff and Gold Butte: *Tectonophysics*, v. 349, p. 297-308.
- Reiners, P. W., Zhou, Z., Ehlers, T. A., Xu, C., Brandon, M. T., Donelick, R. A., and Nicolescu, S., 2003, Post-orogenic evolution of the Dabie Shan, eastern China, from (U-Th)/He and fission-track thermochronology: *American Journal of Science*, v. 303, p. 489-518.
- Reiners, P. W., Spell, T. L., Nicolescu, S., and Zanetti, K. A., 2004, Zircon (U-Th)/He thermochronometry; He diffusion and comparisons with $^{40}\text{Ar}/^{39}\text{Ar}$ dating: *Geochimica et Cosmochimica Acta*, v. 68, p. 1857-1887.
- Reinhardt, M., Kley, J., Laubacher, G., Olivier, R. A., and Vatin-Perignon, N., 1990, Tectonic and geothermal history of the Subandean Ranges and the Eastern Cordillera of southern Bolivia, *Colloques et Seminaires - Institut de Recherche Scientifique pour le Developpement en Cooperation*: Paris, Editions de l'Office de la Recherche Scientifique et Technique d'Outre-mer, p. 175-178.
- Reutter, K. J., Scheuber, E., and Helmcke, D., 1991, Structural Evidence of Orogen-Parallel Strike Slip Displacements in the Precordillera of Northern Chile: *Geologische Rundschau*, v. 80, p. 135-153.
- Reutter, K. J., Scheuber, E., and Chong, G., 1996, The Precordilleran fault system of Chuquicamata, northern Chile; evidence for reversals along arc-parallel strike-slip faults, in Dewey, J. F., and Lamb, S. H., eds., *Tectonophysics*, 259: Amsterdam, Elsevier, p. 213-228.
- Reyes, A. G., 1990, Petrology of Philippine geothermal systems and the application of alteration mineralogy to their assessment: *Journal of Volcanology and Geothermal Research*, v. 43, p. 279-309.
- Reyes, N., and Cembrano, J., 2006, Geometría, litología y edad del sistema de diques Caleta Coloso: *Actas - 11° Congreso Geológico Chileno*, Universidad Católica del Norte, Antofagasta, Chile. v. 2, p. 311-314.
- Reynolds, P., Ravenhurst, C., Zentilli, M., and Lindsay, D. D., 1998, High precision $^{40}\text{Ar}/^{39}\text{Ar}$ dating of two consecutive hydrothermal events in the Chuquicamata porphyry copper system, Chile: *Chemical Geology*, v. 148, p. 45-60.
- Riccardi, A. C., 1988, The Cretaceous System of South America: *Memoir - Geological Society of America*, v. 168, p. 161.
- Richards, J. P., 2000, Lineaments revisited: *SEG Newsletter*, v. 42, p. 1-14.
- Richards, J. P., 2003, Tectono-magmatic precursors to porphyry Cu-(Mo-Au) deposit formation: *Economic Geology*, v. 98, p. 1515-1533.
- Richards, J. P., and Kerrich, R., 2007, Adakite-like rocks; their diverse origins and questionable role in metallogenesis: *Economic Geology and the Bulletin of the Society of Economic Geologists*, v. 102, p. 537-576.
- Richards, J. P., and Villeneuve, M., 2002, Characteristics of late Cenozoic volcanism along the

- Archibarca Lineament from Cerro Llullaillaco to Corrida de Cori, Northwest Argentina: *Journal of Volcanology and Geothermal Research*, v. 116, p. 161-200.
- Richards, J.P., McCulloch, M.T., Chappell, B.W., and Kerrich, R., 1991, Sources of metals in the Porgera gold deposit, Papua New Guinea: Evidence from alteration, isotope, and noble metal geochemistry: *Geochimica et Cosmochimica Acta*, v. 55, p. 565-580.
- Richards, J. P., Noble, S. R., and Pringle, M. S., 1999, A revised late Eocene age for porphyry Cu magmatism in the Escondida area, northern Chile: *Economic Geology*, v. 94, p. 1231-1247.
- Richards, J. P., Boyce, A. J., and Pringle, M. S., 2001a, Geologic evolution of the Escondida area, northern Chile; a model for spatial and temporal localization of porphyry Cu mineralization: *Economic Geology*, v. 96, p. 271-305.
- Richards, J. P., Paterson, S. R., and Schmidt, K. L., 2001b, Is there a close spatial relationship between faults and plutons?; discussion and reply [modified]: *Journal of Structural Geology*, v. 23, p. 2025-2032.
- Richards, J. P., Ullrich, T., and Kerrich, R., 2006a, The late Miocene-Quaternary Antofalla volcanic complex, southern Puna, NW Argentina; protracted history, diverse petrology, and economic potential: *Journal of Volcanology and Geothermal Research*, v. 152, p. 197-239.
- Richards, J. P., Wilkinson, D., and Ullrich, T., 2006b, Geology of the Sari Gunay epithermal gold deposit, northwest Iran: *Economic Geology*, v. 101, p. 1455-1496.
- Riehle, J.R., Miller, T.F., Bailey, R.A., 1995. Cooling, degassing and compaction of rhyolitic ash-flow tuffs: a computational model: *Bulletin of Volcanology*, v. 57, p. 319-336.
- Rivera, S., 2007, La exploración de Codelco en el norte de Chile 1999-2006: revisión de los descubrimientos del Cluster Toki y de Inca de Oro: ProExplo conference abstract, Lima, Peru, 3p.
- Rivera, O., Yáñez, G., Baeza, L., Comte, D., 2006a, Complejos intrusivos del Paleógeno en la Cordillera de Domeyko y su relación con zonas activas de deformación según registros de sismicidad intraplaca, II Región, Chile: XIº Congreso Geológico Chileno, Universidad Católica del Norte, Antofagasta, Chile. v.2, p. 321-324.
- Rivera, S., Pardo, R., Alcota, H., Fontecilla, C., Kovacic, P., Pizarro, J., and Rojo, J., 2006b, Reseña de la exploración y geología del cluster de pórfidos de cobre Toki, Distrito Chuquicamata: XIº Congreso Geológico Chileno, Universidad Católica del Norte, Antofagasta, Chile, v. 2, p. 343-346.
- Robinson, P., Townsend, A. T., Yu, Z., and Muenker, C., 1999, Determination of scandium, yttrium and rare earth elements in rocks by high resolution inductively coupled plasma-mass spectrometry: *Geostandards Newsletter*, v. 23, p. 31-46.
- Roddick, J. C., 1983, High precision intercalibration of $^{40}\text{Ar}/^{39}\text{Ar}$ standards: *Geochimica et Cosmochimica Acta*, v. 47, p. 887-898.
- Roessling, R., Scheuber, E., Reutter, K. J., and Giese, P., 1986, Structural and petrologic uniformities of the northern Chilean coastal Cordillera between Antofagasta and Paposo: *Berliner Geowissenschaftliche Abhandlungen, Reihe A: Geologie und Palaeontologie*, p. 174-178.
- Rogers, G., 1985, A geochemical traverse across the north chilean Andes: Unpublished PhD thesis, Milton Keynes Open University, 355 p.
- Rogers, G., and Hawkesworth, C. J., 1989, A geochemical traverse across the North Chilean Andes; evidence for crust generation from the mantle wedge: *Earth and Planetary Science Letters*, v. 91, p. 271-285.
- Rohrlach, B. D., 2002, Tectonic Evolution, Petrochemistry, Geochronology and Palaeohydrology of the Tampakan Porphyry and High Sulphidation Epithermal Cu-Au Deposit, Mindanao, Philippines: Unpublished PhD thesis, Research School of Earth Sciences, Australian National University, Canberra, ACT, 499 p.
- Rohrlach, B. D., and Loucks, R. R., 2005, Multi-million-year cyclic ramp-up of volatiles in a lower crustal magma reservoir trapped below the Tampakan copper-gold deposit by Mio-Pliocene crustal compression in the southern Philippines. In: Porter, T.M. ed., *Super Porphyry Copper and Gold Deposits: A Global Perspective*: PGC Publishing, Adelaide, v. 1, p. 369-407.

- Rollinson, H. R., 1993, Using geochemical data: Evaluation, presentation, interpretation: Harlow, UK, Longman, 352 p.
- Roperch, P., and Carlier, G., 1992, Paleomagnetism of Mesozoic rocks from the Central Andes of southern Peru; importance of rotations in the development of the Bolivian Orocline: *Journal of Geophysical Research, B, Solid Earth and Planets*, v. 97, p. 17,233-17,249.
- Roperch, P., Fornari, M., Herail, G., and Parraguez, G. V., 2000, Tectonic rotations within the Bolivian Altiplano; implications for the geodynamic evolution of the Central Andes during the late Tertiary: *Journal of Geophysical Research, B, Solid Earth and Planets*, v. 105, p. 795-820.
- Roperch, P., Sempere, T., Macedo, O., Arriagada, C., and Fornari, M., 2002, Counterclockwise rotation of the southern Peruvian forearc and implications for the formation of the Bolivian Orocline: 5th International Symposium on Andean Geodynamics, Toulouse, France, 2002, p. 545-548.
- Rosas, S., Fontboté, L., and Tankard, A., 2003, Tectonic and sedimentary setting of the upper Triassic-lower Jurassic Pucará Group in central Peru: *Actas - 10º Congreso Geológico Chileno*, Concepción, 2003.
- Rosenbaum, G., Giles, D., Saxon, M., Betts, P., Weinberg, R., and Duboz, C., 2005, Subduction of the Nazca Ridge and the Inca Plateau: Insights into the formation of ore deposits in Peru: *Earth and Planetary Science Letters*, v. 239, p. 18-32.
- Rowland, M. G., 1998, The role of magmatic processes in the development of hypogene mineralisation at Quebrada Blanca, northern Chile: Unpublished PhD thesis, Imperial College, University of London, 240 p.
- Rowland, M. G., and Clark, A. H., 2001, Temporal overlap of supergene alteration and high-sulfidation mineralization in the Spence porphyry copper deposit, II region, Chile, Abstracts with Programs - Geological Society of America, 33: Boulder, Geological Society of America (GSA), p. 358.
- Rowland, M. G., and Wilkinson, J. J., 1999, Significance of intermediate stage veins at Quebrada Blanca, Chile, in Stanley, C. J. ed., *Mineral Deposits: Processes to Processing*: Rotterdam, Balkema, p. 99-102.
- Rowley, D. B., 1996, Age of initiation of collision between India and Asia, a review of stratigraphic data: *Earth and Planetary Science Letters*, v. 145, p. 1-13.
- Ruiz, C., Corvalán, J., Klohn, C., Klohn, E., and Levi, B., 1965, *Geología y yacimientos metalíferos de Chile*: Santiago, Instituto de Investigaciones Geológicas, 305 p.
- Russo, R. M., and Silver, P. G., 1996, Cordillera formation, mantle dynamics, and the Wilson cycle: *Geology*, v. 24, p. 511-514.
- Rutherford, M. J., and Hill, P. M., 1993, Magma ascent rates from amphibole breakdown; an experimental study applied to the 1980-1986 Mount St. Helens eruptions: *Journal of Geophysical Research, B, Solid Earth and Planets*, v. 98, p. 19,667-19,685.
- Rutland, R. W. R., 1971, Andean orogeny and ocean floor spreading: *Nature*, v. 233, p. 252-255.
- Ryan, J. G., Morris, J., Tera, F., Leeman, W. P., and Tsvetkov, A., 1995, Cross-arc geochemical variations in the Kurile arc as a function of slab depth: *Science*, v. 270, p. 625-627.
- Ryser, H., 1963, *Combinatorial Mathematics*: New York, Mathematical Association of America - Wiley and Sons, 154 p.
- Salftý, J. A., 1985, Lineamientos transversales al rumbo Andino en el noroeste Argentino: *Actas - 4º Congreso Geológico Chileno*, Departamento de Geociencias, Universidad del Norte Chile, p. 2.119-2.137.
- Sapiie, B., and Cloos, M., 1994, Strike-slip fault control on emplacement of the Grasberg intrusive complex, Gunung Bijih (Ertzberg) Cu-Au district, Irian Jaya, Indonesia (West New Guinea): Abstracts with Programs - Geological Society of America, v. 26, p. 186.
- Sandeman, H. A., Clark, A., and Farrar, E., 1995, An integrated tectono-magmatic model for the evolution of the southern Peruvian Andes (13-20degreesS) since 55 Ma: *International Geology Reviews*, v. 37, p. 1039-1073.

- Sandeman, H. A., Archibald, D. A., Grant, J. W., Villeneuve, M. E., and Ford, F. D., 1999, Characterization of the chemical composition and ^{40}Ar - ^{39}Ar systematics of intralaboratory standard MAC-83 biotite: Geological Survey of Canada Current Research 1999-F, p. 13–26.
- Sanderson, D. J., and Marchini, W. R. D., 1984, Transpression: *Journal of Structural Geology*, v. 6, p. 449–458.
- Sasso, A., and Clark, A. H., 1998, The Farallón Negro Group, northwest Argentina: magmatic, hydrothermal and tectonic evolution and implications for Cu-Au metallogeny in the Andean back-arc: *SEG Newsletter*, v. 34, p. 1–17.
- Scheuber, E., and Andriessen, P. A. M., 1990, The kinematic and geodynamic significance of the Atacama fault zone, northern Chile: *Journal of Structural Geology*, v. 12, p. 243–257.
- Scheuber, E., and Gonzalez, G., 1999, Tectonics of the Jurassic-Early Cretaceous magmatic arc of the North Chilean Coastal Cordillera (22°S–26°S); a story of crustal deformation along a convergent plate boundary: *Tectonics*, v. 18, p. 895–910.
- Scheuber, E., and Reutter, K. J., 1992, Magmatic arc tectonics in the Central Andes between 21° and 25°S: *Tectonophysics*, v. 205, p. 127–140.
- Scheuber, E., and Hammerschmidt, K., 1991, $^{40}\text{Ar}/^{39}\text{Ar}$ and Rb-Sr data from ductile shear zones from the Atacama fault zone (AFZ), northern Chile; an attempt to determine the age of deformation: *Terra Abstracts*, v. 3, p. 364–365.
- Scheuber, E., Bogdanic C. T., Jensen, A. I., and Reutter, K. J., 1994, Tectonic development of the North Chilean Andes in relation to plate convergence and magmatism since the Jurassic, in Reutter, K. J., Scheuber, E., and Wigger, P. J., eds., 1994, *Tectonics of the Southern Central Andes*: Berlin, Springer-Verlag.
- Scheuber, E., Hammerschmidt, K., and Friedrichsen, H., 1995, $^{40}\text{Ar}/^{39}\text{Ar}$ and Rb-Sr analyses from ductile shear zones from the Atacama fault zone, northern Chile; the age of deformation: *Tectonophysics*, v. 250, p. 61–87.
- Schildgen, T. F., Hodges, K. V., Whipple, K. X., Reiners, P. W., and Pringle, M. S., 2007, Uplift of the western margin of the Andean Plateau revealed from canyon incision history, southern Peru: *Geology*, v. 35, p. 523–526.
- Schreiber, U., and Schwab, K., 1991, Geochemistry of Quaternary shoshonitic lavas related to the Calama-Olacapato-El Toro Lineament, NW Argentina: *Journal of South American Earth Sciences*, v. 4, p. 73–85.
- Schmidt, M., 1993, Phase relations and compositions in tonalite as a function of pressure: An experimental study at 650°C: *American Journal of Science*, v. 293, p. 1011–1060.
- Schmidt, M., 1996, Experimental constraints on recycling of potassium from subducted oceanic crust: *Science*, v. 272, p. 1927–1930.
- Schmidt, M., and Thompson, A., 1996, Epidote in calcalkaline magmas; an experimental study of stability, phase relationships, and the role of epidote in magmatic evolution: *American Mineralogist*, v. 81, p. 462–474.
- Scholl, D. W., Christensen, M. N., von Huene, R., Marlow, M. S., 1970, Peru-Chile trench sediments and sea-floor spreading: *Geological Society of America Bulletin*, v. 81, p. 1339–1360.
- Schweickert, R. A., Bogen, N. L., Girty, G. H., Hanson, R. E., and Merguerian, C., 1984, Timing and structural expression of the Nevadan Orogeny, Sierra Nevada, California: *Geological Society of America Bulletin*, v. 95, p. 967–979.
- Scott, D. J., and Gauthier, G., 1996, Comparison of TIMS (U-Pb) and laser ablation microprobe ICP-MS (Pb) techniques for age determination of detrital zircons from Paleoproterozoic metasedimentary rocks from northeastern Laurentia, Canada, with tectonic implications: *Chemical Geology*, v. 131, p. 127–142.
- Seedorff, E., and Einaudi, M. T., 2004a, Henderson porphyry molybdenum system, Colorado; I, Sequence and abundance of hydrothermal mineral assemblages, flow paths of evolving fluids, and evolutionary style: *Economic Geology*, v. 99, p. 3–37.

- Seedorff, E., and Einaudi, M. T., 2004b, Henderson porphyry molybdenum system, Colorado; II, Decoupling of introduction and deposition of metals during geochemical evolution of hydrothermal fluids: *Economic Geology*, v. 99, p. 39-72.
- Seedorff, E., Dilles, J. H., Proffett, J., Einaudi, M. T., Zurcher, L., Stavast, W. J. A., Johnson, D. A., and Barton, M. D., 2005, Porphyry deposits: Characteristics and origin of hypogene features, in Hedenquist, J. W., Thompson, J. F. H., Goldfarb, R., and Richards, J. P., eds., *Economic Geology 100th Anniversary Volume 1905-2005*: Littleton, Colorado, Society of Economic Geologists, p. 251-298.
- Seggiaro, R. E., 2006, Variaciones estructurales a lo largo del lineamiento Calama - Olacapato - El Toro en el noroeste Argentino: *Actas - 11° Congreso Geológico Chileno*, Universidad Católica del Norte, Antofagasta, Chile. v.2, p. 337-340.
- Sellés, D., Ireland, T., Gardeweg, M., Arcos, R., Pino, H., Camacho, J., Sprohlnle, C., Sanhueza, A., Mont, A., 2009, Magmatismo Paleozoico a Reciente en el área de Collahuasi y características geoquímicas de los magmas asociados a mineralización: 12° Congreso Geológico Chileno, Universidad de Chile, Santiago, Chile, *in press*.
- Sempere, T., Carlier, G., Soler, P., Fornari, M., Carlotto, V., Jacay, J., Arispe, O., Neraudeau, D., Cardenas, J., Rosas, S., and Jimenez, N., 2002, Late Permian-Middle Jurassic lithospheric thinning in Peru and Bolivia, and its bearing on Andean-age tectonics: *Tectonophysics*, v. 345, p. 153-181.
- Shatwell, D., 1995, Accreted terranes and porphyry copper deposits in the Central Andes, in Mauk, J. L., and St George, J. D., eds., *Publication Series - Australasian Institute of Mining and Metallurgy*, vol.9/95: Parkville, Australasian Institute of Mining and Metallurgy, p. 515-520.
- Shellito, C. J., and Sloan, L. C., 2006, Reconstructing a lost Eocene paradise; Part I, Simulating the change in global floral distribution at the initial Eocene thermal maximum: *Global and Planetary Change*, v. 50, p. 1-17.
- Shi, Y., Allis, R., and Davey, F., 1996, Thermal modeling of the Southern Alps, New Zealand: *Pure and Applied Geophysics*, v. 146, p. 469-501.
- Shinohara, H., and Hedenquist, J. W., 1997, Constraints on magma degassing beneath the Far Southeast porphyry Cu-Au deposit, Philippines, in Seltmann, R., Lehmann, B., Lowenstern, J. B., and Candela, P. A., eds., *Journal of Petrology*, 38: Oxford, Clarendon Press, p. 1741-1752.
- Sibson, R. H., 1995, Selective fault reactivation during basin inversion; potential for fluid redistribution through fault-valve action: *Geological Society Special Publications*, v. 88, p. 3-19.
- Sibson, R. H., 2001, Seismogenic framework for hydrothermal transport and ore deposition: *Reviews in Economic Geology*, v. 14, p. 25-50.
- Sillitoe, R. H., 1973, The tops and bottoms of porphyry copper deposits: *Economic Geology*, v. 68, p. 799-815.
- Sillitoe, R. H., 1977, Permo-Carboniferous, upper Cretaceous, and Miocene porphyry copper-type mineralization in the Argentinian Andes: *Economic Geology*, v. 72, p. 99-103.
- Sillitoe, R. H., 1988, Epochs of intrusion-related copper mineralization in the Andes: *Journal of South American Earth Sciences*, v. 1, p. 89-108.
- Sillitoe, R. H., 1990, Copper deposits and Andean evolution, in Ericksen, G. E., Pinochet, M. T. C., and Reinemund, J. A., eds., *Circum-Pacific Council for Energy and Mineral Resources, Earth Science Series*: Houston, Circum-Pacific Council for Energy and Mineral Resources, p. 285-311.
- Sillitoe, R. H., 1995, Exploration and discovery of base- and precious-metal deposits in the Circum-Pacific region during the last 25 years: *Shigen Chishitsu = Resource Geology*, v. Special issue 19, p. 119.
- Sillitoe, R. H., 1997, Characteristics and controls of the largest porphyry copper-gold and epithermal gold deposits in the circum-Pacific region: *Australian Journal of Earth Sciences*, v. 44, p. 373-388.
- Sillitoe, R. H., 1998, Major regional factors favouring large size, high hypogene grade, elevated gold content and supergene oxidation and enrichment of porphyry copper deposits, in Porter, T. M., ed.: *Glenside*, Australian Mineral Foundation.

- Sillitoe, R. H., 1999, Styles of high-sulphidation gold, silver and copper mineralisation in porphyry and epithermal environments, in Weber, G., ed., Publication Series - Australasian Institute of Mining and Metallurgy, vol.4-99, p. 29-44.
- Sillitoe, R. H., 2000, Styles of high-sulphidation gold, silver and copper mineralisation in porphyry and epithermal environments: The AusIMM Proceedings, v. 305, p. 19-34.
- Sillitoe, R. H., 2004, Musings on future exploration targets and strategies in the Andes: Society of Economic Geologists Special Publication, v. 11, p. 1-14.
- Sillitoe, R. H., 2005, Some comments on the geology of the Quebrada Blanca porphyry copper deposit and environs, northern Chile: Compañía Minera Quebrada Blanca S.A. internal report, 8 p.
- Sillitoe, R. H., and McKee, E. H., 1996, Age of supergene oxidation and enrichment in the Chilean porphyry copper province: Economic Geology, v. 91, p. 164-179.
- Sillitoe, R. H., and Neumann, J., 1972, Copaquiere: geología y alteración hidrotermal: Santiago, Chile, Instituto de Investigaciones Geológicas, p. 18.
- Sillitoe, R. H., and Perelló, J. 2005. Andean copper province: tectonomagmatic settings, deposit types, metallogeny, exploration, and discovery. In Hedenquist, J. W., Thompson, J. F. H., Goldfarb, R. J., and Richards, J. P., (editors), 2005, Society of Economic Geologists 100th Anniversary Volume. p. 845-890.
- Sillitoe, R. H., and Sawkins, F. J., 1971, Geologic, Mineralogic and Fluid Inclusion Studies Relating to the Origin of Copper-bearing Tourmaline Breccia Pipes, Chile: Economic Geology and the Bulletin of the Society of Economic Geologists, v. 66, p. 1028-1041.
- Sillitoe, R. H., Mortimer, C., and Clark, A. H., 1968, A chronology of landform evolution and supergene mineral alteration, southern Atacama desert, Chile: Institution of Mining and Metallurgy, Transactions, Section B: Applied Earth Science, v. 77, p. B166-B169.
- Sillitoe, R. H., Angeles, C. A., Jr., and Jones, M. P., 1985, Geological characteristics and evolution of a gold-rich porphyry copper deposit at Guinaoang, Luzon, Philippines: London, Inst. Min. and Metall.
- Sillitoe, R. H., Marquardt, J. C., Ramirez, F., Becerra, H., and Gomez, M., 1994, Geology of MM; a concealed porphyry copper deposit in the Chuquicamata District, northern Chile: Actas - 7º Congreso Geológico Chileno, Departamento de Geociencias, Universidad del Norte Chile, p. 1619.
- Sillitoe, R. H., Steele, G. B., Thompson, J. F. H., and Lang, J. R., 1998, Advanced argillic lithocaps in the Bolivian tin-silver belt: Mineralium Deposita, v. 33, p. 539-546.
- Silva González, P., 2004, Der südliche Altiplano im Tertiär: Sedimentäre Entwicklung und tektonische Implikationen: Unpublished PhD thesis, Freie Universität Berlin, <http://www.diss.fuberlin.de/2004/125/index.html>
- Silver, P. G., Russo, R. M., and Lithgow-Bertelloni, C., 1998, Coupling of South American and African Plate motion and plate deformation: Science, v. 279, p. 60-63.
- Simonetti, A., Heaman, L. M., MacHattie, T. G., Chacko, T., Hartlaub, R. P., and Eccles, D. R., 2005, In-situ petrographic thin section U-Pb dating of zircon and titanite by laser ablation-MC-ICP-MS: Geochimica et Cosmochimica Acta, v. 69, p. 381.
- Simmons, S.F., and Browne, P. R. L., 2000, Hydrothermal Minerals and Precious Metals in the Broadlands-Ohaaki Geothermal System: Implications for Understanding Low-Sulfidation Epithermal Environments; Economic Geology, v. 95, pp. 971-999.
- Simpson, B. B., 1983, A historical phytogeography of the high Andean flora: Revista Chilena de Historia Natural, v. 56, p. 109-122.
- Singer, D.A., Berger, V. I., and Moring, B. C., 2005, Porphyry Copper Deposits of the World: Database, Map, and Grade and Tonnage Models: U.S. Geological Survey Open-File Report 2005-1060. <http://pubs.usgs.gov/of/2005/1060/>
- Skarmeta, J., 1993, Mecanismos de emplazamiento, deformacion y transicion de diques a filones manto en sedimentos Jurasicos y Cretacios del norte de Chile: Revista Geológica de Chile, vol.20, p.207-227.

- Skarmeta, J., McClay, K., and Bertens, A., 2003, Structural controls on porphyry copper deposits in northern Chile: new models and implications for Cu-Mo mineralisation in subduction orogens: Actas - 10° Congreso Geológico Chileno, Concepción, 2003.
- Skilling, I. P., White, J. D. L., and McPhie, J., 2002, Peperite: a review of magma-sediment mingling: *Journal of Volcanology and Geothermal Research*, v. 114, p. 1-17.
- Smith, R.L., 1960. Zones and zonal variations in welded ashflows. U.S. Geological Survey Professorial Paper, no. 354-F, p. 149–159.
- Smoje, I., 1989, Estratigrafía y facies del sistema jurásico en la precordillera entre las latitudes de Pica y Quillagua.: Unpublished Memoria (Honours) thesis, Universidad de Chile, 177 p.
- Smoje, I., 2003, Estudio Estructural Starter Pit Rosario: Unpublished company report, Compañía Minera Doña Inés de Collahuasi, December 2003, 30 p.
- Smoje, I., and Marinovic, N., 1994, Intrusivos de Carbonífero Permiano en la Cordillera de Domeyko, nuevos antecedentes radiométricos. Carboniferous-Permian intrusions in the Cordillera de Domeyko, new radiometric data: Actas - Congreso Geológico Chileno, v. 7, Vol. 2, p. 1213-1216.
- Sobolev, S. V., Babeyko, A. Y., Koulakov, A. Y., and Oncken, O., 2006, Mechanism of the Andean Orogeny; insight from numerical modeling. In: Oncken, O., Chong, G., Franz, G., Giese, P., Goetze, H.-J., Ramos, V. A., Strecker, M. R., and Wigger, P., eds., *The Andes; active subduction orogeny*: Berlin-Heidelberg, Springer, p. 513-535.
- Sohn, Y. K., 2000, Depositional processes of submarine debris flows in the Miocene fan deltas, Pohang Basin, SE Korea with special reference to flow transformation: *Journal of Sedimentary Research*, v. 70, p. 491-503.
- Solari, L.A., Ortega-Gutierrez, F., Elias-Herrera, M., Schaaf, P., Norman, M., Torres de Leon, R., Ortega-Obregon, C., Chiquin, M., and Moran Ical, S., 2009, U-Pb zircon geochronology of Palaeozoic units in western and central Guatemala; insights into the tectonic evolution of Middle America: *Geological Society Special Publications*, v. 328, p. 295-313.
- Somoza, R., 1998, Updated Nazca (Farallón)-South America relative motions during the last 40 My: implications for mountain building in the central Andean region: *Journal of South American Earth Sciences*, v. 11, p. 211-215.
- Somoza, R., and A. Tomlinson, 2002, Paleomagnetism in the Precordillera of northern Chile (22°30'S): implications for the history of tectonic rotations in the Central Andes: *Earth and Planetary Science Letters*, v. 94, p. 369–381.
- Somoza, R. y Ghidella, M.E., 2005, Convergencia en el margen occidental de América del Sur durante el Cenozoico: subducción de las placas de Nazca, Farallón y Aluk: *Revisat de la Asociacion Geológica Argentina*, v.60, no.4, p.797-809.
- Sparks, R. S. J., 1976, Grain size variations in ignimbrites and implications for the transport of pyroclastic flows: *Sedimentology*, v. 23, p. 147-188.
- Sparks, R. S. J., Wilson, L., and Hulme, G., 1978, Theoretical modeling of the generation, movement, and emplacement of pyroclastic flows by column collapse: *Journal of Geophysical Research*, A, Space Physics, v. 83, p. 1727-1739.
- Spooner, E.T.C., 1993, Magmatic sulphide/volatile interaction as a mechanism for producing chalcophile element enriched, Archean Au-quartz, epithermal Au-Ag and Au skarn hydrothermal ore fluids: *Ore Geology Reviews*, v. 7, p. 359–379.
- Spotila, J. A., Farley, K. A., and Sieh, K. E., 1998, Uplift and erosion of the San Bernardino Mountains associated with transpression along the San Andreas fault, California, as constrained by radiogenic helium thermochronometry: *Tectonics*, v. 17, p. 360-378.
- Springer, M., and Forster, A., 1998, Heat-flow density across the Central Andean subduction zone: *Tectonophysics*, v. 291, p. 123-139.
- Spulber, S. D., and Rutherford, M. J., 1983, The origin of rhyolite and plagiogranite in oceanic crust: An experimental study: *Journal of Petrology*, v. 24, p. 1-25.
- Squire, R. J., and McPhie, J., 2002, Characteristics and origin of peperite involving coarse-grained

host sediment: *Journal of Volcanology and Geothermal Research*, v. 114, p. 45-61.

Squire, R. J., and Miller, J. M. L., 2003, Synchronous compression and extension in East Gondwana; tectonic controls on world-class gold deposits at 440 Ma: *Geology*, v. 31, p. 1073-1076.

Stampfli, G. M., and Borel, G. D., 2002, A plate tectonic model for the Paleozoic and Mesozoic constrained by dynamic plate boundaries and restored synthetic oceanic isochrons: *Earth and Planetary Science Letters*, v. 196, p. 17-33.

Steiger, R. H., and Jager, E., 1978, Subcommittee on Geochronology; convention on the use of decay constants in geochronology and cosmochemistry.

Steinmann, G., 1929, *Geologie von Peru*: Hiedelburg, Winter, 448 p.

Strashimirov, S., Petrunov, R., and Kanazirski, M., 2002, Porphyry-copper mineralisation in the central Srednogie Zone, Bulgaria: *Mineralium Deposita*, v. 37, p. 587-598.

Stueben, D., Kramar, U., Harting, M., Stinnesbeck, W., and Keller, G., 2005, High-resolution geochemical record of Cretaceous-Tertiary boundary sections in Mexico; new constraints on the K/T and Chicxulub events: *Geochimica et Cosmochimica Acta*, v. 69, p. 2559-2579.

Stuewe, K., and Barr, T. D., 2000, On the relationship between surface uplift and gravitational extension: *Tectonics*, v. 19, p. 1056-1064.

Sun, S. S., and McDonough, W. F., 1989, Chemical and isotopic systematics of oceanic basalts; implications for mantle composition and processes: *Geological Society Special Publications*, v. 42, p. 313-345.

Sun, W., Arculus, R. J., Kamenetsky, V. S., and Binns, R. A., 2004, Release of gold-bearing fluids in convergent margin magmas prompted by magnetite crystallisation: *Nature*, v. 431, p. 975-978.

Takagi, T., and Tsukimura, K., 1997, Genesis of oxidised- and reduced -type granites: *Economic Geology*, v. 92, p. 81-86.

Tamura, Y., Tatsumi, Y., Zhao, D., Kido, Y., and Shukuno, H., 2002, Hot fingers in the mantle wedge: new insights into magma genesis in subduction zones: *Earth and Planetary Science Letters*, v. 197, p. 105-116.

Tassara, A., 2005, Interaction between the Nazca and South American plates and formation of the Altiplano-Puna plateau; review of a flexural analysis along the Andean margin (15°-34°S): *Tectonophysics*, v. 399, p. 39-57.

Tassara, A., Goetze, H.-J., Schmidt, S., and Hackney, R., 2006, Three-dimensional density model of the Nazca Plate and the Andean continental margin: *Journal of Geophysical Research*, v. 111, p. B9, 26.

Taylor, S. R., and McLennan, S. M., 1986, The chemical composition of the Archaean crust: *Geological Society Special Publications*, v. 24, p. 173-178.

Tebbens, S. F., and Cande, S. C., 1997, Southeast Pacific tectonic evolution from early Oligocene to present: *Journal of Geophysical Research*, v. 102, p. 12,061-12,084.

Tenthorey, E., and Fitz Gerald, J. D., 2006, Feedbacks between deformation, hydrothermal reaction and permeability evolution in the crust; experimental insights: *Earth and Planetary Science Letters*, v. 247, p. 117-129.

Terzaghi, R. D., 1965, Sources of errors in joint surveys: *Geotechnique*, v. 15, p. 287-304.

Thompson, G. M., Malpas, J. G., and Smith, I. E. M., 1997, The geochemistry of tholeiitic and alkaline plutonic suites within the Northland Ophiolite, northern New Zealand: magmatism in a back-arc basin: *Chemical Geology*, v. 142, p. 213-223.

Tiepolo, M., Vannucci, R., Bottazzi, P., Oberti, R., and Zanetti, A., 2000a, Partitioning of rare earth elements, Y, Th, U, and Pb between pargasite, kaersutite, and basanite to trachyte melts; implications for percolated and veined mantle: *Geochemistry, Geophysics, Geosystems*, v. 1, p. 2000GC000064.

Tiepolo, M., Vannucci, R., Oberti, R., Foley, S., Bottazzi, P., and Zanetti, A., 2000b, Nb and Ta incorporation and fractionation in titanite pargasite and kaersutite; crystal-chemical constraints and implications for natural systems: *Earth and Planetary Science Letters*, v. 176, p. 185-201.

- Tiepolo, M., Oberti, R., and Vannucci, R., 2002, Trace-element incorporation in titanite; constraints from experimentally determined solid/liquid partition coefficients: *Chemical Geology*, v. 191, p. 105-119.
- Tikoff, B., and Teyssier, C., 1994, Strain modeling of displacement-field partitioning in transpressional orogens: *Journal of Structural Geology*, v. 16, p. 1575-1588.
- Titley, S. R., 1982, The style and progress of mineralization and alteration in porphyry systems: In: Titley, S.R. ed., *Advances in geology of the porphyry copper deposits, southwestern North America*. University of Arizona Press, Tucson, Arizona, p. 93-116.
- Titley, S. R., and Beane, R. E., 1980, Alteration zoning as related to fracture evolution in porphyry copper systems: *International Geological Congress, Abstracts - Congres Geologique Internationale, Resumes*, v. 26, p. 1020.
- Titley, S. R., and Heidrick, T. L., 1975, Tectonic evolution of some porphyry copper systems of the southwestern Pacific and its implications: *Economic Geology*, v. 70, p. 1331.
- Titley, S. R., and Heidrick, T. L., 1978, Intrusion and fracture styles of some mineralised porphyry systems of the southwestern Pacific and their relationship to plate interactions: *Economic Geology*, v. 73, p. 891-903.
- Titley, S. R., Fleming, A. W., and Neale, T. I., 1978, Tectonic evolution of the porphyry copper system at Yandera, Papua New Guinea: *Economic Geology*, v. 73, p. 810-828.
- Titley, S. R., Thompson, R. C., Haynes, F. M., Manske, S. L., Robison, L. C., and White, J. L., 1986, Evolution of fractures and alteration in the Sierrita-Esperanza hydrothermal system, Pima County, Arizona: *Economic Geology*, v. 81, p. 343-370.
- Titley, S. R., Fouts, J., and Brennan, T., 1990, Contrasting metallogenesis and regional settings of Circum-Pacific Cu-Au porphyry systems: *Pacific Rim Congress*, v. 1990, Vol. 2, p. 127-133.
- Tomlinson, A. J., 1994, Relaciones entre el porfido cuprífero y la falla inversa de mina de Portrerillos; un caso de intrusion sintectónicas: *Actas - 7º Congreso Geológico Chileno*, Departamento de Geociencias, Universidad del Norte Chile, p. 1629-1633.
- Tomlinson, A. J., and Blanco, N., 1997a, Structural evolution and displacement history of the West Fault System, Precordillera, Chile: part 1, synmineral history: *Congreso Geológico Chileno VIII*, Antofagasta, Chile, p. 1873-1877.
- Tomlinson, A. J., and Blanco, N., 1997b, Structural evolution and displacement history of the West Fault System, Precordillera, Chile: part 2, postmineral history: *Congreso Geológico Chileno VIII*, Antofagasta, Chile, p. 1878-1882.
- Tomlinson, A. J., Mpodozis, C., Cornejo, P. C., Ramirez, C. F., and Dumitru, T., 1994, El sistema de fallas Sierra Castillo-Agua Amarga; transpresion sinistral Eocena en la Precordillera de Potrerillos-El Salvador: *Actas - 7º Congreso Geológico Chileno*, Departamento de Geociencias, Universidad del Norte Chile, p. 1459-1463.
- Tomlinson, A. J., Blanco, N., Maksaev, V., Dilles, J. H., Grunder, A. L., and Ladino, M. U., 2001a, Geología de la Precordillera Andina de Quebrada Blanca - Chuquicamata, Regiones I y II (20°30'S - 22°30'S): Santiago de Chile, Servicio Nacional de Geología y Minería, 444 p.
- Tomlinson, A. J., Dilles, J. H., and Maksaev, V., 2001b, Application of apatite (U-Th)/He thermochronometry to the determination of the sense and amount of vertical fault displacement at the Chuquicamata porphyry copper deposit, Chile; discussion: *Economic Geology*, v. 96, p. 1307-1309.
- Tomlinson, K. Y., Bowins, R., and Heshler, J., 1998, Refinement of Hafnium (Hf) and Zirconium (Zr) analysis by improvement in the sample digestion procedure. *Miscellaneous Paper 169*, Ontario Geological Survey, p. 189-192.
- Toplis, M., and Corgne, A., 2002, An experimental study of element partitioning between magnetite, clinopyroxene and iron-bearing silicate liquids with particular emphasis on vanadium: *Contributions to Mineralogy and Petrology*, v. 144, p. 22.
- Toro, J.-C., Ortuzar, J., Maksaev, V., Barra, F., and Zamorano, J., 2006, Cronología de un nuevo cluster en la franja de pórfidos cupríferos del Mioceno de Chile Central: *XIº Congreso Geológico*

- Chileno, Universidad Católica del Norte, Antofagasta, Chile, v. 2, p. 367-370.
- Tosdal, R. M., 1996, The Amazon–Laurentian connection as viewed from the Middle Proterozoic rocks in the central Andes, western Peru and northern Chile: *Tectonics* v. 15, p. 827–842.
- Tosdal, R.M., and Munizaga, F., 1996, Basement influences on ore deposits in the Chilean Andes (30°–34°S): Abstracts with Programs - Geological Society of America, v. 28, p. 154.
- Tosdal, R. M., and Munizaga, F., 2003, Lead sources in Mesozoic and Cenozoic Andean ore deposits, north-central Chile (30–34°S): *Mineralium Deposita*, v. 38, p. 234–250.
- Tosdal, R. M., and Richards, J. P., 2001, Magmatic and structural controls on the development of porphyry Cu⁺ or -Mo⁺ or -Au deposits: *Reviews in Economic Geology*, v. 14, p. 157–181.
- Tosdal, R. M., Clark, A. H., and Farrar, E., 1984, Cenozoic polyphase evolution of the Cordillera Occidental, southernmost Peru: *Geological Society of America Bulletin*, v. 95.
- Toselli, A. J., Saavedra, J., and Rossi de Toselli, J. N., 1996, Interpretación geotectónica del magmatismo del Sistema de Famatina. Geotectonic interpretation of the magmatism of the Famatina System: *Muenchner Geologische Hefte. Reihe A, Allgemeine Geologie*, v. 19, p. 283–291.
- Trista-Aguilera, D., Barra, F., Ruiz, J., Morata, D., Talavera-Mendoza, O., Kojima, S., and Ferraris, F., 2006, Re/Os isotope systematics for the Lince-Estefanía Deposit; constraints on the timing and source of copper mineralization in a stratabound copper deposit, Coastal Cordillera of northern Chile: *Mineralium Deposita*, v. 41, p. 99–105.
- Trumbull, R., Riller, U., Oncken, O., Scheuber, E., Munier, K., and Hongn, F., 2006, The time-space distribution of Cenozoic volcanism in the South-Central Andes: a new data compilation and some tectonic implications, in Oncken, O., Chong, G., Franz, G., Giese, P., Gotze, H-J., Ramos, V. A., Strecker, M. R., and Wigger, P., eds., *The Andes. Active Subduction Orogeny*: Springer-Verlag, Berlin Heidelberg, p.29–43.
- Turner, J. C. M., Mendez, V., Castellanos, T. G., Sersic, J. L., Amuchastegui, S., Caputto, R., Cocucci, A. E., Fuchs, G. L., Gordillo, C. E., and Melo, C. R., 1979, Puna: 2° Simposio de Geología Regional Argentina, Academia Nacional de Ciencias, Córdoba, v. 1, p. 13–56.
- Turner, S., Regelous, M., Kelley, S., Hawkesworth, C., and Mantovani, M., 1994, Magmatism and continental break-up in the South Atlantic; high precision ⁴⁰Ar/³⁹Ar geochronology: *Earth and Planetary Science Letters*, v. 121, p. 333–348.
- United States' Geological Survey (USGS), 2007, Mineral Commodity Summaries, January 2007 - Copper: <http://minerals.usgs.gov/minerals/pubs/commodity/copper/coppemcs07.pdf>
- Urqueta, E., Kyser, T. K., Clark, A. H., Stanley, C. R., and Oates, C., 2009, Lithogeochemistry of the Collahuasi porphyry Cu–Mo and epithermal Cu–Ag (–Au) cluster, northern Chile: Pearce element ratio vectors to ore: *Geochemistry: Exploration, Environment Analysis* (Geological Society of London), v. 9, p. 9–17, DOI 10.1144/1467-7873/07-169.
- Urzua, F., 2009, *Geology, Geochronology and Structural Evolution of La Escondida Copper District, Northern Chile*: unpublished PhD thesis, University of Tasmania, Hobart, Australia. 485p.
- Usui, T., Kobayashi, K., Nakamura, E., and Helmstaedt, H., 2007, Trace element fractionation in deep subduction zones inferred from a lawsonite eclogite xenolith from the Colorado Plateau: *Chemical Geology*, v. 239, p. 336–351.
- Uyeda, S., and Kanamori, H., 1979, Back-arc opening and the mode of subduction: *Journal of Geophysical Research*, v. 84, p. 1049–1061.
- van Achterbergh, E., Ryan, C., Jackson, S. E., and Griffin, W. L., 2001, Data reduction software for LA-ICP-MS, Short Course Handbook, 29, Mineralogical Association of Canada, p. 239–243.
- van Hunen, J., van den Berg, A. P., and Vlaar, N. J., 2002, On the role of subducting oceanic plateaus in the development of shallow flat subduction: *Tectonophysics*, v. 352, p. 317–333.
- van Hunen, J., van den Berg, A. P., and Vlaar, N. J., 2004, Various mechanisms to induce present-day shallow flat subduction and implications for the younger Earth; a numerical parameter study: *Physics of the Earth and Planetary Interiors*, v. 146, p. 179–194.

- van Westrenen, W., Allan, N. L., Blundy, J. D., Purton, J. A., and Wood, B. J., 2000, Atomistic simulation of trace element incorporation into garnets; comparison with experimental garnet-melt partitioning data: *Geochimica et Cosmochimica Acta*, v. 64, p. 1629-1639.
- Vandenberg, A. H. M., 1999, Timing of orogenic events in the Lachlan Orogen: *Australian Journal of Earth Sciences*, v. 46, no. 5, p. 691-701. doi:10.1046/j.1440-0952.1999.00738.x
- Veevers, J. J., 2000, Change of tectono-stratigraphic regime in the Australian plate during the 99 Ma (mid-Cretaceous) and 43 Ma (mid-Eocene) swerves of the Pacific: *Geology*, v. 28, p. 47-50.
- Vergara, H., 1978, Cuadrángulo Ujina, Region de Tarapacá, Carta Geológica de Chile, Escala 1:50,000: Santiago, Instituto de Investigaciones Geológicas, p. 63.
- Vergara, H., and Thomas, A., 1984, Hoja Collacagua, Region de Tarapacá, Carta Geológica de Chile, Escala 1:250,000: Santiago, Servicio Nacional de Geología y Minería, p. 79.
- Victor, P., Oncken, O., and Glodny, J., 2004, Uplift of the western Altiplano Plateau; evidence from the Precordillera between 20°S and 21°S; northern Chile: *Tectonics*, v. 23, p. 4-24, doi 10.1029/2003TC001519
- Vidal, C. E., Injoke-Espinoza, J., Sidder, G. B., and Mukasa, S. B., 1990, Amphibolitic Cu-Fe skarn deposits in the central coast of Peru: *Economic Geology*, v. 85, p. 1447-1461.
- Vila, T., Sillitoe, R. H., and Camus, F., 1991, Gold-rich porphyry systems in the Maricunga Belt, northern Chile: *Economic Geology*, v. 86, p. 1238-1260.
- Villemur, J., 1963, Geological structural and mining survey of the Caya-Copaquire Altiplano, Puna de Atacama, Tarapaca province : Geological and mineral survey of northern Chile: Santiago, Chile, United Nations Special Fund, Mineral Survey, p. 17.
- Von Blanckenburg, F., Villa, I. M., Baur, H., Morteani, G. and Steiger, R. H. 1989. Time calibration of a PT path from the Western Tauern Window, Eastern Alps: the problem of closure temperatures. *Contributions to Mineralogy and Petrology*, 101, 1-11.
- Von Quadt, A., Peytcheva, I., Kamenov, B., Fanger, L., Heinrich, C. A., and Frank, M., 2002, The Elatsite porphyry copper deposit in the Panagyurishte ore district, Srednogorie Zone, Bulgaria; U-Pb zircon geochronology and isotope-geochemical investigations of magmatism and ore genesis, in Blundell, D. J., Neubauer, F., and von Quadt, A., eds., *Geological Society Special Publications*, vol.204: London, Geological Society of London, p. 119-135.
- Wade, J. A., Plank, T., Stern, R. J., Tollstrup, D. L., Gill, J. B., O'leary, J. C., Eiler, J. M., Moore, R. B., Woodhead, J. D., Trusdell, F. A., Fischer, T. P., and Hilton, D. R., 2005, The May 2003 eruption of Anatahan volcano, Mariana islands: geochemical evolution of a silicic island-arc volcano: *Journal of Volcanology and Geothermal Research*, v. 146, p. 139-170.
- Wagner, L. S., Beck, S., Zandt, G., and Ducea, M. N., 2006, Depleted lithosphere, cold, trapped asthenosphere, and frozen melt puddles above the flat slab in central Chile and Argentina: *Earth and Planetary Science Letters*, v. 245, p. 289-301.
- Ward, P. L., 1991, On plate tectonics and the geologic evolution of southwestern North America: *Journal of Geophysical Research*, v. 96, p. 12,479-12,496.
- Ware, H., Munchmeyer, C., Fam, R., and Thomas, A., 1981, Geología del distrito de Collahuasi - Quebrada Blanca: Compañía Minera Doña Inés de Collahuasi, internal report, 56 p.
- Warren, J. K., 1986, Recognition of depositional diversity in ancient evaporites.
- Warren, P. I., 2005, Geology, geochemistry and genesis of the El Peñon epithermal Au-Ag deposit, northern Chile: characteristics of a bonanza grade deposit and techniques for exploration. Unpublished PhD thesis, University of Auckland, New Zealand. 428 p.
- Watanabe, Y., and Hedenquist, J. W., 2001, Mineralogic and stable isotope zonation at the surface over the El Salvador porphyry copper deposit, Chile: *Economic Geology*, v. 96, p. 1775-1797.
- Watson, E. B., and Harrison, T. M., 1983, Zircon saturation revisited; temperature and composition effects in a variety of crustal magma types: *Earth and Planetary Science Letters*, v. 64, p. 295-304.
- Weiss, L. E., 1969, Flexural-slip folding of foliated model materials: *Research in tectonics*, Paper of

the Geological Survey of Canada, p. 294-357.

Wessel, P., Kroenke, L. W., Harada, Y., and Sterling, A., 2002, The Hawaiian-Emperor Bend; a record of pronounced change in Pacific absolute plate motion: *Eos, Transactions, American Geophysical Union*, v. 83, p. F1288.

White, M. J., and McPhie, J., 1997, A submarine welded ignimbrite-crystal-rich sandstone facies association in the Cambrian Tyndall Group, western Tasmania, Australia: *Journal of Volcanology and Geothermal Research*, v. 76, p. 277-295.

White, N. C., and Hedenquist, J. W., 1990, Epithermal environments and styles of mineralization; variations and their causes, and guidelines for exploration: *Journal of Geochemical Exploration*, v. 36, p. 445-474.

Wiedenbeck, M., Alle, P., Corfu, F., Griffin, W.L., Meier, M., Oberli, F., Von Quadt, A., Roddick, J.C., and Spiegel, W., 1995, Three natural zircon standards for U-Th-Pb, Lu-Hf, trace element and REE analyses: *Geostandards Newsletter*, v. 19, p. 1-23.

Wiedenbeck, M., Hanchar, J. M., Peck, W. H., Sylvester, P., Valley, J., Whitehouse, M., Kronz, A., Morishita, Y., Nasdala, L., Fiebig, J., Franchi, I., Girard, J. P., Greenwood, R. C., Hinton, R., Kita, N., Mason, P. R. D., Norman, M., Ogasawara, M., Piccoli, P. M., Rhede, D., Satoh, H., Schulz-Dobrick, B., Skar, O., Spicuzza, M. J., Terada, K., Tindle, A., Togashi, S., Vennemann, T., Xie, Q., and Zheng, Y. F., 2004, Further characterisation of the 91500 zircon crystal: *Geostandards and Geoanalytical Research*, v. 28, p. 9-39.

Wilkes, E., and Goerler, K., 1994, Sedimentary and structural evolution of the Salar de Atacama Depression, in Reutter, K. J., Scheuber, E., and Wigger, P. J., eds., 1994, *Tectonics of the Southern Central Andes*: Berlin, Springer-Verlag.

Williams, W. C., 1992, Magmatic and structural controls on mineralization in the Paleocene magmatic arc between 22°40' and 23°45'S latitude, Antofagasta, II region, Chile: Unpublished PhD thesis, University of Arizona, 182 p.

Wilson, M., 1989, *Igneous petrogenesis*: Unwin Hyman, London, 466 p.

Wilson, C. J. N., Rogan, A. M., and Smith, I. E. M., 1984, Caldera volcanoes of the Taupo Volcanic Zone, New Zealand: *Journal of Geophysical Research*, v. 89, p. 8463-8484.

Wilson, L., and Sparks, R. S. J., 1976, Plinian eruption columns and ignimbrite formation: *Eos, Transactions, American Geophysical Union*, v. 57, p. 347.

Wilson, C. J. N., and Walker, G. P. L., 1982, Ignimbrite depositional facies; the anatomy of a pyroclastic flow: *Journal of the Geological Society of London*, v. 139, p. 581-592.

Wilson, A. J., Cooke, D., and Harper, B., 2003, The Ridgeway gold-copper deposit: a high grade alkalic porphyry deposit in the Lachlan Fold Belt, New South Wales, Australia: *Economic Geology*, v. 98.

Winchester, J. A., and Floyd, P. A., 1977, Geochemical discrimination of different magma series and their differentiation products using immobile elements: *Chemical Geology*, v. 20, p. 325-343.

Wörner, G., Harmon, R. S., Davidson, J. P., Moorbath, S., Turner, D. L., McMillan, N. J., Nye, C., Lopez-Escobar, L., and Moreno, H., 1988, The Nevados de Payachata Volcanic region (18°S/69°W, N. Chile), I: Geological, geochemical and isotopic observations: *Bulletin of Volcanology*, v. 50, p. 278-303.

Wörner, G., Lopez-Escobar, L., Moorbath, S., Horn, S., Entenmann, J., Harmon, R. S., and Davidson, J. D., 1992a, Variaciones geoquímicas, locales y regionales, en el frente volcánico cuaternario de los Andes Centrales (17°30'S-22°00'S), norte de Chile. Local and regional geochemical variations in the Quaternary volcanic front of the Central Andes (17°30'S-22°00'S), northern Chile: *Revista Geológica de Chile*, v. 19, p. 37-56.

Wörner, G., Moorbath, S., and Harmon, R. S., 1992b, Andean Cenozoic volcanic centers reflect basement isotopic domains: *Geology*, v. 20, p. 1103-1106.

Wörner, G., Moorbath, S., Horn, S., Entenmann, J., Harmon, R. S., Davidson, J. P., and Lopez-Escobar, L., 1994, Large- and fine-scale geochemical variations along the Andean arc of northern

- Chile (17.5°S-22°S), in Reutter, K. J., Scheuber, E., and Wigger, P. J., eds., 1994, *Tectonics of the Southern Central Andes*: Berlin, Springer-Verlag.
- Wörner, G., Hammerschmidt, K., Henjes-Kunst, F., Lezaun, J., and Wilke, H., 2000, Geochronology ($^{40}\text{Ar}/^{39}\text{Ar}$, K-Ar and He-exposure ages) of Cenozoic magmatic rocks from northern Chile (18-22°S); implications for magmatism and tectonic evolution of the Central Andes: *Revista Geológica de Chile*, v. 27, p. 205-240.
- Wolf, R. A., Farley, K. A., and Silver, L. T., 1996, Helium diffusion and low-temperature thermochronometry of apatite: *Geochimica et Cosmochimica Acta*, v. 60, p. 4231-4240.
- Wolf, R. A., Farley, K. A., and Kass, D. M., 1998, Modeling of the temperature sensitivity of the apatite (U-Th)/He thermochronometer: *Chemical Geology*, v. 148, p. 105-114.
- Wolff, J. A., and Wright, J. V., 1981, Rheomorphism of welded tuffs: *Journal of Volcanology and Geothermal Research*, vol.10, no.1-3, pp.13-34.
- Wood, D., 1980, The application of a Th-Hf-Ta diagram to problems of tectonomagmatic classification and to establishing the nature of crustal contamination of basaltic lavas of the British Tertiary volcanic province: *Earth and Planetary Science Letters*, v. 50, p. 11-30.
- Wood, D. A., Comin-Chiaramonti, P., Tarney, J., Joron J.-I., Fryer, P. B., Treuil, M., 1980, Geochemistry of igneous rocks recovered from a transect across the Mariana Trough, Arc, Forearc and Trench; sites 453-461 dsdp leg 60: Initial Report of the Deep Sea Drilling Project, v. 60, p. 611-645.
- Wood, G. D., Palmer-Koleman, S. E., Aleman, A. M., and Padilla, H., 2002, Palynofacies and biomarker analysis of the lowermost Permo-Carboniferous Pular Formation, a volcanic arc sequence in the Sierra de Almeida, northern Chile: *Review of Palaeobotany and Palynology*, v. 118, p. 323-333.
- Woodhead, J. D., Hergt, J. M., Davidson, J. P. and Eggins, S. M., 2001, Hafnium isotope evidence for “conservative” element mobility during subduction zone processes: *Earth and Planetary Science Letters*: v. 192, p. 331-346.
- Wyllie, P. J., and Sekine, T., 1982, The formation of mantle phlogopite in subduction zone hybridization: *Contributions to Mineralogy and Petrology* v. 79, p. 375-380
- Xiong, X. L., Adam, J., and Green, T. H., 2005, Rutile stability and rutile/melt HFSE partitioning during partial melting of hydrous basalt: implications for TTG genesis: *Chemical Geology*, v. 218, p. 339-359.
- Yamagishi, H., 1979, Classification and features of subaqueous volcanoclastic rocks of Neogene age in Southwest Hokkaido: Report - Geological Survey of Hokkaido, p. 1-10.
- Yañez, G., and J. Cembrano, 2004, Role of viscous plate coupling in the late Tertiary Andean tectonics, *Journal of Geophysical Research*, v. 109, B02407, doi:10.1029/2003JB002494.
- Yañez, G. A., Ranero, C. R., von Huene, R., and Diaz, J., 2001, Magnetic anomaly interpretation across the southern Central Andes (32 degrees -34 degrees S); the role of the Juan Fernandez Ridge in the late Tertiary evolution of the margin: *Journal of Geophysical Research*, v. 106, p. 6325-6345.
- Yañez, G., J. Cembrano, Pardo, M., Ranero, C., and Selles, D., 2002, The Challenger–Juan Fernández–Maipo major tectonic transition of the Nazca–Andean subduction system at 33–34°S: geodynamic evidence and implications: *Journal of South American Earth Sciences*, v. 15, p. 23-38. doi:10.1016/S0895-9811(02)00004-4
- Yoder, H.S. and Tilley, C.E., 1962, Origin of basalt magmas: An experimental study of natural and synthetic rock specimens: *Journal of Petrology*, v. 3, p. 342-532.
- York, D., 1969, Least squares fitting of a straight line with correlated errors: *Earth and Planetary Science Letters*, v. 5, p. 320-324.
- Yu, Z., Robinson, P., and McGoldrick, P., 2001, An evaluation of methods for the chemical decomposition of geological materials for trace element determination using ICP-MS: *Geostandards Newsletter*, v. 25, p. 199-217.
- Zappettini, E. O., and Segal, S. J., 1998, Metallogeny of gold in the Sierra de la Rinconada, Province of Jujuy, Argentina, in Hagni, R. D., ed., *Proceedings of the Quadrennial IAGOD Symposium*, vol.9: Stuttgart, E. Schweizerbart'sche Verlagsbuchhandlung (Naegle u. Obermiller), p. 319-330.

Zeitler, P.K., 1999, Overview of U-Th/He dating: *Eos, Transactions, American Geophysical Union*, v. 80, suppl. p. 1168-1169.

Zeitler, P. K., Herczeg, A. L., McDougall, I., and Honda, M., 1987, U-Th-He dating of apatite: A potential thermochronometer: *Geochimica et Cosmochimica Acta*, v. 51, p. 2865-2868.

Zentilli, M., and Maksaev, V., 1995, Formation of Eocene-Oligocene porphyry copper deposits in northern Chile following crustal thickening and tectonic uplift fission track evidence, Program with Abstracts - Geological Association of Canada; Mineralogical Association of Canada; Canadian Geophysical Union, Joint Annual Meeting, vol.20: Waterloo, Geological Association of Canada, p. 114.

Zentilli, M., Graves, M. C., Lindsay, D. D., Maksaev, V., and Ossandon, G., 1995, The genesis of the Chuquicamata porphyry copper deposit in northern Chile in relation to Tertiary Andean tectonics, in Pickerill, R. K., ed., *Atlantic Geology*, 31: Fredericton, Atlantic Geoscience Society, p. 65.

Zharkov, M. A., 1984, Paleozoic salt bearing formations of the world: Berlin, Federal Republic of Germany, Springer-Verlag, 427 p.

Zonenshayn, L. P., Savostin, L. A., and Sedov, A. P., 1984, Global paleogeodynamic reconstructions for the last 160 million years: *Geotectonics*, v. 18, p. 181-195.

Zweng, P., and Clark, A., 1995, Hypogene evolution of the Toquepala porphyry copper-molybdenum deposit, Moquegua, southeastern Peru., in Wahl, P., and Bolm, J., eds., *Porphyry Copper Deposits of the American Cordillera*, p. 566-612.

